

## **Injectafer for CHF Orders**

F	Patient N	Name:			D	OB:	•	□ Ма	le 🛘 Female
[	Diagnosis	(please provide	ICD10 code)						
[	□ New S	tart Therapy	□ Continuat	ion of Therapy	Date o	f last dose	(if applicable):		
_	NKDA	Allergies:							
C	Ordering	Provider:							
P	Provider NPI:				Phone: Fa		Fax:		
F	Practice Address:			City:		State	Z	ip Code:	
_	PRE-MEI	DICATION				RE	QUIRED TESTING	i/LABS	
□ Acetaminophen1000mg PO □ Solu-Medrol 125mg IVP □ Diphenhydramine25mg PO □ Solu-Cortef 100mg IVP □ Diphenhydramine 25mg IVP □ Diphenhydramine 25mg IVP □ A cghfYWbh'<[V] INJECTAFER ORDERS Please circle appropriate weight and dosage							s, Tests supporting		
						•			
		Weig	ht less than	70 kg	Wei	ght 70 kg	or more		
		Weig	ht less than Hb (g/dL)	70 kg	Wei	ght 70 kg Hb (g/dl			
		Weig		70 kg > 14 to <15	Wei		L)		
	Day 1	< <b>10</b> 1,000 mg	Hb (g/dL)		< <b>10</b> 1,000 mg	Hb (g/dl 10 to 14 1,000 mg	L) 4 > 14 to < 15		
	Day 1 Week 6	< 10	Hb (g/dL) 10 to 14	> 14 to <15	< 10	Hb (g/dl 10 to 14	L) 4 > 14 to < 15		
	Week 6  Noble I	< 10 1,000 mg 500 mg  nfusion Standi	Hb (g/dL) 10 to 14 1,000 mg No dose	> 14 to <15 500 mg No dose	< <b>10</b> 1,000 mg 1,000 mg	Hb (g/dl 10 to 14 1,000 mg	L) 4 > 14 to < 15 g 500 mg		
	Week 6  Noble I	< 10 1,000 mg 500 mg  nfusion Standi treatment underes, and Action	Hb (g/dL) 10 to 14 1,000 mg No dose  Ing Orders:	> 14 to <15 500 mg No dose	< <b>10</b> 1,000 mg 1,000 mg	Hb (g/dl 10 to 14 1,000 mg	L) 4 > 14 to < 15 g 500 mg No dose		