

Briumvi Infusion Orders

Patient Name:		DOB:	·		Male
Diagnosis (please provide ICD10) code)				
□ New Start Therapy □ C	ontinuation of Therapy	Date of last of	lose (if applicable):		
E AUCDA AU					
□ NKDA Allergies:					
Ordering Provider:					
Provider NPI:		Phone:	Fax:	•	
Practice Address:		City:	Stat	:e:	Zip Code:
PRE-MEDICATION			REQUIRED D	OCUN	MENTS
☐ Acetaminophen1000mgPO☐ Diphenhydramine25mgPO☐ Ceterizine 10mg PO	Diphenhydramine25mgPO Solu-Cortef 100mg IVP primary diagnosis (please attach)				
Other PreMeds:					
BRIUMVI ORDER					
☐ Loading dose: 150mg follo	owed by 450mg 2 weeks la	ter			
		1.1		c.	
☐ Maintenance dose: 450mg	j given 24 weeks aπer 1st d	ose and then ev	ery 24 weeks thereat	πer	
Nahla Infraian Standing O	ud oue.				
Noble Infusion Standing On			ata Duata da Lagaria		
✓ Provide treatment under Not Guidelines, and Action Plan f	ole Infusion's Clinical Guideline or Infusion Reactions.	es, iviedication Saf	ety Protocol, Emergenc	.у	
		•			
		_			
Provider Name					
Provider Signature			Date		-