



# ALPHA US MOBILE UNIT INFORMATION

Updated 06/08/2026



## 1080p Capable | Single Trailer REMI Unit

# ALPHA: TECHNICAL SPECIFICATIONS

### POWER REQUIREMENTS

- 2X 208 VOLT, 3 PHASE, 200AMP **OR** 1X 208 VOLT, 3 PHASE, 400AMP

### CAMERAS

- 11 SONY HDC2500 CAMERAS
- 3 SONY HDC2000 CAMERAS
- 7 SLEDS
- 10 HEAVY PANHEAD W/STICKS
- 6 LIGHTWEIGHT STICKS

### LENSES

- 10 HARD LENSES
- 5 HANDHELD LENSES
- 3 WIDE ANGLE LENSES

### RECORD/REPLAY

- WIRED FOR 4 12 CHANNEL EVS MACHINES AND 3 EVS ACCESSORY BOXES
- 1 EVS XFILE 3

### AUDIO

- CALREC SUMA WITH 44 DUAL FADERS

### COMMUNICATIONS


- RTS ADAM INTERCOM SYSTEM - 128 PORTS

### SUPPORT EQUIPMENT

- EVERTZ EQX ROUTER
- HD VIDEO - 180 INPUTS X 180 OUTPUTS
- 64 INPUTS X 64 OUTPUTS EMBED/DE-EMBED
- MADI 8 INPUTS X 8 OUTPUTS
- AES 96 INPUTS X 48 OUTPUTS
- ANALOG 96 INPUTS X 96 OUTPUTS
- 2 HYDRA BOXES
- 6 AJA FS4 FRAME SYNC
- 6 AJA FS1 FRAME SYNC
- BASIC TRUCK COMPLIMENT OF CABLE, MICS, ETC.




# ALPHA FLOORPLAN






ALPHA

# VIDEO MONITOR WALL






ALPHA

# AUDIO MONITOR WALL









ALPHA

# FLEX 2 MONITOR WALL



ALPHA

# FLEX 3 MONITOR WALL



ALPHA

# FLEX 4 MONITOR WALL

