



DENALI ATLANTIC US MOBILE UNIT INFORMATION

Updated 07/14/2026

NEPGROUP.COM



1080i, 720p, & 1080p Capable | Single Trailer Unit

ATLANTIC: TECHNICAL SPECIFICATIONS

POWER REQUIREMENTS

- POWER REQUIREMENTS: 208 VOLTS, 3 PHASE, 200 AMPS

PRODUCTION SWITCHER

- KAYENNE K FRAME - 4 M/E

CAMERAS

- 10 SONY HDC2500 CAMERAS
- 4 SLEDS
- 4 HEAVY PANHEADS W/STICKS
- 6 LIGHTWEIGHT STICKS
- 1 SONY MSU-1500

LENSES

- 2 CANON 95X HARD LENSES
- 3 FUJINON 23X7. HANDHELD LENSES (WITH TRIPLE SERVO)
- 2 FUJINON 13X4.5 WIDE ANGLE LENSES
- 6 FUJINON 14X4.5 WIDE ANGLE LENSES (2 WITH TRIPLE SERVO)

SUPPORT EQUIPMENT

- EVERTZ EQX ROUTER
- HD VIDEO - 72 INPUTS X 72 OUTPUTS
- MADI 19 INPUTS X 19 OUTPUTS
- AES 192 INPUTS X 192 OUTPUTS
- ANALOG AUDIO 96 INPUTS X 96 OUTPUTS
- 3 HYDRA BOXES
- 20 UDX WITH COLOR CORRECTION
- MONITORS: 8-22" LCD

AUDIO

- CALREC ARTEMIS BEAM DIGITAL AUDIO CONSOLE WITH BLUEFIN 2 HIGH DENSITY SIGNAL PROCESSING
- 340 CHANNELS WITH FULL SIGNAL PROCESSING
- 128 MIX BUSSES FOR GROUP AND MAIN OUTPUTS
- 64 MULTI-TRACK BUSSES
- 32 AUX BUSSES
- 8 FADER, A/B LAYERS
- 48 ANALOG INPUTS & 24 ANALOG OUTPUTS
- 64 AES INPUTS & 48 AES OUTPUTS
- 4 MADI INPUTS & 4 MADI OUTPUTS
- 1 ATI 8MX2 ANALOG 8 CHANNEL STEREO MIXERS
- 5 FOSTEX SPEAKERS
- 4 STEREO HEADSETS
- 6 MM1 LINE AMPS2 DIGICART

MICROPHONES

- 4 SENNHEISER HMD-26-1 SPORTSCASTER HEADSETS
- 4 LANCE DESIGN ADX120E ANNOUNCE BOXES (DANTE)
- 4 STUDIO TECHNOLOGIES 230 ANNOUNCE BOXES
- 6 SENNHEISER MD-46 STICK MICROPHONES (GREY)
- 6 SENNHEISER ME66 SHOTGUN MICROPHONES
- 4 SENNHEISER MKH-416P SHORT SHOTGUN MICROPHONES
- 6 SENNHEISER MKH-816P LONG SHOTGUN MICROPHONES

RECORD/REPLAY

- TRUCK IS WIRED FOR 4 EVS MACHINES
- 2 PRONOLGY SCREENERS (4 CHANNELS OF H.264 RECORDS)
- TRUCK WIRED FOR 12 EMBEDDED VT'S

COMMUNICATIONS

- ADAM INTERCOM SYSTEM - 112 PORTS
- 20 DUAL LISTEN BELTPACKS
- 10 SINGLE MUFF HEADSETS
- 10 DOUBLE MUFF HEADSETS
- 8 IFB BELTPACKS
- 12 WET RTS TW PL CHANNELS
- 4 RTS SPK-300 BISCUIT BOX USER STATIONS
- 6 WALKIE TALKIES WITH 1 BASE STATIONS
- 2 RTS MADI-32 CARD W/ FIBER TO COPPER TRANSPORT AND CONVERSION INTERFACE
- 1 RTS RVON-8 CARD1 PHONE SYSTEM WITH 4 LINES
- 4 TIF - TELEPHONE INTERFACES
- 6 QKT


CABLES

- 9 MM SMPTE FIBER: 10 -500' 10 -250' 10 -100'
- DT12 3 -250' 3 -100'
- 4 DT12 FANOUT SETS
- 4 DT12 BREAKOUT BOXES
- ASSORTED SINGLE LINE XLR
- TAC-12 MILITARY 2 -1000'
- TAC-12 MILITARY-ST BREAKOUT (S) 6
- TAC-12 ST-ST 2 -1500' 2 -1000' 2 -500' 2 -250' 2 -150' OR LESS
- TAC-4 MILITARY 2 -500'
- TAC-4 MILITARY-ST BREAKOUT(S) 2
- 5 PAIR HD COAX LOOM 2 -25' 4 -150'
- ASSORTED SINGLE LINE COAX
- 2 SETS OF 75' 4/0 CAMLOCK POWER CABLE




ATLANTIC

FLOORPLAN




PRODUCTION MONITOR WALL




ATLANTIC

P2 MONITOR WALL


P2-LEFT CONSOLE



P2-RIGHT CONSOLE



AUDIO MONITOR WALL



ATLANTIC

VIDEO MONITOR WALL

RACK 11		RACK 12		RACK 13		RACK 14		RACK 15	
				TSI-3000 TALLY CHANGEOVER		NETWORK DRIVE 14" DEEP		1.5U FIBER PATCH ^{A/B}	
SONY RCP PATCH ^A				TSI-3000 TALLY MICRO #2				1.5U FIBER PATCH ^{C/D}	
SONY RCP PATCH ^B				TSI-3000 TALLY MICRO #1		1U MINI VJF ^{3J/3K}		1.5U FIBER PATCH ^{E/F}	
								1.5U FIBER PATCH ^{G/H}	
V-MD902 = MD-HDS092 9" LCD WIRED SDI & NTSC INPUTS 1		V-MD902 = MD-HDS092 9" LCD WIRED SDI & NTSC INPUTS 2		V-MD902 = MD-HDS092 9" LCD WIRED SDI & NTSC INPUTS 5		V-MD902 = MD-HDS092 9" LCD WIRED SDI & NTSC INPUTS 9		V-MD902 = MD-HDS092 9" LCD WIRED SDI & NTSC INPUTS 17	
V-MD902 = MD-HDS092 9" LCD WIRED SDI & NTSC INPUTS 3		V-MD902 = MD-HDS092 9" LCD WIRED SDI & NTSC INPUTS 4		V-MD902 = MD-HDS092 9" LCD WIRED SDI & NTSC INPUTS 6		V-MD902 = MD-HDS092 9" LCD WIRED SDI & NTSC INPUTS 10		V-MD902 = MD-HDS092 9" LCD WIRED SDI & NTSC INPUTS 18	
V-MD902 = MD-HDS092 9" LCD WIRED SDI & NTSC INPUTS 7		V-MD902 = MD-HDS092 9" LCD WIRED SDI & NTSC INPUTS 8		V-MD902 = MD-HDS092 9" LCD WIRED SDI & NTSC INPUTS 11		V-MD902 = MD-HDS092 9" LCD WIRED SDI & NTSC INPUTS 12		V-MD902 = MD-HDS092 9" LCD WIRED SDI & NTSC INPUTS 19	
V-MD902 = MD-HDS092 9" LCD WIRED SDI & NTSC INPUTS 13		V-MD902 = MD-HDS092 9" LCD WIRED SDI & NTSC INPUTS 14		V-MD902 = MD-HDS092 9" LCD WIRED SDI & NTSC INPUTS 16		V-MD902 = MD-HDS092 9" LCD WIRED SDI & NTSC INPUTS 15		V-MD902 = MD-HDS092 9" LCD WIRED SDI & NTSC INPUTS 20	
				WOHLER AMP-1A					
								WIRING FOR V-LCD #25	
CMN-91 WFM/VECT		CMN-91 WFM/VECT		CMN-91 WFM/VECT		CMN-91 WFM/VECT		PRINTER	
COBALT REMOTE CTL OGCP-9000/CC		SONY MONITOR REMOTE		KP32 ADAM PANEL		CP3201E 40BPS			
KP32 ADAM PANEL				KP32 ADAM PANEL		KP32 ADAM PANEL			
CP3201E 40BPS				CP3201E 40BPS		CP3201E 40BPS			

