



4K UHD4 AUSTRALIA MOBILE UNIT INFORMATION

Updated 08/03/2026

NEPGROUP.COM



Purpose Built Double-expanding Side Semi-trailer With 62m² Of Internal Space, Capable Of Fast Single Person Deployment | Single Trailer Unit

4K UHD4: TECHNICAL SPECIFICATIONS

VEHICLE-SPECIFIC INFORMATION

- DIMENSIONS: TRUCK - 15M LONG X 2.5M WIDE X 4.3M HIGH; EXPANDERS - 12M LONG X 1M WIDE

PRODUCTION

- SONY MVS8000X, 68 INPUTS / 48 OUTPUTS, 4 ME

COMMUNICATIONS

- ADAM INTERCOM SYSTEM - 112 PORTS
- 4 PARTYLINE BELTPACK SYSTEMS
- 6 UHF DUPLEX BASE STATIONS
- 2 TELEPHONE HYBRIDS

CAMERAS

- 18 CAMERAS WITH 6 CCU POSITIONS, PLUS TD AND OB MANAGER
- EXPANDABLE SONY ETHERNET CAMERA CONTROL
- 8 SPECIALTY CAMERA POSITIONS WITH ABILITY TO EXPAND

SUPPORT EQUIPMENT

- EVERTZ ROUTER
- HD VIDEO - 288 INPUTS X 576 OUTPUTS
- EQUIPPED WITH LAWO VSM CONTROL & MONITORING SYSTEM
- 16 UTILITY FRAME SYNCs/PROCESSORS
- 8 X 16 SOURCE MULTI VIEWERS

AUDIO

- CALREC ARTEMIS DIGITAL AUDIO CONSOLE
- BLUEFIN 2 HIGH DENSITY SIGNAL PROCESSING
- 340 CHANNELS WITH FULL SIGNAL PROCESSING
- 128 MIX BUSSES FOR GROUP AND MAIN OUTPUTS
- 64 MULTI-TRACK BUSSES
- 32 AUX BUSSES
- 50 FADER, A/B LAYERS
- 680 DSP CHANNELS
- HYDRA 2 FIBRE REMOTE STAGE BOX INTERFACING
- MADI INTERFACING

RECORD & PLAYBACK

- UP TO 10 EVS/VTRS
- 6 HDD/DVD RECORDERS

SUPPORT EQUIPMENT

- 8 X 16 SOURCE MULTI VIEWERS



4k UHD4

FLOORPLAN

