



DENALI CALIFORNIA US MOBILE UNIT INFORMATION

Updated 08/07/2026

NEPGROUP.COM



CALIFORNIA: TECHNICAL SPECIFICATIONS

POWER REQUIREMENTS

- 208VOLTS, 3 PHASE, 300 AMPS

PRODUCTION SWITCHER

- KAYENNE K-FRAME SWITCHER

CAMERAS

- SONY HDC-4300 HAND HELD HD CAMERAS
- SONY LARGE LENS ADAPTERS WITH 7" VIEWFINDERS, BLACK
- VINTEN VECTOR 700 PAN HEADS WITH VINTEN TRIPODS & WHEELS
- SACHTLER VIDEO 20 HH PANHEADS AND TRIPODS

LENSES

- CANON 86X STABILIZED ZOOM LENSES
- FUJINON 22X7.8 HD ZOOM LENSES
- FUJINON 13X4.5 HD WIDE ANGLE LENSES

MICROPHONES

- ENTERTAINMENT SHOW MICROPHONE KITS AS WELL AS MICROPHONES FOR A WIDE VARIETY OF SPORTS AND SPECIALTY APPLICATIONS AVAILABLE ON REQUEST

RECORD & PLAYBACK

- VTRS AS REQUESTED - WIRED FOR 16 VTS, 5 SERVERS: D5, HD CAM, SRW, DVC PRO, DIGIBETA, BVW-75
- 1 LANCE GANG ROLL SYSTEM
- 2 SCREENER 2 CHANNEL H.264 RECORDER
- 2 DVD RECORDERS

SUPPORT EQUIPMENT

- EVERTZ EQX ROUTER
- HD VIDEO 356 INPUTS X 396 OUTPUTS
- 128 DE-EMBED X 128 EMBED
- 1 EVERTZ 672/672 AES/MADI/ANALOG AUDIO ROUTER
- UTILITY FRAME SYNC-U/C-D/C -AJA FS1 UPON REQUEST

AUDIO

- CALREC APOLLO AUDIO CONSOLE - 144 MULTI-LAYERED FADERS;
- 282 MICROPHONE INPUTS & 496 ANALOG LINE OUTPUTS
- 192 AES INPUTS & 212 AES OUTPUTS - UNBALANCED
- 16 AES BALANCED INPUTS AND OUTPUTS
- 12 MADI INTERFACES
- 4 HYDRA FIELD BOXES (48X16)
- 1 MODULAR HYDRA FIELD BOX
- 3 MEYER HD-1 MAIN SPEAKERS
- 2 YAMAHA HS-80M 8 INCH SURROUND SPEAKERS
- 1 JBL LSR4312SP SUBWOOFER
- 2 ATI 8MX2 8 X 2 SUBMIXER
- DOLBY ENCODER/DECODE PACKAGE AVAILABLE
- 1 DAYSEQUERRA ILM8 LOUDNESS METER AVAILABLE
- 2 LANCE ADX-2400N DANTE FRAMES - ANALOG
- 3 LANCE ADX-2400D DANTE FRAMES - DIGITAL
- 2 CEDAR DNS1500 AUDIO EFFECTS AVAILABLE
- 1 DBX 1046 4 CHANNEL COMP/LIMITER AVAILABLE
- 4 APHEX 320D AUDIO COMPELLOR AVAILABLE
- 2 APHEX 661 AUDIO EFFECTS AVAILABLE
- 1 UNIVERSAL AUDIO 2-1176 2 CHANNEL COMP/LIMITER AVAILABLE
- 1 TC ELECTRONIC 902-111011 5.1 VERB/EFFECTS (W/ 8 CHANNEL AES OPTION) AVAILABLE
- 1 TC ELECTRONIC 903-010101 8 CHANNEL AES EXPANSION CARD AVAILABLE
- 1 TC ELECTRONIC 905-006020 ICON CPU (W/ UNWRAP LICENSE) AVAILABLE
- 1 TC ELECTRONIC 906-ICON11 ICON CONTROLLER AVAILABLE
- 2 TC ELECTRONIC 960-100011 D-TWO MULTITAP RHYTHM DELAY AVAILABLE
- 1 BLUE SKY BMC MKII BASS MANAGEMENT CONTROLLER
- 1 IZOTOPE ANR-B AUDIO NOISE REDUCTION UNITS AVAILABLE
- NETWORK TECHNOLOGIES INC SPLITMUX-DVI-4 MULTITRACK VIEWER AVAILABLE
- 2 CEDAR DNS1500 NOISE REDUCTION UNIT
- 1 TASCAM RW2000 CD PLAYER/RECORDER
- 1 TASCAM CD500B CD PLAYER
- MULTITRACK RECORDERS AVAILABLE ON REQUEST
- SYSTEM WIRED TO ACCEPT FOUR MULTITRACKS WITH ANALOG, AES OR MADI I/O

COMMUNICATIONS

- TELEX ADAM MATRIX INTERCOM - 256 PORTS
- 12 WET RTS TW PL CHANNELS
- 40 RTS BP-325 DUAL LISTEN BELTPACKS
- 4 RTS SPK-300 BISCUIT BOX USER STATIONS
- 17 BEYER DT-280 SINGLE MUFF HEADSETS
- 17 BEYER DT-290 DUAL MUFF HEADSETS
- 8 IFB CHANNELS WITH 14 RTS IFB BELTPACKS
- 10 MOTOROLA WALKIE TALKIES WITH 2 BASE STATIONS
- AVAYA PARTNER ACS PHONE SYSTEM
- 4 TIF2000 - TELEPHONE INTERFACE GETNER PHONE COUPLERS (4 LINES)
- 8 RING DOWN CHANNELS


CABLE

- 9MM SMPTE CABLE- 15 -50M 15 -100 M
- 9MM MULT: 3 (4X250')
- 4 PAIR 4 -25' 4 -50' 4 -100' 4-200'
- 4 PAIR FANOUTS: 16 SETS
- W2 8 -300' 8 -100' 8 -50 8 -25'
- 8 FEMALE XLR TO MALE W2 CONNECTOR BREAKOUT BOX
- 4 MALE XLR TO FEMALE W2 CONNECTOR BREAKOUT BOX
- 10 FEMALE W2 TO MALE XLR FAN OUT 10 FT
- 10 MALE W2 TO FEMALE XLR FAN OUT 10 FT
- 10 MALE W2 TO MALE XLR FAN OUT 10 FT
- TAC 12 ST - ST 1 -1500' 4 -1000' 4 -500' 2 -250'
- TAC-12 MILITARY 6 -500'
- TAC-4 MILITARY 4 -500'
- 5 TAC 12 MILITARY FANOUTS
- 3 TAC 4 TO LC DUPLEX FAN OUT
- 5 PAIR HD COAX LOOMS 5 -250' 10-25' 5 -25' 5 -10'
- 10 PAIR HD COAX LOOMS 5 -25'
- 2 RAMLATCH TO 4 MALE W2 (4' TAILS)
- 4 RAMLATCH TO FEMALE W2
- ASSORTED XLR AND BNC
- 1 SET OF 100' POWER CABLE
- 1 SET OF 75' POWER CABLE
- 1 SET OF 50' POWER CABLE




CALIFORNIA

FLOORPLAN



PRODUCTION MONITOR WALL



CALIFORNIA

TAPE / AUDIO MONITOR WALL

