



DENALI YUKON

US MOBILE UNIT

INFORMATION

Updated 08/07/2026

1080i, 720p & 1080p Capable | Travels with B-Unit

YUKON: TECHNICAL SPECIFICATIONS

DIMENSIONS

- A-UNIT: 55' 8" LONG X 13'8" HIGH X 15'9" OR 21'5" OR 25'7" WIDE EXPANDED DEPENDING ON CONFIGURATION. CURBSIDE EXPANDO
- B-UNIT: 37' LONG X 13'6" HIGH X 8'6" WIDE - WORKING LENGTH IS LONGER - PLEASE ALLOW FOR AN ADDITIONAL 6' BEHIND TRUCK FOR LIFT GATE ACCESS. NO EXPANDO

POWER REQUIREMENTS:

- 400 AMP, 208 VOLT, 3 PHASE OR 2 200AMP, 208 VOLT, 3 PHASE

PRODUCTION

- GVG KAYENNE K-FRAME SWITCHER 9 M/E, 128 INPUTS, 96 OUTPUTS, 16 FLOATING IDPMS, 10 STILL STORE CHANNELS
- EVERTZ VIP MONITOR WALL
- IHSE KVM SYSTEM

COMMUNICATIONS

- RIEDEL INTERCOM SYSTEM - 256 PORT
- FIBER RING AVAILABLE AT ECP
- 40 CHANNEL MADI PORT TO STUDER CONSOLE
- 32 CHANNEL MADI PORT TO ECP
- DIRECT OUTPUT ADIAMO 2.DA 32X32 ANALOG/MADI CONVERTER
- RCP1128, RCP1028 & RCP1012 PANELS
- 12 WET PL CHANNELS
- 8 WET IFB CHANNELS
- 2 CLEARCOM CCI 2 TO 4 WIRE INTERFACE
- RTS SAP 1626
- 30 BP325 BELTPACKS
- 4 SPK300 BISCUIT BOXES (DUAL LISTEN)
- 36 DT-108 SINGLE MUFF HEADSETS
- 18 DT-109 DOUBLE MUFF HEADSETS
- 4 RIEDEL CONNECT TRIOS
- 12 MOTOROLA CP200S WITH 2 MOTOROLA RADIO BASE STATIONS
- RING DOWN PHONES
- AVAYA IP OFFICE PHONE SYSTEM

CABLE

- 12MM SMPTE 12 -350' 18 -200' 20 -100'
- 9MM SMPTE MULT: 3 (4X250')
- TAC-12 ST-ST 2 -500'
- TAC-12 MILITARY 6 -500'
- TAC-4 MILITARY 4-500' 2 -100'
- W2 6 -300' 6 -250' 6 -100' 8 -50' 8 -25' 8-10'
- 5 PAIR HD COAX LOOM 10 -250' 12 -150'

CAMERAS

- 12 SONY HDC-4300 CAMERAS W/SMPTE FIBER
- 2 SONY HDLA-1500 SLEDS
- 2 VECTOR 950 PAN HEADS
- 2 VINTEN QUICK SET HARD STICKS
- 2 VINTEN QUICK SET WHEELS
- PEDESTALS UPON REQUEST
- 8 CARTONI DELTA TRIPODS
- 4 CARTONI DELTA TRIPOD WHEELS
- 12 0.5 GLIMMER GLASS FILTERS
- 12 SONY HDCU-4300 CCUS

LENSES

- 2 CANON 95X HARD LENSES
- 4 FUJINON 23X7.6 LENSES
- 2 FUJINON 16X6.5 LENSES
- 8 FUJINON 14X4.5 LENSES

SUPPORT EQUIPMENT

- EVERTZ EQX ROUTER AND EVERTZ EMR AUDIO ROUTER
- 558X576 W/576 XLINK OUTPUTS
- 212 DE-EMBEDDING INPUTS X 224 EMBEDDING OUTPUTS
- 2 EVERTZ 5601 SYNC GENERATORS W/AUTO CHANGE
- 128 3G SYSTEM DAS (9910)
- 36 3G DOWNCONVERTING DAS (9501 & 9502)
- 20 COBALT UDX CONVERTERS (6-9901, 10- 9903 & 4-9902)
- 10 COBALT FRAME SYNC/COLOR CORRECTORS (9084)
- 4 COBALT SIGNAL GENERATORS (9362)
- 4 COBALT TIMECODE BURNERS (9392)
- 2 CONTEMPORARY RESEARCH ATSC RF MODULATORS
- 2 CONTEMPORARY RESEARCH DEMODULATORS
- OUTBOARD ROUTER PANELS

AUDIO

- CALREC APOLLO WITH BLUEFIN
- JBL 708 5.1 SPEAKERS
- 4 STUDER MADI STAGE BOXES (EACH W/40 MIC LINE INPUTS & 16 LINE OUTPUTS)
- 1 STUDER A-LINK STAGE BOX (2 MADI, 1 DANTE, 32X32 AES, 8X8 LINE LEVEL)
- AUDIENCE REACTION FOOTPEDAL
- 2 LEXICON PCM96S W/STUDER INTEGRATION
- LINEAR ACOUSTICS LQ-1000
- DOLBY 563
- DOLBY 564
- 2 SUMMIT DCL200S
- 1 UNIVERSAL AUDIO 2-11762 CHANNEL COMP/LIMITER
- 1 EVENTIDE FW800
- 1 TC ELECTRONICS XL REVERB
- 1 IZOTOPE ANR-B
- 2 CEDAR DNS 1500
- LANCE ANNOUNCE SYSTEM
- 10 FOSTEX SELF POWERED SPEAKERS
- MULTITRACK RECORDING UPON REQUEST
- WIRED FOR 2 192 CHANNEL MULTITRACK SYSTEMS

MICROPHONES

- 6 SHURE SM58 STICK MICS
- 10 SENNHEISER 416P SHORT SHOTGUNS
- ENTERTAINMENT MIC PACKAGE AVAILABLE UPON REQUEST

RECORD AND PLAYBACK

- ALL AVAILABLE UPON REQUEST
- WIRED FOR 20 VTR MACHINES
- WIRED FOR 6 EVS
- LANCE GANGROLL
- BUF VTC-4000 VTR CONTROLLER
- 2 PANASONIC DVD RECORDERS
- 1 DVD DUPLICATOR
- 2 PRONOLOGY H264 SCREENER W/2 CHANNELS


GRAPHICS

- WIRED FOR 2 MACHINES - AVAILABLE UPON REQUEST



DENALI YUKON

FLOORPLAN



DENALI YUKON

MONITOR WALL

