



SUPERSHOOTER 24

US MOBILE UNIT INFORMATION

Updated 08/18/2026

1080i, 720p, 1080p & HDR Capable | Travels with A & B Units, with C-Unit for support

SUPERSHOOTER 24: TECHNICAL SPECIFICATIONS

POWER REQUIREMENTS

- 208 VOLTS, 3 PHASE
- A UNIT/1 - 200 AMP SERVICE
- B UNIT/2 - 200 AMP SERVICE OR 1 - 300 AMP SERVICE

PRODUCTION SWITCHER

- KAYENNE K FRAME - 9 M/E

CAMERAS

- 14 SONY HDC3500 CAMERA
- 3 SONY HDC4300 CAMERA
- 12 SLEDS
- 12 HEAVY PANHEAD W/STICKS
- 7 LIGHTWEIGHT STICKS

LENSES

- 12 CANON 95X HARD LENS
- 7 CANON 24X HANDHELD LENS
- 3 CANON 14X4.7 WIDE ANGLE LENS

RECORD/REPLAY

- 6 EVS XT-VIA 12 CHANNEL
- 1 6 CH SPOT BOX
- 1 XFILE
- 2 IP DIRECTORS
- 2 EVS XT Access

AUDIO

- CALREC APOLLO DIGITAL AUDIO CONSOLE WITH BLUEFIN 2 HIGH DENSITY SIGNAL PROCESSING
- 1020 CHANNELS WITH FULL SIGNAL PROCESSING
- 128 MIX BUSSES FOR GROUP AND MAIN OUTPUTS
- 96 MULTI-TRACK BUSSES
- 48 AUX BUSSES
- 72 FADER, A/B LAYERS
- 96 ANALOG INPUTS & 96 ANALOG OUTPUTS
- 96 AES INPUTS & 96 AES OUTPUTS
- 8 MADI INPUTS & 8 MADI OUTPUTS
- 1 DTS NEURAL UP-MIX/DOWN-MIX PACKAGE
- 2 DIGICART
- 1 SPOTON AUDIO REPLAY

MICROPHONES

- 14 ANNOUNCER HEADSETS
- 6 DALTECH ANNOUNCE CONSOLES
- 7 DANTE ANNOUNCE CONSOLES
- 10 SHORT SHOTGUN MICROPHONES
- 10 LONG SHOTGUN MICROPHONES
- 8 STICK MICROPHONES
- 8 LAVALIER MICROPHONES

COMMUNICATIONS

- ADAM INTERCOM SYSTEM - 128 PORTS
- 11 DUAL LISTEN BELTPACKS
- 10 DANTE DUAL LISTEN BELTPACKS
- 3 DANTE QUAD LISTEN BELTPACKS
- 10 IFB BELTPACKS
- 9 DANTE IFB BELTPACKS
- 12 SINGLE MUFF HEADSETS
- 12 DOUBLE MUFF HEADSETS
- 6 TIF - TELEPHONE INTERFACES
- 6 QKT

SUPPORT EQUIPMENT

- EVERTZ EXE ROUTER
- HD VIDEO - 450 INPUTS X 162 OUTPUTS
- 144 INPUTS X 112 OUTPUTS EMBED/DE-EMBED (16 CHANNELS)
- MADI 32 INPUTS X 32 OUTPUTS
- AES 64 INPUTS X 64 OUTPUTS
- ANALOG AUDIO 256 INPUTS X 256 OUTPUTS
- 24 UTILITY FRAME SYNC/PROCESSORS
- 4 FIBER FIELD/BOOTH KIT
- 3 HYDRA BOXES
- MONITORS: 14-21" HD LCD


CABLES

- TAC-12 ST TO ST: 1 -1000' 1 -500' 5 -250' 5 -125'
- 9MM SMPTE: 8 -500' 14 -250' 25 -100' 8 -50'
- 9MM SMPTE MULT: 3 (6X125)
- 5 PAIR HD COAX LOOM 8 -125'
- DT-12: 5 -250' 5 -125' 5 -50'
- 10 DT12 FANOUT SETS
- 5 DT12 BREAKOUT BOXES
- 7 SETS OF 75' 4/0 POWER CABLE




SUPERSHOOTER 24 A-UNIT

FLOORPLAN




SUPERSHOOTER 24 B-UNIT

FLOORPLAN




SUPERSHOOTER 24 C-UNIT

FLOORPLAN



GRAPHICS MONITOR WALL




G2 LEFT CONSOLE



G2 RIGHT CONSOLE




PRODUCTION MONITOR WALL



TAPE MONITOR WALL

VIDEOTAPE MONITOR WALL



VT CONSOLE MONITOR WALL

