



SUPERSHOOTER 29

US MOBILE UNIT INFORMATION

Updated 10/12/2026

1080i, 720p, 1080p, & HDR Capable | Single Trailer Unit

SUPERSHOOTER 29: TECHNICAL SPECIFICATIONS

POWER REQUIREMENTS

- 400 AMP, 208 VOLT, 3 PHASE OR 2 200AMP, 208 VOLT, 3 PHASE

PRODUCTION SWITCHER

- KAYENNE X FRAME - 5.5 M/E

CAMERAS

- 2 SONY HDC4300 CAMERAS
- 10 SONY HDC2500 CAMERAS
- 2 SONY HDC1500 CAMERAS
- 6 SLEDs
- 6 HEAVY PANHEAD W/STICKS
- 5 LIGHTWEIGHT STICKS
- 1 POV CAMERA

LENSES

- 3 CANON 100X HARD LENS
- 3 CANON 86X HARD LENS
- 4 CANON 22:1 HAND HELD LENS
- 3 CANON 4.7 WIDE ANGLE LENS

RECORD/REPLAY

- 5 EVS XT VIA 12 CHANNEL
- 1 EVS XS VIA 6 CHANNEL SPOT BOX
- 1 EVS XFILE 3
- 1 EVS IP DIRECTOR
- 1 XT ACCESS
- 2 USB RECORDER
- 1 PDW-F16 XD CAM VTR

- CALREC ARTEMIS BEAM DIGITAL AUDIO CONSOLE
- BLUEFIN 2 HIGH DENSITY SIGNAL PROCESSING
- 340 CHANNELS WITH FULL SIGNAL PROCESSING
- 64 MULTI-TRACK BUSSES
- 32 AUX BUSSES
- 64 FADER, A/B LAYERS
- 48 ANALOG INPUTS & 40 ANALOG OUTPUTS
- 128 AES INPUTS & 122 AES OUTPUTS
- 256 MADI INPUTS & 256 MADI OUTPUTS
- 1 DTS NEURAL UP-MIX/ DOWN-MIX PACKAGE
- 2 DIGICART
- 1 CD PLAYER

MICROPHONES

- 12 ANNOUNCER HEADSETS
- 8 DALTECH ANNOUNCE CONSOLES
- 10 STUDIO TECH DANTE ANNOUNCE CONSOLES
- 16 SHORT SHOTGUN MICROPHONES
- 4 LONG SHOTGUN MICROPHONES
- 1 STEREO SHOTGUN MICROPHONES
- 9 STICK MICROPHONES
- 9 LAVALIER MICROPHONES

COMMUNICATIONS

- ADAM INTERCOM SYSTEM - 360 PORTS
- 20 DUAL LISTEN BELTPACKS
- 24 DANTE DUAL LISTEN BELTPACKS
- 10 SINGLE MUFF HEADSETS
- 10 DOUBLE MUFF HEADSETS
- 10 IFB BELTPACKS
- 10 DANTE IFB BELTPACKS
- 6 WALKIE TALKIES WITH 1 BASE STATIONS
- 1 PHONE SYSTEM WITH 12 LINES
- 7 TIF - TELEPHONE INTERFACES
- 4 QKT

SUPPORT EQUIPMENT

- UTAH SCIENTIFIC ROUTER
- HD VIDEO - 384 INPUTS X 720 OUTPUTS
- 96 INPUTS X 96 OUTPUTS EMBED/DE-EMBED
- MADI 24 INPUTS X 24 OUTPUTS
- AES 256 INPUTS X 256 OUTPUTS
- ANALOG AUDIO 64 INPUTS X 64 OUTPUTS
- 2 AJA FS2 FRAME SYNCs
- 1 AJA FS4 FRAME SYNCs
- 28 UTILITY FRAME SYNCs/PROCESSORS (20 HAVE COLOR CORRECTORS)
- 3 HYDRA BOXES (24X8)
- 2 FIBER BOOTH FIELD KITS
- 1 LIGHT KITS
- MONITORS: 6-21" HD LCD 4-18" HD LCD


CABLES

- 9MM SMPTE: 4 -500', 6 -250', 13 -100', 6-50' 8-25'
- 9MM SMPTE MULTS: 2 (6X100)
- 4 PAIR XLR: 4-100'
- 10 PAIR 3G MULTS: 2-100'
- 5 PAIR 3G MULTS: 4-125'
- DT12: 2-500', 5-250', 5-100'
- 7 DT12 FANOUTS
- 4 DT12 BREAKOUT BOX(ES)
- TAC-12 ST-ST 4 -500', 3-250' 3-150' OR LESS
- 1 SET OF 75' POWER CABLE
- 1 SET OF 100' POWER CABLE




SUPERSHOOTER 29

FLOORPLAN



PRODUCTION MONITOR WALL



REPLAY MONITOR WALL



VIDEO MONITOR WALL

