SUPERSHOOTER 34

US MOBILE UNIT INFORMATION

Updated 10/30/2026



NEPGROUP.COM

1080i & 720p Capable | Single Trailer Unit

SUPERSHOOTER 34: TECHNICAL SPECIFICATIONS

POWER REQUIREMENTS
- 2 - 208V, 200 AMPS 3 PHASE 150' CAMLOCK

PRODUCTION SWITCHER
- KAYENNE K FRAME - 5 M/E

CAMERAS
- 2 SONY HDC4300 CAMERA
- 11 SONY HDC2570 CAMERAS
- 7 SLEDS
- 7 HEAVY PANHEAD W/STICKS
- 5 LIGHTWEIGHT STICKS
- 2 CLOCK CAMERAS

LENSES
- 2 FUJINON 101X8.9 HARD LENS
- 1 FUJINON 99X8.4 HARD LENS
- 2 FUJINON 88X8.8 HARD LENS
- 2 FUJINON 76X9.3 HARD LENS
- 2 CANON LENS 24:1 HANDHELD LENS
- 3 FUJINON 22X7.8 HANDHELD LENS
- 2 FUJINON HA14.4X4.5 WIDE ANGLE LENS

RECORD/REPLAY
- 2 EVX XT3 8 CHANNEL LSM
- 3 EVX XT3 6 CHANNEL LSM
- 1 EVS XS3 4 CHANNEL SPOT BOX
- 1 EVS XFILE 3

GRAPHICS
- VIZRT GRAPHICS READER

AUDIO
- CALREC SIGMA DIGITAL AUDIO CONSOLE
- BLUEFIN DSP PROCESSING
- 340 CHANNELS WITH FULL SIGNAL PROCESSING
- 48 MULTI-TRACK BUSSES
- 20 AUX BUSSES
- 64 FADER, A/B LAYERS
- 96 ANALOG INPUTS & 96 ANALOG OUTPUTS
- 64 AES INPUTS & 64 AES OUTPUTS
- 1 DTS NEURAL UP-MIX/DOWN-MIX PACKAGE
- 2 DIGICART

MICROPHONES
- 7 ANNOUNCER HEADSETS
- 7 DALTECH ANNOUNCE CONSOLES
- 10 STICK MICROPHONES
- 10 SHORT SHOTGUN MICROPHONES
- 10 LONG SHOTGUN MICROPHONES
- 10 LAVALIER MICROPHONES

COMMUNICATIONS
- ADAM INTERCOM SYSTEM
- 30 DUAL LISTEN BELTPACKS
- 18 SINGLE MUFF HEADSETS
- 18 DOUBLE MUFF HEADSETS
- 10 IFB BELTPACKS
- 8 WALKIE TALKIES WITH 1 BASE STATIONS
- 1 PHONE SYSTEM WITH 12 LINES
- 4 RING DOWN PHONE LINES
- 4 TIF - TELEPHONE INTERFACES
- 4 QKT

SUPPORT EQUIPMENT
- PESA ROUTER
- HD VIDEO - 288 INPUTS X 480 OUTPUTS
- AES 128 INPUTS X 128 OUTPUTS
- ANALOG AUDIO 256 INPUTS X 256 OUTPUTS
- 20 UTILITY FRAME SYNC/COLOR CORRECTORS
- 10 AJA FS1 FRAME SYNCS
- 1 BOOTH KIT
- 1 HYDRA BOX
- MONITORS: **10**-17" LCD

CABLES
- 9MM SMPTE: 4 -500' 2 -250' 2 -50'
- MINI TRIAX: 5 -500' 14 -250' 10 -100'
- MINI TRIAX MULT: 2
- DT12 7 -250' 4 -100'
- 10 DT12 FANOUT SETS
- 4 DT12 BREAKOUT BOX(ES)
- 4 PAIR MULT 2 -250' 3 -100' 2 -50' 4 -25'
- ASSORTED SINGLE LINE XLR
- TAC-12 ST-ST 3 -1500' 2 -1000' 2 - 150'
- TAC-4 ST-ST 1 -1000' 1 -500'
- 10 PAIR HD COAX LOOM 4 -25' 2 -50' 5 -100'
- ASSORTED SINGLE LINE COAX
- 2 SETS OF 75' 2/0 CAMLOCK POWER CABLE
- 1 SET OF 75' 4/0 CAMLOCK POWER CABLE

© 2026 NEP Group, Inc. | Proprietary & Confidential

SUPERSHOOTER 34

FLOORPLAN



© 2026 NEP Group, Inc. | Proprietary & Confidential

SUPERSHOOTER 34

PRODUCTION MONITOR WALL



© 2026 NEP Group, Inc. | Proprietary & Confidential