

RIG FLEET TECHNICAL GUIDE CASAGRANDE B360 XP2


gsspiling 
morrisroe piling 



CASAGRANDE B360 XP2



LDP (ROTARY) SPECIFICATION



Dimensions subject to configuration

ENGINE

Diesel engine	Cummins QSX15
Certified (with DPF)	EU Stage 5
Rated output	400 kW
Fuel tank capacity	720 L

CRAWLER

Track length	6360 mm
Track height	1295 mm
Track width	1000 mm
Overall width	5120 mm
Overall length	9516 mm
Crawler speed	1 km/hr
Traction force	690 kN


UPPER STRUCTURE

Max Height	30.47 m
Max pile diameter	2300 mm (opt. 3100 mm)
Max depth	98.9m (60.9m with 16.5m bar)
Extraction force	84 t
Crowd force	60 t


OPERATING WEIGHT

With Kelly bar	112.5 t
With 16.5m Kelly bar	128.5 t

LDP APPLICATION CROWD WINCH



CFA36



Max. torque
400kNm

Dimensions subject to configuration

ENGINE

Diesel engine	Cummins QSX15
Certified (with DPF)	EU Stage 5
Rated output	400 kW
Fuel tank capacity	720 L

CRAWLER

Track length	6360 mm
Track height	1295 mm
Track width	1000 mm
Overall width	5120 mm
Overall length	9516 mm
Crawler speed	1 km/hr
Traction force	690 kN


UPPER STRUCTURE

Max Height	41.525 m
Max pile diameter	1200 mm
Max depth	37 m
Extraction force	Nominal 125 t / Actual 100 t
Crowd force	0


OPERATING WEIGHT

With 11t Auger weight	130 t
-----------------------	-------

CFA APPLICATION 4° LINE PULL



CFA (QUICK CONVERSIONS)



Dimensions subject to configuration

CFA APPLICATION QUICK CONVERSION KIT

ENGINE

Diesel engine	Cummins QSX15
Certified (with DPF)	EU Stage 5
Rated output	400 kW
Fuel tank capacity	720 L

CRAWLER


Track length	6360 mm
Track height	1295 mm
Track width	1000 mm
Overall width	5120 mm
Overall length	9516 mm
Crawler speed	1 km/hr
Traction force	690 kN

UPPER STRUCTURE

Max Height	35.17 m
Max pile diameter	1200 mm
Max depth	29 m
Extraction force	84 t
Crowd force	60 t

OPERATING WEIGHT

With 11t Auger weight	127 t
-----------------------	-------





GSS PILING LIMITED
GEOSTRUCTURAL SOLUTIONS LIMITED
MORRISROE PILING LIMITED

HEAD OFFICE
422 Ware Road, Hertford, SG13 7EW

RADLETT DEPOT
Harper Lane, Radlett, WD7 7HU

www.gsspiling.co.uk

T. +44 (0) 1707 260 022
E. info@gss-morrisroe.co.uk

geostructural solutions 

gsspiling 

morrisroe piling 