


UF2

TruTrimless® ACRYLIC FACE LIT for illuminated branding applications

Project:	
Designer:	

Specifications



DESCRIPTION

The Vecto UF2 elevates the standard “trimless” or shoulder cut channel letter. Using proprietary techniques, we’ve engineered a unibody channel letter, seamlessly integrating the face and returns into a single piece. Vecto channel letters conform perfectly to the intended shape of a brand element, with sharp corners, no overlapping materials or unsightly seams, and without bulky hardware. Powered by Bitro’s top-tier LED components and lighting design, the Vecto UH1 delivers a clean and true halo effect that enhances any brand.

UF2 Standard Quick Features

Face Material/Color	Acrylic/White (Default)
Minimum height	5"
Maximum height	48"
Minimum stroke width	3/4"
Available Return Depths	1 1/2", 2", 3 1/4", 4"
Channel	Aluminum
Exterior use	Available
LED	Powered by Bitro LEDs
LED Color	3000k, 4000k, 5000k, 6500k, Red, Green, Blue & RGB Color-Changing
Warranty	2 Years

Product Nomenclature Key

STYLE	SPECIFIER INITIALS	LOCATION	FACE TYPE	LED COLOR	LED	HEIGHT	DEPTH	STROKE	HOUSING MATERIAL	FINISH TYPE	MOUNTING TYPE	POWER	CONTROL	SERVICE TYPE
UF2	-	-	-	IWA	-	-	TRX	-	-	-	-	A12	-	- SVR

Vecto's standard lead times are typically 3-4 weeks from the approval of the final drawing following the purchase order. Please note that lead times may vary depending on the order quantity. For assistance with design, guidance on part numbers, or any other Vecto product-related inquiries, please contact us at resno@resno.com.



UF2

TruTrimless® ACRYLIC FACE LIT for illuminated branding applications


Project:	
Designer:	

Visual Illumination Key

Daytime View



Nighttime View



UF2

TruTrimless® ACRYLIC FACE LIT for illuminated branding applications

Project:	
Designer:	

Construction Detail

