


Project:
Designer:

V-TRIM FACE LIT for illuminated branding applications

Specifications



DESCRIPTION

The Vecto UTI is our answer to the industry standard trimcap channel letter. Made with an elevated design and finished look, our trim is aluminum and manufactured with the same proprietary methods used to create all our award-winning Vecto letters and shapes. An environmentally friendly recyclable aluminum trim ensures perfect brand fidelity with sharp corners and no visible seams or bulky hardware. Powered by Bitro's premium LED technology, the Vecto US2 offers a clean and elevated halo look that enhances your brand's visual impact.

UT1 Standard (uick Features
Face Material/Color	Vinyl + AluminumCap
Minimum height	5"
Maximum height	48"
Minimum stroke width	1"
Available Return Depths	1 ½", 2", 3 ¼", 4"
Channel	Aluminum
Exterior use	Available
LED	Powered by Bitro LEDs
LED Color	3000k, 4000k, 5000k, 6500k, Red, Green, Blue & RGB Color-Changing
Warranty	2 Years

Product Nomenclature Key

STYLE	SPECIFIER	LOCATION	FACE TYPE	LED COLOR	LED	HEIGHT	DEPTH	STROKE	HOUSING	FINISH TYPE	MOUNTING	POWER	CONTROL	SERVICE TYPE
UT1 ·		- .	- IWA -	- .	- TRX ·						-	- A12 -	-	- SVR

Vecto's standard lead times are typically 3-4 weeks from the approval of the final drawing following the purchase order.

Please note that lead times may vary depending on the order quantity. For assistance with design, guidance on part numbers, or any other Vecto product-related inquiries, please contact us at resno@resno.com.





Project:	
Designer:	





V-TRIM FACE LIT

for illuminated branding applications

Visual Illumination Key

Daytime View

















Project:	
Designer:	



V-TRIM FACE LIT

for illuminated branding applications

Construction Detail

