

F.C. BOND BALL MILL

EFFECTIVE JAN 01, 2026

*** MUST SPECIFY VOLTAGE AND CYCLE WHEN ORDERING ***

CATALOG #	VOLTAGE	PHASE	CYCLE	LBS/KG	PRICE
395-50	220/460	3	60	540/245	12,993.93
395-50X	190/380	3	50	540/245	13,610.25
395-51	110/220	1	60	540/245	12,993.93
395-51X	110/220	1	50	540/245	13,57225

- Designed by Fred C. Bond for use by Cement Companies and Quality Control
- Laboratories throughout the world.
- Can be used in calculating the grindability of all ores.
- The Digital Counter counts down drum revolutions and **shuts off** the direct drive
- Gear motor. Operator attention during this time is not required.
- A Jogging Button is provided to position the drum for loading and unloading.
- All Ball Mills come with one 44.5 pound charge of Iron Balls, Iron Stand,
- Receiving Pan and Hand Screen Pan.
- 12" x 12" dia. Cast Iron Drum.

BICO F.C. BOND BALL MILL SPARE PARTS

PRICES EFFECTIVE JAN 01, 2026

PLEASE SPECIFY SERIAL NUMBER WHEN ORDERING SPARE PARTS

CATALOG #	DESCRIPTION	LBS/KG	PRICE
BM-1	Drum with Shafts (Please specify S/N)	169/77	3,230.26
BM-2	Cover	11/5	281.83
BM-3	Hanger	13/6	197.32
BM-6/7	Table with Legs	109/50	1,279.74
BM-9	Pillow Block	1/.4	208.60
BM-12	Teflon Gasket	3/.1	155.03
BM-13A	50 CYC Digital Counter - Jogging Switch	1/.4	2,570.65
BM-13B	60 CYC Digital Counter - Jogging Switch	1/.4	2,570.65
BM-13C	Counter Bracket - Not Sold Separately		
BM-13D	Counter Sensor - Not Sold Separately		
BM-14/20	Pan with Screen and Receiving Pan	9/4	583.50
BM-15	Charge of Balls	44.5/21	710.31
BM-23	Chain Guard	3/1.5	608.87
BM-25	* New Style SPROCKET (for Shaft) - 17/16" Bore (*For Ball Mills w/o Clutch)		
BM-25B	*New Style SPROCKET (60 Cycle ONLY) -1" Bore		86.71
BM-25D	*New Style SPROCKET (50 Cycle ONLY) - 1" Bore		88.47
BM-26	Chain, one length - 29 inches	1/.4	93.01
BM-29A	Connecting link for 60 CYC operation	1/.4	31.00

ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

BM-29B	Off set link for 50 CYC operation	1/.4	31.00
BM-30	Sprocket 30-15x1- Old Style (for Clutch)	1/.4	115.08
BM-31	Sprocket 30-14x1- Old Style (for Gear)	1/.4	
BM-32	Shaft Key	1/.4	

* Sprocket's for clutch and gear reducers are available and are quoted upon request. (S/N and CYCLE required*)