

HomeSite™ generator series 2400



Cummins Onan



Performance you rely on.™

Features and benefits

- Gas powered open frame generator set
- 2000 watts running, 2200 watts peak
- 13 hour continuous operating time (at rated load)
- Manual start
- 6.5 HP, 4-stroke overhead valve engine
- Large 4 gallon fuel tank
- 120 V GFCI protected duplex, 20 amp
- Automatic "low-oil shutdown"
- Heavy-duty cast iron cylinder sleeve
- Circuit breaker protection
- Dual element air cleaner
- Full perimeter safety frame
- 2 year limited warranty

Weight, size and sound level

Weight: 99 lb (45 kg)

Size: Length 23.2 in (590 mm), width 18.7 in (475 mm), height 18.1 in (460 mm)

Sound: Readings at 7 m: 68 dB(A)

Models and ratings

AC rated output	2 kW	DC voltage	12 V
AC max output	2.2 kW	DC amperage	8.3 A
AC Voltage	120 V	Engine displacement	196 cc
AC frequency	60 Hz	Engine horsepower	6.5
120 V AC rated amperage - Rated/max	16.6 A/18.3 A	Fuel tank capacity	4 Gal/15 L
		Oil capacity	0.7 qts/0.6 L

Ratings apply to altitudes up to 1000 ft (304.8 m), 85 °F (30 °C). Total power available will decrease 3.5% for each 1000 ft (304.8 m) above 1000 ft and 2.0% for each 10 °F (5.5 °C) increase in ambient temperature above 85 °F (30 °C).

Options and accessories

Cummins Onan wheel kit (P/N 0541-1340).

Warranty

The Cummins Onan HomeSite™ Portable 2400 generator set comes with a standard 2 year limited warranty.

After sale support

Genuine Cummins Onan maintenance care parts and products:

For your ongoing satisfaction and the dependability of your Cummins Onan HomeSite portable generator set, Cummins Power Generation offers a complete line of parts available at your nearby Cummins Onan dealer.

Easy to locate certified Cummins Onan service and parts dealers:

Cummins Power Generation has trained, tested and certified over 1000 authorized Cummins Onan Service Dealers covering most major metropolitan areas in the U.S. and Canada. To easily locate the certified Cummins Onan Service Dealer no matter where you travel, call 1-800-344-0039: 24/7 Customer Service, or visit www.cumminsonan.com or look in the yellow pages under "generator sets, electric". See your distributor for more information.



Contact your distributor/dealer for more information.

Cummins Onan

Cummins Power Generation

1400 73rd Ave. NE
Minneapolis, MN 55432 USA
Phone 1 763 574 5000
Toll-free 1 800 344 0039 24/7 CUST SVC.
Fax 1 763 574 5298
Email www.cumminsonan.com/contact
www.cumminsonan.com

Cummins®, Onan®, the "C" logo Performance you rely on.™ and Homesite™ are servicemarks, trademarks and/or registered trademarks of Cummins Inc. Specifications subject to change without notice. ©2007 Cummins Power Generation. All Rights Reserved.
A-1506a (12/07) (formerly F-1582)



HomeSite™ generator series 3500



Cummins Onan



Performance you rely on.™

Features and benefits

- Gas powered open frame generator set
- 2500 watts running, 2800 watts peak
- 8 hour continuous operating time (at rated load)
- Manual start
- 6.5 HP, 4-stroke overhead valve engine
- Large 4 gallon fuel tank
- Versatile duplex 120 V and grounded 120/240 V receptacles
- Automatic "low-oil shutdown"
- Heavy-duty cast iron cylinder sleeve
- Circuit breaker protection
- Dual element air cleaner
- Full perimeter safety frame
- 2 year limited warranty

Weight, size and sound level

Weight: 101 lb (46 kg)

Size: Length 23.2 in (590 mm), width 18.7 in (475 mm), height 18.1 in (460 mm)

Sound: Readings at 7 m: 68 dB(A)

Models and ratings

AC rated output	2.5 kW	DC voltage	12 V
AC max output	2.8 kW	DC amperage	8.3 A
AC Voltage	120 V	Engine displacement	196 cc
AC frequency	60 Hz	Engine horsepower	6.5
120 V AC rated amperage - Rated/max	20.8 A/23.3 A	Fuel tank capacity	4 Gal/15 L
240 V AC rated amperage - Rated/max	10.4 A/11.6 A	Oil capacity	0.7 qts/0.6 L

Ratings apply to altitudes up to 1000 ft (304.8 m), 85 °F (30 °C). Total power available will decrease 3.5% for each 1000 ft (304.8 m) above 1000 ft and 2.0% for each 10 °F (5.5 °C) increase in ambient temperature above 85 °F (30 °C).

Options and accessories

Cummins Onan wheel kit (P/N 0541-1340)

Warranty

The Cummins Onan HomeSite™ Portable 3500 generator set comes with a standard 2 year limited warranty.



After sale support

Genuine Cummins Onan maintenance care parts and products:

For your ongoing satisfaction and the dependability of your Cummins Onan HomeSite portable generator set, Cummins Power Generation offers a complete line of parts available at your nearby Cummins Onan dealer.

Easy to locate certified Cummins Onan service and parts dealers:

Cummins Power Generation has trained, tested and certified over 1000 authorized Cummins Onan Service Dealers covering most major metropolitan areas in the U.S. and Canada. To easily locate the certified Cummins Onan Service Dealer no matter where you travel, call 1-800-344-0039: 24/7 Customer Service, or visit www.cumminsonan.com or look in the yellow pages under "generator sets, electric". See your distributor for more information.

Contact your distributor/dealer for more information.

Cummins Onan

Cummins Power Generation

1400 73rd Ave. NE
Minneapolis, MN 55432 USA
Phone 1 763 574 5000
Toll-free 1 800 344 0039 24/7 CUST SVC.
Fax 1 763 574 5298
Email www.cumminsonan.com/contact
www.cumminsonan.com

Cummins®, Onan®, the "C" logo Performance you rely on.™ and Homesite™ are servicemarks, trademarks and/or registered trademarks of Cummins Inc. Specifications subject to change without notice. ©2007 Cummins Power Generation. All Rights Reserved.
A-1507 (7/07) (formerly F-1623)



HomeSite™ generator series 5500



Cummins Onan



Performance you rely on.™

Features and benefits

- Gas powered open frame generator set
- 4000 watts running, 4500 watts peak
- 10 hour continuous operating time (at rated load)
- Manual start
- 11 HP, 4-stroke overhead valve engine
- Large 6.5 gallon fuel tank
- Versatile 120 V GFCI protected duplex, 120 V NEMA L5-30 twist-lock and grounded, 120/240 V NEMA L14-30 receptacles
- Automatic "low-oil shutdown"
- Heavy-duty cast iron cylinder sleeve
- Circuit breaker protection
- Dual element air cleaner
- Full perimeter safety frame
- 2 year limited warranty
- Optional wheel kit available

Weight, size and sound level

Weight: 181 lb (82 kg)

Size: Length 26.8 in (680 mm), width 21.3 in (540 mm), height 21.7 in (550 mm)

Sound: Readings at 7 m: 76 dB(A)

Models and ratings

AC rated output	4 kW	DC voltage	12 V
AC max output	4.5 kW	DC amperage	8.3 A
AC Voltage	120 V/240 V	Engine displacement	337 cc
AC frequency	60 Hz	Engine horsepower	11
120 V AC rated amperage - Rated/max	33.3 A/37.4 A	Fuel tank capacity	6.5 Gal/24.6 L
240 V AC rated amperage - Rated/max	16.7 A/ 18.7 A	Oil capacity	1.16 qts/1.1 L

Ratings apply to altitudes up to 1000 ft (304.8 m), 85 °F (30 °C). Total power available will decrease 3.5% for each 1000 ft (304.8 m) above 1000 ft and 2.0% for each 10 °F (5.5 °C) increase in ambient temperature above 85 °F (30 °C).

Cummins®, Onan®, the "C" logo Performance you rely on.™ and Homesite™ are servicemarks, trademarks and/or registered trademarks of Cummins Inc. Specifications subject to change without notice. ©2007 Cummins Power Generation. All Rights Reserved.
A-1508a (12/07) (formerly F-1624)

Options and accessories

Cummins Onan wheel kit (P/N 0541-1295)

Warranty

The Cummins Onan HomeSite™ Portable 5500 generator set comes with a standard 2 year limited warranty.



After sale support

Genuine Cummins Onan maintenance care parts and products:

For your ongoing satisfaction and the dependability of your Cummins Onan HomeSite portable generator set, Cummins Power Generation offers a complete line of parts available at your nearby Cummins Onan dealer.

Easy to locate certified Cummins Onan service and parts dealers:

Cummins Power Generation has trained, tested and certified over 1000 authorized Cummins Onan Service Dealers covering most major metropolitan areas in the U.S. and Canada. To easily locate the certified Cummins Onan Service Dealer no matter where you travel, call 1-800-344-0039: 24/7 Customer Service, or visit www.cumminsonan.com or look in the yellow pages under "generator sets, electric". See your distributor for more information.

Contact your distributor/dealer for more information.

Cummins Onan

Cummins Power Generation

1400 73rd Ave. NE
Minneapolis, MN 55432 USA
Phone 1 763 574 5000
Toll-free 1 800 344 0039 24/7 CUST SVC.
Fax 1 763 574 5298
Email www.cumminsonan.com/contact
www.cumminsonan.com

Cummins®, Onan®, the "C" logo Performance you rely on.™ and Homesite™ are servicemarks, trademarks and/or registered trademarks of Cummins Inc. Specifications subject to change without notice. ©2007 Cummins Power Generation. All Rights Reserved.
A-1508a (12/07) (formerly F-1624)



Portable generator P5000e



Cummins Portable Generators

Performance you rely on.™



Features and benefits

- 5000 watts running, 5500 watts peak
- 9 hour continuous operating time (at rated load)
- Electric and manual start (battery not included)
- 13 HP, 4-stroke overhead valve engine
- Large 24.6 litre fuel tank
- Automatic "low-oil shutdown"
- Integral battery tray
- Heavy-duty cast iron cylinder sleeve
- Circuit breaker protection
- Dual element air cleaner
- Full perimeter safety frame
- 2 year limited warranty
- Optional wheel kit available
- Stable power via Automatic Voltage Regulation (AVR)
- 12v DC battery charging outlet
- Long range fuel tank with fuel level gauge
- 3 AC power outlets
- Voltmeter
- Includes spark plug spanner and oil fill extension

Weight, size and sound level

Weight: 84 kg

Size: Length 680 mm, width 540 mm, height 550 mm

Sound: 76 dB(A) at 7 m

Application

- General purpose generator ideal for the farm or trade
- Ideal for running multiple power tools or a 140 amp welder or starting up to a 2 hp electric motor

Models and ratings

AC rated output	5 kW	DC amperage	8.3 A
AC max output	5.5 kW	Engine displacement	389 cc
AC voltage	240 V	Engine horsepower	13 HP
AC frequency	50 Hz	Fuel Type	Unleaded petrol
240 V AC rated amperage - Rated/max	21.7 A/23 A	Fuel tank capacity	24.6 L
DC voltage	12 V	Oil capacity	1.1 L

Ratings apply to altitudes up to 1000 ft (304.8 m), 85 °F (30 °C). Total power available will decrease 3.5% for each 1000 ft (304.8 m) above 1000 ft and 2.0% for each 10 °F (5.5 °C) increase in ambient temperature above 85 °F (30 °C).

Options and accessories

Cummins wheel kit (P/N 0541-1535).

Warranty

The Cummins P5000e generator set comes with a standard 2 year limited warranty.

After sale support

Genuine Cummins maintenance care parts and products:

For your ongoing satisfaction and the dependability of your Cummins portable generator set, Cummins Power Generation offers a complete line of parts available at your nearby Cummins dealer.

Easy to locate certified Cummins service and parts dealers:

Cummins serves customers in more than 160 countries through its network of 550 company-owned and independent distribution facilities and more than 5000 dealer locations throughout the world. To easily locate the certified Cummins service dealer visit www.cumminsonan.com. See your distributor for more information.



Contact your distributor/dealer for more information.

Cummins Power Generation

Australia

50-52 Diagonal Road
Pooraka, SA 5095
Tel: (61 8) 8368 4300
Fax: (61 8) 8260 3055
sthpac.enquiries@cummins.com

www.cumminsonan.com

Cummins® and the "C" logo are servicemarks, trademarks and/or registered trademarks of Cummins Inc. Specifications subject to change without notice.
©2007 Cummins Power Generation. All Rights Reserved.
A-1521 (formerly F-1696) (4/08)
Printed in Australia

