

12-510XI SPEEDHIDE Pro EV Zero Semi-Gloss White & Pastel Base

by Pittsburgh Paints Co.

HPD UNIQUE IDENTIFIER: 1278118912
HPD UNIQUE PRODUCT ID: Not provided.
CLASSIFICATION: 09 91 23 Interior Painting

PRODUCT TYPE: General Purpose Paints And Varnishes

PRODUCT DESCRIPTION: Speedhide Pro EV Zero Interior Wall & Ceiling Latex Semi-Gloss is a durable, quality interior vinyl acrylic paint designed for new and repaint applications where speed of application is most important in both the commercial and multi-family markets. This zero-VOC, low odor paint enables a space to be painted while occupied while delivering the durable product performance required. Speedhide Pro EV Zero Interior Wall & Ceiling paint has good adhesion, touch-up and application properties on walls, ceilings and trim surfaces. Speedhide Pro EV Zero is recommended on interior walls, ceilings and trim where a semi-gloss finish is desirable.

SCREENING DATE: 2026-03-05
PUBLISHED DATE: 2026-03-10
EXPIRY DATE: 2029-03-05
PREPARER: Self-Prepared

Health Product Declaration v3.0

created via: HPDC Online Builder

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

→ Basic Method

Threshold Disclosed Per

→ Product

Threshold Level

→ 1,000 ppm

Residuals/Impurities Evaluation

→ Completed

Explanation(s) provided :

Yes

For all contents above the threshold, the manufacturer has:

Characterized

Provided weight and role.

Screened

Provided screening results using HPDC-approved methods.

Identified

Provided name and CAS RN or other identifier.

Yes

Yes

Yes

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

12-510XI SPEEDHIDE PRO EV ZERO SEMI-GLOSS WHITE & PASTEL BASE [WATER BM-4 VINYL ACRYLIC BASED POLYMER N/A
TITANIUM DIOXIDE BM-1* | CAN | END | MAM KAOLIN LT-UNK | CAN
STYRENE ACRYLIC COPOLYMER N/A | ALCOHOL ETHOXYLATED SURFACTANT N/A | PROPYLENE GLYCOL ESTERS N/A
POLYPROPYLENE GLYCOL LT-UNK | EYE POLYURETHANE RESIN N/A | ALUMINUM HYDROXIDE BM-2 | SKI | EYE SEPIOLITE LT-UNK | CAN
HYDROXYETHYL CELLULOSE LT-P1 | END SILICON DIOXIDE BM-1 | CAN | MAM ALCOHOLS, C9-11-ISO-, C10-RICH, ETHOXYLATED LT-UNK | SKI | EYE ETHOXYLATED BRANCHED C11-C14, C13-RICH ALCOHOLS LT-P1 | MUL | SKI | EYE POLYOXYETHYLENE ISODECYL ETHER LT-UNK | SKI | EYE ETHOXYLATED TRIETHYLPHENOL LT-UNK | 1,1,1-TRIS(HYDROXYMETHYL)PROPANE BM-2 | REP 1-OCTANOL, REACTION PRODUCTS WITH PHOSPHORUS OXIDE (P2O5), POTASSIUM SALTS NoGS | ACRYLIC COPOLYMER N/A
SECONDARY ALCOHOL ETHOXYLATED SURFACTANT N/A
POLYCARBOXYLATE N/A]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [Polymers]

Substances representing 99.61% of the product weight meet the 1000ppm threshold and are screened.

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0 Regulatory (g/l): 0

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base paint when tinted: Yes

COMPLIANCE See Section 3 for additional listings.

VOC emissions: GreenGuard

VOC emissions: GreenGuard Gold

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

LCA: Environmental Product Declaration (EPD) by NSF

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Pre-checked for LEED v5 Human Health 1.

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 3.0, available on the HPDC website at: www.hpd-collaborative.org/hpd-3-0-standard

12-510XI SPEEDHIDE PRO EV ZERO SEMI-GLOSS WHITE & PASTEL BASE

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED:
Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were consider based on supplier information provided through our Raw Material Introduction Request (RMIR) intake form which requires suppliers to disclose all ingredients (intentionally added or known to be contained in the product, both hazardous and non-hazardous, even at trace level. The disclosed composition must equal 100%. This process is employed since the SDS alone may not identify all Residuals or Impurities present in this product that would require reporting on the HPD.

OTHER PRODUCT NOTES: None

WATER

ID: 7732-18-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2026-03-05 7:30:17**

%: **55.0000 - 65.0000**

GreenScreen: **BM-4**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Solvent**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

EXEMPT

European Union / European Commission (EU EC)

EU - REACH Exemptions

Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

VINYL ACRYLIC BASED POLYMER

ID: **Polymer**

HAZARD DATA SOURCE: **GHS-compliant SDS**

HAZARD SCREENING DATE: **2026-03-05 18:25:26**

%: **16.0000 - 20.0000**

GreenScreen: **N/A**

RC: **None**

NANO: **No**

POLYMER ROLE: **Binder**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

Hazards Screening not applicable for this special condition. See GHS or CLP warnings below.

POLYMER TYPE: Thermoplastic

AVERAGE MOLECULAR WEIGHT : >10,000 Da

PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA : Unknown

ADDITIONAL SUBSTANCES CONSIDERED: Yes

GHS HAZARD STATEMENTS: H412: Harmful to aquatic life with long lasting effects.

HAZARD SCREENING COMPLIANCE: Hazard screening data sourced from OSHA and/or EU compliance CLP or SDS, as allowed by HPDC Special Conditions policy for polymers.

POLYMER NOTES: This polymer has been reported in accordance to [HPDC Special Conditions Policy](#) for polymers without disclosed CAS numbers.

ADDITIONAL NOTES: Range listed represents standard manufacturing variability.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2026-03-05 7:30:18**

%: 10.0000 - 13.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**		
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources**		
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value**		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor**		
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels**		
CAN	IARC	Group 2b - Possibly carcinogenic to humans**		
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**		
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL) Colorants - Green Circle (Verified Low Concern)		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025 Cosmetics and Personal Care Products		

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

**Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2026-03-05 7:30:18**%: **2.0000 - 4.0000**GreenScreen: **LT-UNK**RC: **None**NANO: **No**SUBSTANCE ROLE: **Filler**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

STYRENE ACRYLIC COPOLYMERID: **Polymer**HAZARD DATA SOURCE: **GHS-compliant SDS**HAZARD SCREENING DATE: **2026-03-05 18:45:30**%: **2.0000 - 4.0000**GreenScreen: **N/A**RC: **None**NANO: **No**POLYMER ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
Hazards Screening not applicable for this special condition. See GHS or CLP warnings below.		

POLYMER TYPE: Thermoplastic

AVERAGE MOLECULAR WEIGHT : >10,000 Da

PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA : **Unknown**ADDITIONAL SUBSTANCES CONSIDERED: **Yes**

GHS HAZARD STATEMENTS: H412: Harmful to aquatic life with long lasting effects.

HAZARD SCREENING COMPLIANCE: Hazard screening data sourced from OSHA and/or EU compliance CLP or SDS, as allowed by HPDC Special Conditions policy for polymers.

POLYMER NOTES: This polymer has been reported in accordance to [HPDC Special Conditions Policy](#) for polymers without disclosed CAS numbers.

ADDITIONAL NOTES: Range listed represents standard manufacturing variability.

ALCOHOL ETHOXYLATED SURFACTANTID: **Polymer**HAZARD DATA SOURCE: **GHS-compliant SDS**HAZARD SCREENING DATE: **2026-03-05 18:46:40**%: **0.6000 - 1.0000**GreenScreen: **N/A**RC: **None**NANO: **No**POLYMER ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
Hazards Screening not applicable for this special condition. See GHS or CLP warnings below.		

POLYMER TYPE: Thermoplastic

AVERAGE MOLECULAR WEIGHT : >10,000 Da

PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA : **Unknown**

ADDITIONAL SUBSTANCES CONSIDERED: Yes

GHS HAZARD STATEMENTS: H412: Harmful to aquatic life with long lasting effects.

HAZARD SCREENING COMPLIANCE: Hazard screening data sourced from OSHA and/or EU compliance CLP or SDS, as allowed by HPDC Special Conditions policy for polymers.

POLYMER NOTES: This polymer has been reported in accordance to [HPDC Special Conditions Policy](#) for polymers without disclosed CAS numbers.

ADDITIONAL NOTES: Range listed represents standard manufacturing variability.

PROPYLENE GLYCOL ESTERS

ID: **Polymer**

HAZARD DATA SOURCE: **GHS-compliant SDS**

HAZARD SCREENING DATE: **2026-03-05 18:48:02**

#: **0.6000 - 1.0000** GreenScreen: **N/A** RC: **None** NANO: **No** POLYMER ROLE: **Plasticizer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
Hazards Screening not applicable for this special condition. See GHS or CLP warnings below.		

POLYMER TYPE: Thermoplastic

AVERAGE MOLECULAR WEIGHT : <1,000 Da

PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA : Unknown

ADDITIONAL SUBSTANCES CONSIDERED: Yes

GHS HAZARD STATEMENTS: Not a hazardous substance or mixture

HAZARD SCREENING COMPLIANCE: Hazard screening data sourced from OSHA and/or EU compliance CLP or SDS, as allowed by HPDC Special Conditions policy for polymers.

POLYMER NOTES: This polymer has been reported in accordance to [HPDC Special Conditions Policy](#) for polymers without disclosed CAS numbers.

ADDITIONAL NOTES: Range listed represents standard manufacturing variability.

POLYPROPYLENE GLYCOL

ID: **25322-69-4**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2026-03-05 7:30:19**

#: **0.3000 - 0.6000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Diluent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
EYE	GHS - New Zealand	Eye irritation category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

POLYURETHANE RESIN

ID: **Polymer**

%: **0.3000 - 0.6000** GreenScreen: **N/A** RC: **None** NANO: **No** POLYMER ROLE: **Viscosity modifier**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

Hazards Screening not applicable for this special condition. See GHS or CLP warnings below.

POLYMER TYPE: Thermoplastic

AVERAGE MOLECULAR WEIGHT : $\geq 1,000$ Da and $\leq 10,000$ Da

PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA : **Unknown**

ADDITIONAL SUBSTANCES CONSIDERED: **Yes**

GHS HAZARD STATEMENTS: H319: Causes serious eye irritation

HAZARD SCREENING COMPLIANCE: Hazard screening data sourced from OSHA and/or EU compliance CLP or SDS, as allowed by HPDC Special Conditions policy for polymers.

POLYMER NOTES: This polymer has been reported in accordance to [HPDC Special Conditions Policy](#) for polymers without disclosed CAS numbers.

ADDITIONAL NOTES: Range listed represents standard manufacturing variability.

ALUMINUM HYDROXIDE

ID: **21645-51-2**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2026-03-05 7:30:21**

%: **0.0000 - 0.3000** GreenScreen: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

SKI	GHS - New Zealand	Skin irritation category 2
-----	-------------------	----------------------------

EYE	GHS - New Zealand	Eye irritation category 2
-----	-------------------	---------------------------

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025
-----------------	---	--

Children's Toy Products

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

SEPIOLITE

ID: **63800-37-3**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2026-03-05 7:30:17**

%: **0.0000 - 0.3000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
-----	-----	--

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Range listed represents standard manufacturing variability.		

HYDROXYETHYL CELLULOSE

ID: 9004-62-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-03-05 7:30:18		
%: 0.0000 - 0.3000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Range listed represents standard manufacturing variability.				

SILICON DIOXIDE

ID: 7631-86-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-03-05 7:30:18		
%: 0.0000 - 0.3000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]		
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List		
		Antimicrobials		

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

ALCOHOLS, C9-11-ISO-, C10-RICH, ETHOXYLATED

ID: 78330-20-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2026-03-05 7:30:19**

%: **0.0000 - 0.3000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

ETHOXYLATED BRANCHED C11-C14, C13-RICH ALCOHOLS

ID: 78330-21-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2026-03-05 7:30:20**

%: **0.0000 - 0.3000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

POLYOXYETHYLENE ISODECYL ETHER

ID: 61827-42-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2026-03-05 7:30:18**

%: **0.0000 - 0.3000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

ETHOXYLATED TRIETHYLPHENOL

ID: 99734-09-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-03-05 7:30:19		
%: 0.0000 - 0.3000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

1,1,1-TRIS(HYDROXYMETHYL)PROPANE

ID: 77-99-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2026-03-05 7:30:20		
%: 0.0000 - 0.3000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List		
		Some Solvents		

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2026-03-05 7:30:21**

#: **0.0000 - 0.3000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

ACRYLIC COPOLYMER

ID: **Polymer**

HAZARD DATA SOURCE: **GHS-compliant SDS**

HAZARD SCREENING DATE: **2026-03-05 18:50:18**

#: **0.0000 - 0.3000** GreenScreen: **N/A** RC: **None** NANO: **No** POLYMER ROLE: **Opacifier**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
Hazards Screening not applicable for this special condition. See GHS or CLP warnings below.		

POLYMER TYPE: Thermoplastic

AVERAGE MOLECULAR WEIGHT : >10,000 Da

PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA : **Unknown**

ADDITIONAL SUBSTANCES CONSIDERED: **Yes**

GHS HAZARD STATEMENTS: H412: Harmful to aquatic life with long lasting effects.

HAZARD SCREENING COMPLIANCE: Hazard screening data sourced from OSHA and/or EU compliance CLP or SDS, as allowed by HPDC Special Conditions policy for polymers.

POLYMER NOTES: This polymer has been reported in accordance to [HPDC Special Conditions Policy](#) for polymers without disclosed CAS numbers.

ADDITIONAL NOTES: Range listed represents standard manufacturing variability.

SECONDARY ALCOHOL ETHOXYLATED SURFACTANT

ID: **Polymer**

HAZARD DATA SOURCE: **GHS-compliant SDS**

HAZARD SCREENING DATE: **2026-03-05 18:51:32**

#: **0.0000 - 0.3000** GreenScreen: **N/A** RC: **None** NANO: **No** POLYMER ROLE: **Surfactant**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
Hazards Screening not applicable for this special condition. See GHS or CLP warnings below.		

POLYMER TYPE: Thermoplastic

AVERAGE MOLECULAR WEIGHT : <1,000 Da

PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA : **Unknown**

ADDITIONAL SUBSTANCES CONSIDERED: Yes

GHS HAZARD STATEMENTS: H412: Harmful to aquatic life with long lasting effects.

HAZARD SCREENING COMPLIANCE: Hazard screening data sourced from OSHA and/or EU compliance CLP or SDS, as allowed by HPDC Special Conditions policy for polymers.

POLYMER NOTES: This polymer has been reported in accordance to [HPDC Special Conditions Policy](#) for polymers without disclosed CAS numbers.

ADDITIONAL NOTES: Range listed represents standard manufacturing variability.

POLYCARBOXYLATE

ID: **Polymer**

HAZARD DATA SOURCE: **GHS-compliant SDS**

HAZARD SCREENING DATE: **2026-03-05 18:52:28**

%: **0.0000 - 0.3000**

GreenScreen: **N/A**

RC: **None**

NANO: **No**

POLYMER ROLE: **Surfactant**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

Hazards Screening not applicable for this special condition. See GHS or CLP warnings below.

POLYMER TYPE: Thermoplastic

AVERAGE MOLECULAR WEIGHT : <1,000 Da

PERCENTAGE OF POLYMER WITH MOLECULAR WEIGHT LESS THAN 500 DA : Unknown

ADDITIONAL SUBSTANCES CONSIDERED: Yes

GHS HAZARD STATEMENTS: This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

HAZARD SCREENING COMPLIANCE: Hazard screening data sourced from OSHA and/or EU compliance CLP or SDS, as allowed by HPDC Special Conditions policy for polymers.

POLYMER NOTES: This polymer has been reported in accordance to [HPDC Special Conditions Policy](#) for polymers without disclosed CAS numbers.

ADDITIONAL NOTES: Range listed represents standard manufacturing variability.

Section 3: Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	GreenGuard
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: UL COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: All COMPLIANCE URL: https://spot.ul.com/main-app/products/detail/5ad1f04355b0e82d946aba36?page_type=Products%20Catalog COMPLIANCE NOTES: Certificate #96418-410	ISSUE DATE: 2017-07-27 EXPIRY DATE: 2026-08-07

VOC EMISSIONS	GreenGuard Gold
COMPLIANCE TYPE: Third Party CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: UL COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: All COMPLIANCE URL: https://spot.ul.com/main-app/products/detail/5ad1f04355b0e82d946aba36?page_type=Products%20Catalog COMPLIANCE NOTES: Certificate #96418-420	ISSUE DATE: 2017-07-27 EXPIRY DATE: 2026-08-07

VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments
COMPLIANCE TYPE: Self-declared CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: None COMPLIANCE DETAILS: COMPLIANCE SCOPE: APPLICABLE FACILITIES: All COMPLIANCE URL: https://buyat.ppg.com/rep_pafpainttools_files/Pghpaints/tdb/12-510Xi.pdf COMPLIANCE NOTES: VOC content is a calculated value based on EPA Method 24.	ISSUE DATE: 2022-09-25 EXPIRY DATE: 2026-08-07

LCA	Environmental Product Declaration (EPD) by NSF
COMPLIANCE TYPE: Third-party certification CERTIFIER/VERIFIER/TESTING LAB/AUDITOR: NSF COMPLIANCE DETAILS: COMPLIANCE SCOPE: Product Line APPLICABLE FACILITIES: All COMPLIANCE URL: https://info.nsf.org/Certified/Sustain/ProdCert/EPD10142.pdf COMPLIANCE NOTES: Certification generated under PPG which is transitioning to The Pittsburgh Paints Co.	ISSUE DATE: 2023-04-28 EXPIRY DATE: 2028-04-28

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PPC FORMULA PRO COLORANTS

MANUFACTURER (OR GENERIC): **Pittsburgh Paints Co.**

HPD URL: No HPD Available

ACCESSORY TYPE: Colorant System

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: PPC Formula Pro Colorants (96-xxxXI, 96-xxx, 96-xxxx, 96-xxxxx), even if used at maximum tint load in any color, contribute less than 8 g/L of VOC to the final tinted product. Twelve colorants have received GreenGuard and GreenGuard Gold certifications. Note: While this is the recommended colorant system accessory, some retailers may use other colorant systems for which PPC has no VOC information.

Section 5: General Notes

Some of the information contained in this Health Product Declaration form has been provided by the Health Product Declaration tool(s) and may not be the same as the information contained in PPC's Safety Data Sheet ("SDS") for this product. Users of this product should review PPC's SDS before using this product and follow all instructions and directions provided by PPC.

MANUFACTURER INFORMATION

MANUFACTURER: **Pittsburgh Paints Co.**
 ADDRESS: **500 Cranberry Woods Drive**
Cranberry Township, PA 16066
 COUNTRY: **United States**

WEBSITE: **www.pittsburghpaints.com**
 CONTACT NAME: **Mary Ellen Shivetts**
 TITLE: **Sr. Mgr., Product Stewardship**
 PHONE: **1-724-742-5456**
 EMAIL: **mshivetts@pittsburghpaints.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.