Certificate of Analysis



Date Released: 7/14/2025 4:12:23PM

Report #: 69195

Pink Punch .5g PR

Sample #: 15014, Weight: 16.00g, Unit Count:

Order #: X250429-0002

Category/Type: Plant, Flower - Cured Date Collected: 4/28/2025 6:00:00PM Date Received: 4/29/2025 11:52:16AM Date Sampled: 4/28/2025 1:05:00PM Regulator Sample ID: CR-P-PS-2

Regulator Source Package ID: CR-P-PS-2

Regulator Batch ID: CR-P-PS-2 Size: 18160Units, Unit Count:



Total Cannabinoids 27.17 % 271.7 mg/g

Microbials

PASS





Total THC

23.63 %



Total CBD 0.03673 % 0.3673 mg/g



0.427 %



Moisture 7.0 %



Heavy Metals PASS







Mycotoxins Foreign Matter Water Activity **PASS**

Total Cannabinoids: 27.17 % - 271.7 mg/g **Cannabinoids Avg** Date Completed: 05/01/2025 10:58AM Total THC: 23.63 % - 236.3 mg/g Total CBD: 0.03673 % - 0.3673 mg/g

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
THCa	23978-85-0	0.001000	23.13	231.3	
d9-THC	1972-08-3	0.001000	3.344	33.44	
CBGa	25555-57-1	0.001000	0.2833	2.833	•
CBN	521-35-7	0.001000	0.1863	1.863	I and the second
CBG	25654-31-3	0.001000	0.09251	0.9251	1
CBC	20675-51-8	0.001000	0.06369	0.6369	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered

Amended to update sample name. New report replacing original report #57121

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007





Certificate of Analysis



Pink Punch .5g PR Sample #: 15014

Compound	CAS#	LOQ (%)	%	mg/g	Relative Concentration
CBDa	1244-58-2	0.001000	0.04188	0.4188	
THCV	31262-37-0	0.001000	0.02368	0.2368	
CBDV	24274-48-4	0.001000	ND	ND	
CBD	13956-29-1	0.001000	ND	ND	
d8-THC	5957-75-5	0.001000	ND	ND	
d10/R9-THC	95543-62-7	0.001000	ND	ND	
d10/S9-THC	95588-87-7	0.001000	ND	ND	

stated all QC passed.

rpenes by HS-GC-M		cryophyllene		Date Completed: 04/30/2025
Compound	CAS#	LOQ (%)	%	Relative Concentration
Beta-caryophyllene	87-44-5	0.1000	0.3079	
Farnesene	502-61-4	0.1000	0.1192	
Results based on dry weight				
Beta-myrcene	123-35-3	0.1000	ND	
Limonene	5989-27-5	0.1000	ND	
Alpha-pinene	80-56-8	0.1000	ND	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered

Amended to update sample name. New report replacing original report #57121

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007





Certificate of Analysis

Fina



Sample #: 15014 Pink Punch .5g PR

Compound	CAS#	LOQ (%)	%	Relative Concentration	
Alpha-humulene	6753-98-6	0.1000	ND		
Linalool	78-70-6	0.1000	ND		
Beta-pinene	127-91-3	0.1000	ND		
Terpinolene	586-62-9	0.1000	ND		
Ocimene	13877-91-3	0.1000	ND		
Alpha-bisabolol	515-69-5	0.1000	ND		
Caryophyllene-oxide	1139-30-6	0.1000	ND		
Geraniol	106-24-1	0.1000	ND		
Camphene	79-92-5	0.1000	ND		
Guaiol	489-86-1	0.1000	ND		
Alpha-terpinene	99-86-5	0.1000	ND		
Terpineol	8006-39-1	0.1000	ND		
Fenchol	14575-74-7	0.1000	ND		
Valencene	4630-07-3	0.1000	ND		
Alpha-phellandrene	99-83-2	0.1000	ND		

oreign Matter by Microscopy	Pass	;	Analysis Date	e: 05/02/2025 4:02 pm
Compound	LOQ (%)	Limits (%)	Result (%)	Status
% Foreign Matter	0.00100	2.0	ND	Pass
Mammalian Exreta	0.00100	0.03	ND	Pass
Stems	0.00100	5.0	ND	Pass

Moisture by Analyzer	Pass		Analysis Date: 05/02/2025 4:0	
Compound	LOQ (%)	Limits (%)	Result (%)	Status

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Amended to update sample name. New report replacing original report #57121

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007





Certificate of Analysis

Eino



Sample #: 15014 Pink Punch .5g PR

Moisture by Analyzer		Pass		Analysis Date: 05/02/2025 4:08 pm		
	Compound	LOQ (%)	Limits (%)	Result (%)	Status	
	Moisture	1.2	0 - 15	7.0	Pass	
Co	Comment: Physical chemistry was tested using moisture analyzer, water activity meter using P-NY 160. Unless otherwise stated, all QC passed.					

W	ater Activity by Meter	Pass		Analysis Date: 05/02/2025 4:02 pn		
	Compound	LOQ (Aw)	Limits (Aw)	Result (Aw)	Status	
	Water Activity	0.05	0.65	0.41	Pass	
Co	mment: Physical chemistry was tested using moisture analyzer, water	er activity meter using P-NY 16	60. Unless otherwise stated, all QC passe	d.		

esticides by LCMSMS	Pass	•	Analysis Date: 05/02/2025 4:30 pm		
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status	
Abamectin	0.0100	0.500	ND	Pass	
Acephate	0.0100	0.400	ND	Pass	
Acequinocyl	0.0100	2.00	ND	Pass	
Acetamiprid	0.0100	0.200	ND	Pass	
Aldicarb	0.0100	0.400	ND	Pass	
Azadirachtin	0.0100	1.00	ND	Pass	
Azoxystrobin	0.0100	0.200	ND	Pass	
Bifenazate	0.0100	0.200	ND	Pass	
Bifenthrin	0.0100	0.200	ND	Pass	
Boscalid	0.0100	0.400	ND	Pass	
Captan	0.0100	1.00	ND	Pass	
Carbaryl	0.0100	0.200	ND	Pass	
Carbofuran	0.0100	0.200	ND	Pass	
Chlorantraniliprole	0.0100	0.200	ND	Pass	
Chlordane-alpha	0.0100	1.00	ND	Pass	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Amended to update sample name. New report replacing original report #57121

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007





Certificate of Analysis License #: OCM-PROC-24-000095



Pink Punch .5g PR Sample #: 15014

sticides by LCMSMS	Pass	}	Analysis Date: 05/02/2025 4:30 pt		
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status	
Chlorfenapyr	0.0100	1.00	ND	Pass	
Chlormequat Chloride	0.0100	1.00	ND	Pass	
Chlorpyrifos	0.0100	0.200	ND	Pass	
Clofentezine	0.0100	0.200	ND	Pass	
Coumaphos	0.0100	1.00	ND	Pass	
Cyfluthrin	0.0100	1.00	ND	Pass	
Cypermethrin	0.0100	1.00	ND	Pass	
Daminozide	0.0100	1.00	ND	Pass	
Diazinon	0.0100	0.200	ND	Pass	
Dichlorvos	0.0100	1.00	ND	Pass	
Dimethoate	0.0100	0.200	ND	Pass	
Dimethomorph	0.0100	1.00	ND	Pass	
Ethoprophos	0.0100	0.200	ND	Pass	
Etofenprox	0.0100	0.400	ND	Pass	
Etoxazole	0.0100	0.200	ND	Pass	
Fenhexamid	0.0100	1.00	ND	Pass	
Fenoxycarb	0.0100	0.200	ND	Pass	
Fenpyroximate	0.0100	0.400	ND	Pass	
Fipronil	0.0100	0.400	ND	Pass	
Flonicamid	0.0100	1.00	ND	Pass	
Fludioxonil	0.0100	0.400	ND	Pass	
Hexythiazox	0.0100	1.00	ND	Pass	
Imazalil	0.0100	0.200	ND	Pass	
Imidacloprid	0.0100	0.400	ND	Pass	
Indolebutyric Acid	0.0100	1.00	ND	Pass	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered

Amended to update sample name. New report replacing original report #57121

Results based on simple acceptance, not taking into consideration measuremental uncertainty.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007





Certificate of Analysis

Fina



Sample #: 15014 Pink Punch .5g PR

sticides by LCMSMS	Pass	}	Analysis Date: 05/02/2025 4:30 p		
Compound	LOQ (μg/g)	Limits (µg/g)	Result (μg/g)	Status	
Kresoxim-methyl	0.0100	0.400	ND	Pass	
Malathion	0.0100	0.200	ND	Pass	
Metalaxyl	0.0100	0.200	ND	Pass	
Methiocarb	0.0100	0.200	ND	Pass	
Methomyl	0.0100	0.400	ND	Pass	
Methyl Parathion	0.0100	0.200	ND	Pass	
Mevinphos	0.0100	1.00	ND	Pass	
MGK-264	0.0100	0.200	ND	Pass	
Myclobutanil	0.0100	0.200	ND	Pass	
Naled	0.0100	0.500	ND	Pass	
Oxamyl	0.0100	1.00	ND	Pass	
Paclobutrazol	0.0100	0.400	ND	Pass	
Pentachloronitrobenzene	0.0100	1.00	ND	Pass	
Permethrins, Total	0.0100	0.200	ND	Pass	
Phosmet	0.0100	0.200	ND	Pass	
Piperonyl Butoxide	0.0100	2.00	ND	Pass	
Prallethrin	0.0100	0.200	ND	Pass	
Propiconazole	0.0100	0.400	ND	Pass	
Propoxur	0.0100	0.200	ND	Pass	
Pyrethrins Total	0.0100	1.00	ND	Pass	
Pyridaben	0.0100	0.200	ND	Pass	
Spinetoram Total	0.0100	1.00	ND	Pass	
Spinosad Total	0.0100	0.200	ND	Pass	
Spiromesifen	0.0100	0.200	ND	Pass	
Spirotetramat	0.0100	0.200	ND	Pass	

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory world law.

Amended to update sample name. New report replacing original report #57121

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007





Certificate of Analysis

Fina



Sample #: 15014 Pink Punch .5g PR

Pass		Analysis Date: 05/02/2025 4:30	
LOQ (µg/g)	Limits (μg/g)	Result (μg/g)	Status
0.0100	0.200	ND	Pass
0.0100	0.400	ND	Pass
0.0100	0.200	ND	Pass
0.0100	0.200	ND	Pass
0.0100	0.200	ND	Pass
	0.0100 0.0100 0.0100 0.0100	0.0100 0.200 0.0100 0.400 0.0100 0.200 0.0100 0.200 0.0100 0.200	0.0100 0.200 ND 0.0100 0.400 ND 0.0100 0.200 ND 0.0100 0.200 ND 0.0100 0.200 ND 0.0100 0.200 ND

Mycotoxins by LCMSMS	Pass		Analysis Date: 05/02/2025 4:30 pm	
Compound	LOQ (µg/g)	Limits (µg/g)	Result (μg/g)	Status
Aflatoxin B1	0.0050	0.020	ND	Pass
Aflatoxin B2	0.0050	0.020	ND	Pass
Aflatoxin G1	0.0050	0.020	ND	Pass
Aflatoxin G2	0.0050	0.020	ND	Pass
Ochratoxin A	0.0050	0.020	ND	Pass
Total Aflatoxin	0.0050	0.020	ND	Pass
Comment: Mycotoxin contamination tested by LCMSMS using P-NY125. Unless otherwise stated, all QC passed.				

Heavy Metals by ICPMS		Pass		Analysis Date: 04/30/2025 12:11 pm	
	Compound	LOQ (μg/g)	Limits (μg/g)	Result (µg/g)	Status
	Antimony	0.0100	2.00	ND	Pass
	Arsenic	0.00100	0.200	0.0217	Pass
	Cadmium	0.00150	0.200	ND	Pass
	Chromium	0.280	110	ND	Pass
	Copper	0.0750	30.0	6.07	Pass
	Lead	0.00250	0.500	ND	Pass

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Amended to update sample name. New report replacing original report #57121

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007





Certificate of Analysis

Fina



Sample #: 15014 Pink Punch .5g PR

Heavy Metals by ICPMS		Pass	•	Analysis Date: 04/30/2025 12:11 pm	
	Compound	LOQ (µg/g)	Limits (μg/g)	Result (μg/g)	Status
	Mercury	0.000500	0.100	0.00233	Pass
	Nickel	0.0100	5.00	0.409	Pass
Co	mment: Heavy Metal contamination tested by ICPMS using	P-NY140. Unless otherwise stated, all	QC passed.		

icro by Petri & qPCR	Pass	3	Analysis Date: 05/02/2025 1:59 pn	
Compound	LOQ (CFU/g)	Limits (CFU/g)	Result (CFU/g)	Status
Aspergillus flavus Qualitative	1	0	Not Detected	Pass
Aspergillus fumigatus Qualitative	1	0	Not Detected	Pass
Aspergillus niger Qualitative	1	0	Not Detected	Pass
Aspergillus terreus Qualitative	1	0	Not Detected	Pass
Salmonella Qualitative	1	0	Not Detected	Pass
Shiga Toxin-Producing E. coli Qualitative	1	0	Not Detected	Pass
Total Aerobic Bacteria	10		4000	Pass
Total Yeast & Mold	10		3000	Pass
Comment: Microbial contamination tested by Petrifilm plates and qPCR using P-NY120. Unless otherwise stated, all QC passed. Due to COA validation limitations: "Not Detected" = "Absent" and "Detected" = "Presumptive Presence". Acceptance Limits: "0" = "Absence" and "1" = "Presence". "Passed" for an adult-use product implies the results contain less than 1,000,000 cfu/g.				

LOQ= Level of Quantitation. ND= Not Detected. Date Sampled= Date and time sample was collected from client. Date Collected= Date and time sample was received at the laboratory. Date Received= Date and time sample entered the laboratory workflow.

Amended to update sample name. New report replacing original report #57121

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.



Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com Permit #: OCM-CPL-00007



