

# InnoTech Atira

## Double-walled drawer system

Hettich

# InnoTech Atira double walled drawer system



**Every day, every place**

The InnoTech Atira drawer system is a globally popular double-walled drawer that is the cost-efficient and practical choice for any project.

The classic, square, side-and-rail drawer sides can be paired with a comprehensive range of interior organisation and is suitable for both indoor and outdoor applications.



**Perfected movement**
Built to move on the Quadro runner with both full and partial extension options, the smooth sliding has been refined to perfection over 30 years.



**Effortlessly handleless**
The convenient Push to open Silent function opens the drawer in response to a light press while closing it again in a gently controlled action.



**Indoor and outdoor**
The Atira platform is compatible with two different drawer runners with equiavlently smooth movement - one for indoor cabinetry and one for outside.

# InnoTech Atira double walled drawer system

- **Range summary**
- **Powder coated steel, silver / white / anthracite**




**Drawer, height 54 mm**

6



**Drawer, height 70 mm**

8



**Pot-and-pan drawer with railing, height 144 mm**

12



**Pot-and-pan drawer with railing, height 176 mm**

18



**Internal drawer accessories**

24



**Quadro drawer runners**
**Range summary**

27



**Push to open Silent**

40



**Other accessories**

42



**Interior organisation system**
**Range summary**

46




**Waste systems behind front panels**
**Range summary**

**56**



**Assembly aids / jigs**

68



**Installation / adjustment**

73

## InnoTech Atira system components

### Basic components

1 Drawer side profile, left and right

2 Drawer front connector for drawer side profile

3 Rear panel connector

4 Cover caps

5 Lengthwise railing

6 Drawer front connector for lengthwise railing

7 TopSide adapter

8 TopSide in glass

9 TopSide in metal

10 Adapter for lengthwise railing

### Front panel options

15 Front panel for internal drawer / internal pot-and-pan drawer

16 Aluminium front

17 Railing for aluminium front panel

18 Connector for aluminium front panel

19 Follower for internal front panel

20 Front stabiliser

### Drawer runners

23 Quadro drawer runners

### Wooden elements cut to size

A Front panel

B Bottom panel

C Wooden rear panel


D TopSide - for use in any chosen material

## Exploded drawing / overview of components





### Exploded diagram



# InnoTech Atira double walled drawer system

- **Drawer height 54 mm**
- **Powder coated steel, silver / white**






Useful Information:


- 54mm drawers do **not** come in sets. Quadro runners will need to be ordered separately.
- Only available in silver and white colours.


## Planning / installation dimensions





1 = Quadro 25
2 = Quadro V6
3 = Quadro V6+

* ≥ 42 Push to open Silent Quadro V6
** ≥ 45 Push to open Silent Quadro V6+





| | | |
|---|---|---|
| BB Bottom panel width | RB Rear panel width | LB Clear inside width |
| BL Bottom panel length | NL Nominal length | LT Clear inside depth |
| KB Cabinet body width | KD Cabinet body side thicknesses | EB Installation width |


| | |
|---|---|
| KD | 16 |
| EB | 12,5 |
| A | 23 |

| Dimension | mm |
|---|---|
| BL | NL +10 |
| BB | LB - 2 x EB - 51,5 |
| RB | LB - 2 x EB - 63 |

## Positions for attaching Quadro V6 drawer runner

| Nominal length mm | Hole spacing b1 mm |
|---|---|
| 260 | 160 |
| 300 | 160 |
| 350 | 160 |
| 420 | 224 |
| 470 | 256 |
| 520 | 256 |




**Note:**
For further information, please refer to the chapter on drawer runners.


# InnoTech Atira double walled drawer system

- **Drawer height 54 mm**
- **Powder coated steel, silver / white**

## Individual components

Note: The colour anthracite is not available in 54mm height.


### Drawer side profile, height 54 mm



- Integrated vertical and lateral adjustment
- Steel, powder coated

| Nominal length mm | Order no. / surface finish / cabinet side | | | | PU |
|---|---|---|---|---|---|
| | silver | | white | | |
| | left | right | left | right | |
| 470 | **1 063 801** | **1 063 802** | **9 194 432** | **9 194 433** | 1/18 ea. |


### Rear panel connectors



- Powder coated steel

| Nominal height mm | Order no. / surface finish / cabinet side | | | | PU |
|---|---|---|---|---|---|
| | silver | | white | | |
| | left | right | left | right | |
| 54 | **9 003 473** | **9 003 474** | **9 194 623** | **9 194 624** | 1/40 ea. |

### Drawer front connector for drawer side profile



- Plastic, white

| Mounting option | Order no. | PU |
|---|---|---|
| for screwing on | **1 065 191** | 1/400 ea. |
| with expanding socket | **1 061 450** | 1/400 ea. |

### Cover caps




- Plastic

| System colour | Finish | Order no. | PU |
|---|---|---|---|
| silver | grey with Hettich logo | **9 194 646** | 1/300 ea. |
| silver | grey | **9 194 643** | 1/300 ea. |
| silver | chrome look with Hettich logo | **9 194 652** | 1/300 ea. |
| silver | chrome look | **9 194 649** | 1/300 ea. |
| white | white with Hettich logo | **9 194 647** | 1/300 ea. |
| white | white | **9 194 644** | 1/300 ea. |
| white | chrome look with Hettich logo | **9 194 653** | 1/300 ea. |
| white | chrome look | **9 194 650** | 1/300 ea. |

## Useful Information


- Quadro drawer runners 27 - 41
- Push to open Silent opening system 40 - 41
- Other accessories 42 - 45
- Installation / Adjustments 73 - 82
- Quality criteria 83


hettich.com/short/6077da

# InnoTech Atira double walled drawer system


- **Drawer height 70 mm**
- **Powder coated steel, silver / white / anthracite**











## Planning / installation dimensions














| | | | | | |
|---|---|---|---|---|---|
| BB Bottom panel width | RB Rear panel width | LB Clear inside width | KD | 16 |
| BL Bottom panel length | NL Nominal length | LT Clear inside depth | EB | 12,5 |
| KB Cabinet body width | KD Cabinet body side thicknesses | EB Installation width | A | 23 |

| Dimension | mm |
|---|---|
| BL | NL +10 |
| BB | LB - 2 x EB - 51,5 |
| RB | LB - 2 x EB - 63 |

## Positions for attaching Quadro V6 drawer runner

| Nominal length mm | Hole spacing b1 mm |
|---|---|
| 260 | 160 |
| 300 | 160 |
| 350 | 160 |
| 420 | 224 |
| 470 | 256 |
| 520 | 256 |




**Note:**
For further information, please refer to the chapter on drawer runners.

# InnoTech Atira double walled drawer system

- **Drawer height 70 mm**
- **Powder coated steel, silver / white / anthracite**

## Single drawer sets excluding runners, individual packaging

All components below come packaged in a single / kit box.

Set comprises:
- 1 1 Drawer side profile, left and right
- 2 2 Drawer front connectors for drawer side profile with expanding dowel
- 3 2 Cover caps, grey plastic with Hettich logo
- 6 1 Lengthwise railing, left and right
- 5 2 Drawer front connectors for lengthwise railing with expanding dowel
- 9 1 Rear panel connector, left and right

Note: Drawer runners are not included in single drawer sets and will need to be purchased separately. The corresponding sets are highlighted on pages 30 - 32. The colour silver is not available in single drawer sets.

| Nominal length mm | Order no. | | PU |
|---|---|---|---|
| Drawer without Quadro | **White** | **Anthracite** | |
| 260 | **9 319 122** | **9 319 114** | 1 set |
| 300 | **9 319 123** | **9 319 115** | 1 set |
| 350 | **9 319 124** | **9 319 116** | 1 set |
| 420 | **9 319 125** | **9 319 118** | 1 set |
| 470 | **9 319 126** | **9 319 119** | 1 set |
| 520 | **9 319 127** | **9 319 120** | 1 set |

## All inclusive sets, bulk packaging

The product codes below act as an ordering shortcut, allowing you to use one code to purchase all the components required as a 'virtual set'. The components will come packaged in separate boxes in 'bulk' order quantities (the quantity is defined in the minimum order quantity column of the table below).

Set comprises:
- 1 1 Drawer side profile, left and right
- 2 2 Drawer front connectors with expanding dowel
- 3 2 Cover caps, grey plastic with Hettich logo
- 7 1 Rear panel connector, left and right
- **Optional:** 4 1 Drawer runner Quadro V6 with Silent System, left and right **or** for sets without Quadro.

Note: The colour anthracite is not available in virtual sets. Anthracite should be purchased as a single drawer set.

| Nominal length mm | Order no. | | | | Minimum order quantity |
|---|---|---|---|---|---|
| | **Drawer with Quadro - Silver** | **Drawer with-out Quadro - Silver** | **Drawer with Quadro - White** | **Drawer with-out Quadro - White** | |
| 260 | **9 364 717** | **9 364 760** | **9 364 719** | **9 364** | 18 sets |
| 300 | **9 364 718** | **9 364 761** | **9 364 720** | **9 364** | 18 sets |
| 350 | **9 360 255** | **9 364 762** | **9 360 240** | **9 364** | 18 sets |
| 420 | **9 360 256** | **9 364 763** | **9 360 242** | **9 364** | 18 sets |
| 470 | **9 360 257** | **9 364 764** | **9 360 243** | **9 364** | 18 sets |
| 520 | **9 360 259** | **9 364 765** | **9 360 244** | **9 364** | 18 sets |
| 620 | | **9 364 766** | | **9 364** | 18 sets |


# InnoTech Atira double walled drawer system

- **Drawer height 70 mm**
- **Powder coated steel, silver / white**

## Individual components

Note: The colour anthracite is not available in individual components. Anthracite should be purchased as a single drawer set.


### Drawer side profile, height 70 mm



- Integrated vertical and lateral adjustment
- Steel, powder coated

| Nominal length mm | Order no. / surface finish / cabinet side | | | | PU |
|---|---|---|---|---|---|
| | silver | | white | | |
| | left | right | left | right | |
| 260 | 9 194 390 | 9 194 391 | 9 194 404 | 9 194 405 | 1/18 ea. |
| 300 | 9 194 392 | 9 194 393 | 9 194 406 | 9 194 407 | 1/18 ea. |
| 350 | 9 194 394 | 9 194 395 | 9 194 408 | 9 194 409 | 1/18 ea. |
| 420 | 9 194 396 | 9 194 397 | 9 194 410 | 9 194 411 | 1/18 ea. |
| 470 | 9 194 398 | 9 194 399 | 9 194 412 | 9 194 413 | 1/18 ea. |
| 520 | 9 194 400 | 9 194 401 | 9 194 414 | 9 194 415 | 1/18 ea. |
| 620 | 9 194 402 | 9 194 403 | 9 194 416 | 9 194 417 | 1/18 ea. |


### Rear panel connectors



- Powder coated steel

| Nominal height mm | Order no. / surface finish / cabinet side | | | | PU |
|---|---|---|---|---|---|
| | silver | | white | | |
| | left | right | left | right | |
| 70 | 1 062 501 | 1 062 502 | 9 194 627 | 9 194 628 | 1/40 ea. |

### Drawer front connector for drawer side profile



- Plastic, white

| Mounting option | Order no. | PU |
|---|---|---|
| for screwing on | 1 065 191 | 1/400 ea. |
| with expanding socket | 1 061 450 | 1/400 ea. |

### Useful Information


- Quadro drawer runners 27 - 41
- Push to open Silent opening system 40 - 41
- Other accessories 42 - 45
- Installation / Adjustments 73 - 82
- Quality criteria 83

## Cover caps




- Plastic

| System colour | Finish | **Order no.** | PU |
|---|---|---|---|
| silver | grey with Hettich logo | **9 194 646** | 1/300 ea. |
| silver | grey | **9 194 643** | 1/300 ea. |
| silver | chrome look with Hettich logo | **9 194 652** | 1/300 ea. |
| silver | chrome look | **9 194 649** | 1/300 ea. |
| white | white with Hettich logo | **9 194 647** | 1/300 ea. |
| white | white | **9 194 644** | 1/300 ea. |
| white | chrome look with Hettich logo | **9 194 653** | 1/300 ea. |
| white | chrome look | **9 194 650** | 1/300 ea. |


# InnoTech Atira double walled drawer system

- **Pot-and-pan drawer with railing, height 144 mm**
- **Powder coated steel, silver / white / anthracite**





## Planning / installation dimensions





| | | |
|---|---|---|
| BB Bottom panel width | RB Rear panel width | LB Clear inside width |
| BL Bottom panel length | NL Nominal length | LT Clear inside depth |
| KB Cabinet body width | KD Cabinet body side thicknesses | EB Installation width |


| | |
|---|---|
| KD | 16 |
| EB | 12,5 |
| A | 23 |

| Dimension | mm |
|---|---|
| BL | NL +10 |
| BB | LB - 2 x EB - 51,5 |
| RB | LB - 2 x EB - 63 |

## Positions for attaching Quadro V6 drawer runner

| Nominal length mm | Hole spacing b1 mm |
|---|---|
| 260 | 160 |
| 300 | 160 |
| 350 | 160 |
| 420 | 224 |
| 470 | 256 |
| 520 | 256 |




**Note:**
For further information, please refer to the chapter on drawer runners.

# InnoTech Atira double walled drawer system

- **Pot-and-pan drawer with railing, height 144 mm**
- **Powder coated steel, silver / white / anthracite**

## Single drawer sets excluding runners, individual packaging

All components below come packaged in a single / kit box.

Set comprises:
- 1 1 Drawer side profile, left and right
- 2 2 Drawer front connectors for drawer side profile with expanding dowel
- 3 2 Cover caps, colour matched to drawer colour
- 6 1 Lengthwise railing, left and right
- 5 2 Drawer front connectors for lengthwise railing with expanding dowel
- 9 1 Rear panel connector, left and right

Note: Drawer runners are not included in single drawer sets and will need to be purchased separately. The corresponding sets are highlighted on pages 30 - 32. The colour silver is not available in single drawer sets.

| Nominal length mm | Order no. | | PU |
|---|---|---|---|
| Pot-and-pan drawer without Quadro | **White** | **Anthracite** | |
| 260 | **9 319 148** | **9 319 141** | 1 set |
| 300 | **9 319 149** | **9 319 142** | 1 set |
| 350 | **9 319 150** | **9 319 143** | 1 set |
| 420 | **9 319 151** | **9 319 144** | 1 set |
| 470 | **9 319 152** | **9 319 145** | 1 set |
| 520 | **9 319 153** | **9 319 146** | 1 set |

## All inclusive sets, bulk packaging

The product codes below act as an ordering shortcut, allowing you to use one code to purchase all the components required as a 'virtual set'. The components will come packaged in separate boxes in 'bulk' order quantities (the quantity is defined in the minimum order quantity column of the table below).

Set comprises:
- 1 1 Drawer side profile, left and right
- 2 2 Drawer front connectors for drawer side profile with expanding dowel
- 3 2 Cover caps, colour matched to drawer colour
- 6 1 Lengthwise railing, left and right
- 5 2 Drawer front connectors for lengthwise railing with expanding dowel
- 9 1 Rear panel connector, left and right
- **Optional:** 4 1 Drawer runner Quadro V6 with Silent System, left and right **or** for sets without Quadro

Note: The colour anthracite is not available in virtual sets. Anthracite should be purchased as a single drawer set.

| Nominal length mm | Order no. | | | | Minimum order quantity |
|---|---|---|---|---|---|
| | **Pot-and-pan drawer with Quadro – Silver** | **Pot-and-pan drawer with-out Quadro – Silver** | **Pot-and-pan drawer with Quadro – White** | **Pot-and-pan drawer with-out Quadro – White** | |
| 260 | **9 364 721** | **9 364 774** | **9 364 723** | **9 364 781** | 18 sets |
| 300 | **9 364 722** | **9 364 775** | **9 364 755** | **9 364 782** | 18 sets |
| 350 | **9 360 260** | **9 364 776** | **9 360 245** | **9 364 783** | 18 sets |
| 420 | **9 360 261** | **9 364 777** | **9 360 246** | **9 364 784** | 18 sets |
| 470 | **9 360 262** | **9 364 778** | **9 360 247** | **9 364 785** | 18 sets |
| 520 | **9 360 263** | **9 364 779** | **9 360 249** | **9 364 786** | 18 sets |
| 620 | | **9 364 780** | | **9 364 787** | 18 sets |


# InnoTech Atira double walled drawer system

- **Pot-and-pan drawer with railing, height 144 mm**
- **Powder coated steel, silver / white**

## Individual components

Note: The colour anthracite is not available in individual components. Anthracite should be purchased as a single drawer set.


### Drawer side profile, height 70 mm



- Integrated vertical and lateral adjustment
- Steel, powder coated

| Nominal length mm | Order no. / surface finish / cabinet side | | | | PU |
|---|---|---|---|---|---|
| | silver | | white | | |
| | left | right | left | right | |
| 260 | 9 194 390 | 9 194 391 | 9 194 404 | 9 194 405 | 1/18 ea. |
| 300 | 9 194 392 | 9 194 393 | 9 194 406 | 9 194 407 | 1/18 ea. |
| 350 | 9 194 394 | 9 194 395 | 9 194 408 | 9 194 409 | 1/18 ea. |
| 420 | 9 194 396 | 9 194 397 | 9 194 410 | 9 194 411 | 1/18 ea. |
| 470 | 9 194 398 | 9 194 399 | 9 194 412 | 9 194 413 | 1/18 ea. |
| 520 | 9 194 400 | 9 194 401 | 9 194 414 | 9 194 415 | 1/18 ea. |
| 620 | 9 194 402 | 9 194 403 | 9 194 416 | 9 194 417 | 1/18 ea. |


### Rear panel connectors



- Powder coated steel

| Nominal height mm | Order no. / surface finish / cabinet side | | | | PU |
|---|---|---|---|---|---|
| | silver | | white | | |
| | left | right | left | right | |
| 144 | 9 007 355 | 9 007 356 | 9 194 635 | 9 194 636 | 1/40 ea. |

### Lengthwise railing




- Powder coated steel

| Nominal length mm | Order no. / surface finish / cabinet side | | | | PU |
|---|---|---|---|---|---|
| | silver | | white | | |
| | left | right | left | right | |
| 260 | 9 194 522 | 9 194 523 | 9 194 536 | 9 194 537 | 1/80 ea. |
| 300 | 9 194 524 | 9 194 525 | 9 194 538 | 9 194 539 | 1/80 ea. |
| 350 | 9 194 526 | 9 194 527 | 9 194 540 | 9 194 541 | 1/80 ea. |
| 420 | 9 194 528 | 9 194 529 | 9 194 542 | 9 194 543 | 1/80 ea. |
| 470 | 9 194 530 | 9 194 531 | 9 194 544 | 9 194 545 | 1/80 ea. |
| 520 | 9 194 532 | 9 194 533 | 9 194 546 | 9 194 547 | 1/80 ea. |
| 620 | 9 194 534 | 9 194 535 | 9 194 548 | 9 194 549 | 1/80 ea. |

- **Pot-and-pan drawer with railing, height 144 mm**
- **Powder coated steel, silver / white**

## Drawer front connector for drawer side profile



- Plastic, white

| Mounting option | Order no. | PU |
|---|---|---|
| for screwing on | **1 065 191** | 1/400 ea. |
| with expanding socket | **1 061 450** | 1/400 ea. |

## Drawer front connector for lengthwise railing



- Plastic, white

| Mounting option | Order no. | PU |
|---|---|---|
| for screwing on | **9 002 503** | 1/400 ea. |
| with expanding socket | **1 061 965** | 1/400 ea. |


## Cover caps




- Plastic

| System colour | Finish | Order no. | PU |
|---|---|---|---|
| silver | grey with Hettich logo | **9 194 646** | 1/300 ea. |
| silver | grey | **9 194 643** | 1/300 ea. |
| silver | chrome look with Hettich logo | **9 194 652** | 1/300 ea. |
| silver | chrome look | **9 194 649** | 1/300 ea. |
| white | white with Hettich logo | **9 194 647** | 1/300 ea. |
| white | white | **9 194 644** | 1/300 ea. |
| white | chrome look with Hettich logo | **9 194 653** | 1/300 ea. |
| white | chrome look | **9 194 650** | 1/300 ea. |

## Adapter for lengthwise railing



- For using a freely positionable lengthwise railing
- Suitable for use on left or right
- For drilling dimensions refer to page 74

| **Order no. / colour** | | PU |
|---|---|---|
| **grey** | **white** | |
| **9 206 256** | **9 206 257** | 1/80 ea. |

## Useful Information


- Quadro drawer runners 27 - 41
- Push to open Silent opening system 40 - 41
- Other accessories 42 - 45
- Installation / Adjustments 73 - 82
- Quality criteria 83

# InnoTech Atira double walled drawer system

- **Topside for Pot-and-pan drawer with railing, height 144 mm**
- **Powder coated steel, silver / white**

## TopSide in metal



- **7** TopSide adapters must be ordered separately

Set comprises:
- 2 TopSides

| Nominal length mm | Order no. / surface finish | | PU |
|---|---|---|---|
| | silver | white | |
| 260 | **9 194 677** | **9 194 684** | 1 set |
| 300 | **9 194 678** | **9 194 685** | 1 set |
| 350 | **9 194 679** | **9 194 686** | 1 set |
| 420 | **9 194 680** | **9 194 687** | 1 set |
| 470 | **9 194 681** | **9 194 688** | 1 set |
| 520 | **9 194 682** | **9 194 689** | 1 set |
| 620 | **9 194 683** | **9 194 690** | 1 set |

## TopSide in glass



- **7** TopSide adapters must be ordered separately
- Float glass, clear

Set comprises:
- 2 TopSides

| Nominal length mm | Order no. | PU |
|---|---|---|
| 260 | **9 194 663** | 1 set |
| 300 | **9 194 664** | 1 set |
| 350 | **9 194 665** | 1 set |
| 420 | **9 194 666** | 1 set |
| 470 | **9 194 667** | 1 set |
| 520 | **9 194 668** | 1 set |
| 620 | **9 194 669** | 1 set |

## TopSide Adaptor



- For using the **8** TopSide in glass, **9** TopSide in metal or TopSide in any chosen materials
- Plastic

Set comprises:
- 1 adapter, front, left and right
- 1 adapter, rear, left and right

| Order no. / colour | | PU |
|---|---|---|
| grey | white | |
| **9 194 657** | **9 194 658** | 1 set |


# InnoTech Atira double walled drawer system

- **Pot-and-pan drawer with railing, height 176 mm**
- **Powder coated steel, silver / white / anthracite**





## Planning / installation dimensions




1 = Quadro 25
2 = Quadro V6
3 = Quadro V6+

* ≥ 42 Push to open Silent Quadro V6
** ≥ 45 Push to open Silent Quadro V6+


| | | |
|---|---|---|
| BB Bottom panel width | RB Rear panel width | LB Clear inside width |
| BL Bottom panel length | NL Nominal length | LT Clear inside depth |
| KB Cabinet body width | KD Cabinet body side thicknesses | EB Installation width |


| | |
|---|---|
| KD | 16 |
| EB | 12,5 |
| A | 23 |

| Dimension | mm |
|---|---|
| BL | NL +10 |
| BB | LB - 2 x EB - 51,5 |
| RB | LB - 2 x EB - 63 |

## Positions for attaching Quadro V6 drawer runner

| Nominal length mm | Hole spacing b1 mm |
|---|---|
| 260 | 160 |
| 300 | 160 |
| 350 | 160 |
| 420 | 224 |
| 470 | 256 |
| 520 | 256 |




**Note:**
For further information, please refer to the chapter on drawer runners.

# InnoTech Atira double walled drawer system

- **Pot-and-pan drawer with railing, height 176 mm**
- **Powder coated steel, silver / white / anthracite**

## Single drawer sets excluding runners, individual packaging

All components below come packaged in a single / kit box.

Set comprises:
- 1 1 Drawer side profile, left and right
- 2 2 Drawer front connectors for drawer side profile with expanding dowel
- 3 2 Cover caps, colour matched to drawer colour
- 6 1 Lengthwise railing, left and right
- 5 2 Drawer front connectors for lengthwise railing with expanding dowel
- 9 1 Rear panel connector, left and right

Note: Drawer runners are not included in single drawer sets and will need to be purchased separately. The corresponding sets are highlighted on pages 30 - 32. The colour silver is not available in single drawer sets.

| Nominal length mm | Order no. | | PU |
|---|---|---|---|
| Pot-and-pan drawer without Quadro | **White** | **Anthracite** | |
| 260 | **9 319 169** | **9 319 162** | 1 set |
| 300 | **9 319 170** | **9 319 163** | 1 set |
| 350 | **9 319 171** | **9 319 164** | 1 set |
| 420 | **9 319 172** | **9 319 165** | 1 set |
| 470 | **9 319 173** | **9 319 166** | 1 set |
| 520 | **9 319 174** | **9 319 167** | 1 set |

## All inclusive sets, bulk packaging

The product codes below act as an ordering shortcut, allowing you to use one code to purchase all the components required as a 'virtual set'. The components will come packaged in separate boxes in 'bulk' order quantities (the quantity is defined in the minimum order quantity column of the table below).

Set comprises:
- 1 1 Drawer side profile, left and right
- 2 2 Drawer front connectors for drawer side profile with expanding dowel
- 3 2 Cover caps, colour matched to drawer colour
- 6 1 Lengthwise railing, left and right
- 5 2 Drawer front connectors for lengthwise railing with expanding dowel
- 9 1 Rear panel connector, left and right
- **Optional:** 4 1 Drawer runner Quadro V6 with Silent System, left and right **or** for sets without Quadro

Note: The colour anthracite is not available in virtual sets. Anthracite should be purchased as a single drawer set.

| Nominal length mm | Order no. | | | | Minimum order quantity |
|---|---|---|---|---|---|
| | **Pot-and-pan drawer with Quadro – Silver** | **Pot-and-pan drawer with-out Quadro – Silver** | **Pot-and-pan drawer with Quadro – White** | **Pot-and-pan drawer with-out Quadro – White** | |
| 260 | **9 364 756** | **9 364 788** | **9 364 758** | **9 364 795** | 18 sets |
| 300 | **9 364 757** | **9 364 789** | **9 364 759** | **9 364 796** | 18 sets |
| 350 | **9 360 264** | **9 364 790** | **9 360 250** | **9 364 797** | 18 sets |
| 420 | **9 360 265** | **9 364 791** | **9 360 251** | **9 364 798** | 18 sets |
| 470 | **9 360 266** | **9 364 792** | **9 360 252** | **9 364 799** | 18 sets |
| 520 | **9 360 267** | **9 364 793** | **9 360 253** | **9 364 800** | 18 sets |
| 620 | | **9 364 794** | | **9 364 801** | 18 sets |


# InnoTech Atira double walled drawer system

- **Pot-and-pan drawer with railing, height 176 mm**
- **Powder coated steel, silver / white**

## Individual components

Note: The colour anthracite is not available in individual components. Anthracite should be purchased as a single drawer set.


### Drawer side profile, height 70 mm



- Integrated vertical and lateral adjustment
- Steel, powder coated

| Nominal length mm | Order no. / surface finish / cabinet side | | | | PU |
|---|---|---|---|---|---|
| | silver | | white | | |
| | left | right | left | right | |
| 260 | 9 194 390 | 9 194 391 | 9 194 404 | 9 194 405 | 1/18 ea. |
| 300 | 9 194 392 | 9 194 393 | 9 194 406 | 9 194 407 | 1/18 ea. |
| 350 | 9 194 394 | 9 194 395 | 9 194 408 | 9 194 409 | 1/18 ea. |
| 420 | 9 194 396 | 9 194 397 | 9 194 410 | 9 194 411 | 1/18 ea. |
| 470 | 9 194 398 | 9 194 399 | 9 194 412 | 9 194 413 | 1/18 ea. |
| 520 | 9 194 400 | 9 194 401 | 9 194 414 | 9 194 415 | 1/18 ea. |
| 620 | 9 194 402 | 9 194 403 | 9 194 416 | 9 194 417 | 1/18 ea. |


### Rear panel connectors



- Powder coated steel

| Nominal height mm | Order no. / surface finish / cabinet side | | | | PU |
|---|---|---|---|---|---|
| | silver | | white | | |
| | left | right | left | right | |
| 176 | 9 027 831 | 9 027 832 | 9 194 639 | 9 194 640 | 1/40 ea. |

### Lengthwise railing




- Powder coated steel

| Nominal length mm | Order no. / surface finish / cabinet side | | | | PU |
|---|---|---|---|---|---|
| | silver | | white | | |
| | left | right | left | right | |
| 260 | 9 194 522 | 9 194 523 | 9 194 536 | 9 194 537 | 1/80 ea. |
| 300 | 9 194 524 | 9 194 525 | 9 194 538 | 9 194 539 | 1/80 ea. |
| 350 | 9 194 526 | 9 194 527 | 9 194 540 | 9 194 541 | 1/80 ea. |
| 420 | 9 194 528 | 9 194 529 | 9 194 542 | 9 194 543 | 1/80 ea. |
| 470 | 9 194 530 | 9 194 531 | 9 194 544 | 9 194 545 | 1/80 ea. |
| 520 | 9 194 532 | 9 194 533 | 9 194 546 | 9 194 547 | 1/80 ea. |
| 620 | 9 194 534 | 9 194 535 | 9 194 548 | 9 194 549 | 1/80 ea. |

# InnoTech Atira double walled drawer system

- **Pot-and-pan drawer with railing, height 176 mm**
- **Powder coated steel, silver / white**

## Drawer front connector for drawer side profile



- Plastic, white

| Mounting option | Order no. | PU |
|---|---|---|
| for screwing on | **1 065 191** | 1/400 ea. |
| with expanding socket | **1 061 450** | 1/400 ea. |

## Drawer front connector for lengthwise railing



- Plastic, white

| Mounting option | Order no. | PU |
|---|---|---|
| for screwing on | **9 002 503** | 1/400 ea. |
| with expanding socket | **1 061 965** | 1/400 ea. |


## Cover caps




- Plastic

| System colour | Finish | Order no. | PU |
|---|---|---|---|
| silver | grey with Hettich logo | **9 194 646** | 1/300 ea. |
| silver | grey | **9 194 643** | 1/300 ea. |
| silver | chrome look with Hettich logo | **9 194 652** | 1/300 ea. |
| silver | chrome look | **9 194 649** | 1/300 ea. |
| white | white with Hettich logo | **9 194 647** | 1/300 ea. |
| white | white | **9 194 644** | 1/300 ea. |
| white | chrome look with Hettich logo | **9 194 653** | 1/300 ea. |
| white | chrome look | **9 194 650** | 1/300 ea. |

## Adapter for lengthwise railing



- For using a freely positionable lengthwise railing
- Suitable for use on left or right
- For drilling dimensions refer to page 74

| **Order no. / colour** | | PU |
|---|---|---|
| **grey** | **white** | |
| **9 206 256** | **9 206 257** | 1/80 ea. |

## Useful Information


- Quadro drawer runners 27 - 41
- Push to open Silent opening system 40 - 41
- Other accessories 42 - 45
- Installation / Adjustments 73 - 82
- Quality criteria 83

# InnoTech Atira double walled drawer system

- **Topside for Pot-and-pan drawer with railing, height 176 mm**
- **Powder coated steel, silver / white**

## TopSide in metal



- **7** TopSide adapters must be ordered separately

Set comprises:
- 2 TopSides

| Nominal length mm | Order no. / surface finish | | PU |
|---|---|---|---|
| | silver | white | |
| 260 | **9 194 698** | **9 194 705** | 1 set |
| 300 | **9 194 699** | **9 194 706** | 1 set |
| 350 | **9 194 700** | **9 194 707** | 1 set |
| 420 | **9 194 701** | **9 194 708** | 1 set |
| 470 | **9 194 702** | **9 194 709** | 1 set |
| 520 | **9 194 703** | **9 194 710** | 1 set |
| 620 | **9 194 704** | **9 194 711** | 1 set |

## TopSide in glass



- **7** TopSide adapters must be ordered separately
- Float glass, clear

Set comprises:
- 2 TopSides

| Nominal length mm | Order no. | PU |
|---|---|---|
| 260 | **9 194 670** | 1 set |
| 300 | **9 194 671** | 1 set |
| 350 | **9 194 672** | 1 set |
| 420 | **9 194 673** | 1 set |
| 470 | **9 194 674** | 1 set |
| 520 | **9 194 675** | 1 set |
| 620 | **9 194 676** | 1 set |

## TopSide Adaptor




- For using the **8** TopSide in glass, **9** TopSide in metal or TopSide in any chosen materials
- Plastic

Set comprises:
- 1 adapter, front, left and right
- 1 adapter, rear, left and right

| Order no. / colour | | PU |
|---|---|---|
| grey | white | |
| **9 194 660** | **9 194 661** | 1 set |


# InnoTech Atira double walled drawer system


- **Internal drawers/pot-and-pan drawers**
- **Powder coated steel, silver / white / anthracite**





- For nominal height of 70, 144 mm
- For optional use with catch for front panel
- Cannot be combined with TopSide

## Planning / installation dimensions





| | |
|---|---|
| KB Cabinet body width | PL Profile length / Front panel width |
| RL Railing length | LB Clear inside width |
| NL Nominal length | LT Clear inside depth |
| KD Cabinet body side thicknesses | EB Installation width |


| | |
|---|---|
| KD | 16 |
| EB | 12,5 |
| A | 23 |

| Dimension | mm |
|---|---|
| PL | LB - 2 x EB - 57,6 |
| RL | LB - 2 x EB - 90,5 |
| LT Internal drawer NL 260 | NL + 28 |
| LT Internal drawer > NL 260 | NL + 24 |

## Positions for attaching Quadro V6 drawer runner


| Nominal length mm | Hole spacing b1 mm |
|---|---|
| 260 | 160 |
| 300 | 160 |
| 350 | 160 |
| 420 | 224 |
| 470 | 256 |
| 520 | 256 |




**Note:**
For further information, please refer to the chapter on drawer runners.

## Connector for front panel




- For combining with profile for front panel
- Plastic

Set comprises:
- 1 connector for front panel, left and right

| Colour | Order no. / Nominal height mm | | PU |
|---|---|---|---|
| | 70 | 144 | |
| silver | **9 104 107** | **9 293 516** | 1 set |
| white | **9 196 348** | **9 293 517** | 1 set |
| anthracite | **9 196 349** | **9 293 518** | 1 set |


## Aluminium front panel



- For cutting to length
- Length 2000 mm
- Powder coated aluminium

| Colour | Order no. | PU |
|---|---|---|
| silver | **9 194 764** | 1 ea. |
| white | **9 194 765** | 1 ea. |
| anthracite | **9 194 766** | 1 ea. |


## Railing for front panel



- For cutting to length
- Length 2000 mm
- Powder coated steel

| Colour | Order no. | PU |
|---|---|---|
| silver | **9 194 614** | 1/30 ea. |
| white | **9 194 615** | 1/30 ea. |
| anthracite | **9 194 616** | 1/30 ea. |

## Catch




- For screwing on
- Plastic

Set comprises:
- 1 follower
- 1 profile height increaser
- Fixing material

| System colour | Colour | Order no. | PU |
|---|---|---|---|
| silver / white | grey | **9 235 838** | 1 set |

## Front stabiliser



- For stabilising wide front panels
- Recommended for use with cabinet bodies in a width of 600 mm and over
- Plastic, white

| Order no. | PU |
|---|---|
| **9 117 782** | 1/100 ea. |

hettich.com/short/4a58b5



**Quadro 25 partial extension runner**
**Load capacity up to 25 kg**

- with Silent System

28



**Quadro V6 full extension runner**
**load capacity up to 30 kg**

- with Silent System or Push to open

30



**Quadro V6+ full extension runner**
**load capacity up to 50 kg**

- with Silent System or Push to open

32



**Quadro Compact full extension runner for outdoor cabinetry**

- with Silent System or Push to open

34



**Synchronisation / multi synchronisation for Push to open**

36



**Drawer runners for Push to open Silent**

38




**Push to open Silent opening system**

40

# InnoTech Atira double walled drawer system

- **Quadro 25 drawer runner**
- **Partial extension runner, load capacity up to 25 kg**




- Partial extension runner
- Slide on installation
- Load capacity to EN 15338 Level 3
- Galvanised steel

## Drawer Runner (installed width EB 12.5)


| Nominal length mm | Order No. | | PU |
|---|---|---|---|
| | **Silent system** | | |
| | **left** | **right** | |
| 350 | **9 159 023** | **9 159 024** | 1/30 ea. |
| 420 | **9 159 025** | **9 159 026** | 1/30 ea. |
| 470 | **9 159 027** | **9 159 028** | 1/30 ea. |
| 520 | **9 159 029** | **9 159 030** | 1/30 ea. |


## Lengthwise cross-section

Drawer / pot-and-pan drawer




Internal drawer / internal pot-and-pan drawer





## Installation dimensions

| Nominal length mm | Hole spacing b1 mm | Extension loss EL mm | Drawer / pot-and-pan drawer Minimum cabinet body depth mm | Internal drawer / internal pot-and-pan drawer Minimum cabinet body depth mm |
|---|---|---|---|---|
| 260 | 160 | 50 | 279 | 288 |
| 300 | 160 | 70 | 315 | 324 |
| 350 | 160 | 70 | 365 | 374 |
| 420 | 256 | 82 | 435 | 444 |
| 470 | 256 | 94 | 485 | 494 |
| 520 | 256 | 106 | 535 | 544 |

hettich.com/short/956b9b

# InnoTech Atira double walled drawer system

- **Quadro V6 drawer runner**
- **Full extension runner, load capacity up to 30 kg**




- Full extension runner
- Slide on installation
- Load capacity to EN 15338 Level 3
- Galvanised steel

## Drawer Runner (installed width EB 12.5)

| Nominal length mm | Order no. | | | | | PU |
|---|---|---|---|---|---|---|
| | Silent system | | | Push to open | | |
| | left | right | sets (left & right) | left | right | |
| 260 | **9 118 019** | **9 118 020** | **9 318 952** | **9 125 585** | **9 125 586** | 1/20 ea. |
| 300 | **9 117 988** | **9 117 991** | **9 318 953** | **9 125 589** | **9 125 590** | 1/20 ea. |
| 350 | **9 118 013** | **9 118 014** | **9 318 954** | **9 125 601** | **9 125 602** | 1/20 ea. |
| 420 | **9 101 300** | **9 101 301** | **9 318 955** | **9 125 603** | **9 125 604** | 1/20 ea. |
| 470 | **9 118 054** | **9 118 055** | **9 318 956** | **9 125 605** | **9 125 606** | 1/20 ea. |
| 520 | **9 118 016** | **9 118 018** | **9 318 957** | **9 125 607** | **9 125 608** | 1/20 ea. |

## Lengthwise cross-section





## Installation dimensions

| Nominal length mm | Hole spacing b1 mm | Drawer / pot-and-pan drawer Minimum cabinet body depth mm | Internal drawer / internal pot-and-pan drawer Minimum cabinet body depth mm |
|---|---|---|---|
| 260 | 160 | 279 [304mm required for push to open] | 288 [314mm required for push to open] |
| 300 | 160 | 315 | 324 |
| 350 | 160 | 365 | 374 |
| 420 | 224 | 435 | 444 |
| 470 | 256 | 485 | 494 |
| 520 | 256 | 535 | 544 |

hettich.com/short/8c2567

# InnoTech Atira double walled drawer system

- **Quadro V6+ drawer runner**
- **Full extension runner, load capacity up to 50 kg**




- Full extension runner
- Slide on installation
- Load capacity to EN 15338 Level 3
- Galvanised steel

## Drawer Runner (installed width EB 12.5)

| Nominal length mm | Order no. / user friendly function / cabinet side | | | | PU |
|---|---|---|---|---|---|
| | Silent system | | | Push to open | |
| | left | right | sets (left & right) | sets | |
| 420 | **9 126 345** | **9 126 346** | **-** | **9 319 010** | 1/16 ea. |
| 470 | **9 117 993** | **9 117 994** | **9 318 975** | **9 319 011** | 1/16 ea. |
| 520 | **9 117 995** | **9 117 997** | **9 318 976** | **9 319 012** | 1/16 ea. |
| 620 | **9 126 347** | **9 126 348** | **-** | **9 319 013** | 1/8 ea. |

## Lengthwise cross-section




## Installation dimensions

| Nominal length mm | Hole spacing b1 mm | Hole spacing b2 mm | Drawer / pot-and-pan drawer Minimum cabinet body depth mm | Internal drawer / internal pot-and-pan drawer Minimum cabinet body depth mm |
|---|---|---|---|---|
| 420 | 224 | | 435 | 444 |
| 470 | 256 | | 485 | 494 |
| 520 | 256 | | 535 | 544 |
| 620 | 352 | 64 | 635 | 644 |

hettich.com/short/85ec6b

# InnoTech Atira double walled drawer system

- **Quadro Compact drawer runner for outdoor use**
- **Full extension runner, loading capacity 40 kg**



Treated and tested for durability in outdoor and high exposure applications, the Quadro compact drawer runner is uniquely suited to outdoor cabinetry.

- With integrated **Silent System** or **Push to open**
- Slide on installation
- Installed width (EB) 12.5 mm
- Optional: synchronisation / multi synchronisation (upgradable when combined with Push to open user friendly function)
- Corrosion resistant, 96H NSS to DIN EN ISO 1670, level 3
- Load capacity to EN 15338, Level 3
- Custom finish

## Bulk packaging


| Nominal length / drawer length NL mm | Order no. / User friendly features / Mounting side | | | | PU |
|---|---|---|---|---|---|
| | Silent system | | Push to open | | |
| | left | right | left | right | |
| 470 | 9 311 544 | 9 311 545 | 9 311 546 | 9 311 547 | 16 ea. |


# InnoTech Atira double walled drawer system


- **Quadro Compact drawer runner for outdoor use**
- **Full extension runner, loading capacity 40 kg**

## Planning / installation dimensions


**H70**










**H144**









**H176**





| | | |
|---|---|---|
| BB Bottom panel width | RB Rear panel width | LB Clear inside width |
| BL Bottom panel length | NL Nominal length | LT Clear inside depth |
| KB Cabinet body width | KD Cabinet body side thicknesses | EB Installation width |

| | | | |
|---|---|---|---|
| KD | 16 | 18 | 19 |
| EB | 12,5 | 10,5 | 9,5 |
| A | 23 | 21 | 20 |


| Dimension | mm |
|---|---|
| BL | NL +10 |
| BB | LB - 2 x EB - 51,5 |
| RB | LB - 2 x EB - 63 |


## Side cross section


Silent System




Push to open








| NL | KT | b1 |
|---|---|---|
| 470 | 485 | 256 |

| |
|---|
| NL Nominal length |
| KT Cabinet body depth |

## Synchronisation for Quadro Push to open





- Highly recommended for cabinet widths of 600mm and over
- For nominal lengths of 260 - 620 mm
- Synchronisation bar for cutting to length, up to max. cabinet body width of 2000 mm, can be extended with connector
- Cannot be used with Quadro partial extension runners

The following items are required for use:
- 1 synchronisation bar
- 2 adapters
- Waste can be minimised using the connector


| Article | Order no. | PU |
|---|---|---|
| 1 synchronisation bar | **9 236 718** | 1/100 ea. |
| 2 adapters, type A | **9 219 966** | 1/200 ea. |
| 3 connectors | **9 221 295** | 1/20 ea. |
| 4 adapters, type B | **9 219 965** | 1/200 ea. |


## Quadro installed width

| | |
|---|---|
| KD mm | 16 |
| EB mm | 12,5 |





## Push to open with optional synchronisation







**Quadro V6 type B**




**Quadro V6+ type A**




## Lengthwise cross-section





## Dimensions for cutting to size



| L |
|---|
| EB 12,5 |
| Quadro V6<br>Quadro V6+ |
| LB - 71 |


## Installation




hettich.com/short/690699

# InnoTech Atira double walled drawer system

- **Quadro drawer runners for Push to open Silent**
- **Full extension runner**



- Only used with the Push to open Silent opening system (see next page)
- Full extension runner
- Slide on installation
- Load capacity to EN 15338 Level 3
- Galvanised steel

## Drawer Runner (installed width EB 12.5)


| Nominal length mm | Order no. | | | |
|---|---|---|---|---|
| | Quadro V6 Push to open Silent | | Quadro V6+ | PU |
| | 10 kg | 30kg | 50 kg | |
| | sets | sets | sets | |
| 260 | **9 319 041** | **9 319 044** | | 1 set |
| 300 | **9 319 042** | **9 319 046** | | 1 set |
| 350 | **9 319 043** | **9 319 048** | | 1 set |
| 420 | | **9 319 051** | **9 319 079** | 1 set |
| 470 | | **9 319 052** | **9 319 080** | 1 set |
| 520 | | **9 319 053** | **9 319 081** | 1 set |
| 620 | | | **9 319 082** | 1 set |

**hettich.com/short/6625fd**

# InnoTech Atira double walled drawer system

- **Quadro drawer runners for Push to open Silent**
- **Full extension runner**


## Lengthwise cross-section Quadro V6 Push to open Silent




## Installation dimensions

| Nominal length mm | Hole spacing b1 mm | Drawer / pot-and-pan drawer Minimum cabinet body depth mm | Internal drawer / internal pot-and-pan drawer Minimum cabinet body depth mm |
|---|---|---|---|
| 260 | 160 | 279 | 288 |
| 300 | 160 | 315 | 324 |
| 350 | 160 | 365 | 374 |
| 420 | 224 | 435 | 444 |
| 470 | 256 | 485 | 494 |
| 520 | 256 | 535 | 544 |

## Lengthwise cross-section Quadro V6+ Push to open Silent




## Installation dimensions


| Nominal length mm | Hole spacing b1 mm | Hole spacing b2 mm | Drawer / pot-and-pan drawer Minimum cabinet body depth mm | Internal drawer / internal pot-and-pan drawer Minimum cabinet body depth mm |
|---|---|---|---|---|
| 420 | 224 | | 435 | 444 |
| 470 | 256 | | 485 | 494 |
| 520 | 256 | | 535 | 544 |
| 620 | 352 | 64 | 635 | 644 |

## Push to open Silent opening system



- Opening system combined with Silent System
- System permits minimum drawer front gap of 2.5 mm
- For optimum performance and activation, we recommend fitting an optional synchronisation function
- With the flexible adapter, synchronisation is also possible on curved or angled front panels
- 3-dimensional front panel adjustment for the drawer, 4-dimensional for the pot-and-pan drawer
- A system that stores pushing energy helps to slow down closing action
- Drawers can still be pulled open / guided closed
- Tool-less assembly
- Suitable for all nominal drawer lengths and cabinet body widths of 275 mm and over

## Push to open Silent opening system for InnoTech Atira




- For optimum performance and activation, we recommend fitting an optional synchronisation function

Set comprises:
- 1 Push to open Silent unit, left and right
- 1 activator, left and right
- 2 adapters for synchronisation

| Total weight kg | Quadro kg | Nominal length mm | **Order no.** | PU |
|---|---|---|---|---|
| <10 | 10 (V6) | 260 - 350 | **9 240 161** | 1 set |
| 8 - 20 | 30 (V6) | 260 - 520 | **9 240 162** | 1 set |
| 10 - 30 | 30 (V6) | 260 - 520 | **9 240 163** | 1 set |
| 20 - 50 | 50 (V6+) | 300 - 520 | **9 240 164** | 1 set |

## Synchronisation bar and connector





L = LB - 224

Synchronisation bar:
- For cutting to size
- Length 2000 mm
- Aluminium anodised

Connector:
- For extending synchronisation bar / optimising synchronisation bar offcut waste
- Plastic, grey

| Article | **Order no.** | PU |
|---|---|---|
| 1 synchronisation bar | **9 236 718** | 1/100 ea. |
| 8 connectors | **9 221 295** | 1/20 ea. |

## Flexible adapter



- For use in conjunction with lowered drawer runners with angled or curved fronts
- Replaces the adapter for synchronisation in the Push to open Silent set

| **Order no.** | PU |
|---|---|
| **9 262 213** | 1/20 ea. |

## ▸ Push to open Silent opening system

### Recommendation for drawer (front panel height up to approx. 150 mm)*

| Nominal length | Nominal width mm | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| mm | 275 | 300 | 350 | 400 | 500 | 600 | 700 | 800 | 900 | 1000 | 1100 | 1200 |
| 260 | | | | | | | | | | | | |
| 300 | | | | | | | | | | | | |
| 350 | | | | | | | | | | | | |
| 420 | | | | | | | | | | | | |
| 470 | | | | | | | | | | | | |
| 520 | | | | | | | | | | | | |
| 620 | | | | | | | | | | | | |

### Recommendation for pot-and-pan drawer (front panel height up to approx. 300 mm, light to medium duty loading)*

| Nominal length | Nominal width mm | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| mm | 275 | 300 | 350 | 400 | 500 | 600 | 700 | 800 | 900 | 1000 | 1100 | 1200 |
| 260 | | | | | | | | | | | | |
| 300 | | | | | | | | | | | | |
| 350 | | | | | | | | | | | | |
| 420 | | | | | | | | | | | | |
| 470 | | | | | | | | | | | | |
| 520 | | | | | | | | | | | | |
| 620 | | | | | | | | | | | | |

### Recommendation for pot-and-pan drawer, heavy duty (front panel height up to approx. 300 mm, heavy duty loading, e.g. with stacks of plates)*

| Nominal length | Nominal width mm | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| mm | 275 | 300 | 350 | 400 | 500 | 600 | 700 | 800 | 900 | 1000 | 1100 | 1200 |
| 260 | | | | | | | | | | | | |
| 300 | | | | | | | | | | | | |
| 350 | | | | | | | | | | | | |
| 420 | | | | | | | | | | | | |
| 470 | | | | | | | | | | | | |
| 520 | | | | | | | | | | | | |
| 620 | | | | | | | | | | | | |

| Order no. Push to open Silent: | 9 240 161 | 9 240 162 | 9 240 163 | 9 240 164 |
|---|---|---|---|---|

* Recommendations for applications (front panel 19 mm chipboard, normal household loading), please refer to our online configurator to get more exact recommendations for customer chosen front panel dimensions and materials.

**For further information:**
http://www.hettich.com/short/3e1c7c

**hettich.com/short/577293**

## Side stabiliser




- Use recommended on cabinet bodies in a width of 800 mm and over
- For nominal lengths of 260 - 620 mm
- Cannot be used with Quadro drawer runner with Push to open

Set comprises:
- 2 gear racks, plastic
- 1 shaft for cutting to length, for max. cabinet body width of 1200 mm, aluminium
- 2 cogwheels, plastic
- 2 retainers, plastic
- 2 bearings for shaft, plastic

| Order no. | PU |
|---|---|
| **9 079 333** | 1 set |

## Planning dimensions / installation




## EB drilling jig for InnoTech side stabiliser




- Jig for drilling positions for attaching InnoTech / InnoTech Atira side stabiliser (order no. 9 079 333)
- Plastic, white

| Installed width mm | Order no. | PU |
|---|---|---|
| 12.5 | **9 080 311** | 1 ea. |

## Front bracket








- For stabilising wide and / or high fronts
- Recommended for use with cabinet bodies over 600 mm wide and / or front heights over 450 mm
- For mounting under the drawer / pot-and-pan drawer after adjusting the drawer front

Set comprises:
- 1 front bracket, chromated steel
- 3 special screws, ø 5 x 14 mm
- 1 panhead screw, ø 4.0 x 12 mm

| Order no. | PU |
|---|---|
| **9 079 232** | 1 set |


## Installation





## Spacer profile






- For bridging the hinge protrusion when using internal pot-and-pan drawers
- To span greater spaces, several profiles can be clipped on top of one another
- The spacer profiles can also be used for tolerance compensation
- Plastic, white

| Width x depth x height mm | **Order no.** | PU |
|---|---|---|
| 25 x 486 x 50 | **0 013 952** | 1 ea. |

## Direct fixing screw



- For attaching the Quadro drawer runner
- ø 6.3 x 14 mm
- Shallow countersunk head
- Pozidrive screw
- Steel, galvanised

| **Order no.** | PU |
|---|---|
| **0 051 265** | 200 ea. |

## Chipboard screw, countersunk head



- For attaching Quadro runners
- ø 4 x 16 mm
- Pozidrive screw
- Steel, nickel plated

| **Order no.** | PU |
|---|---|
| **0 010 085** | 200 ea. |

## Chipboard screw, pan head




- For installing the drawer base as well as the wooden or aluminium rear panel
- Pozidrive screw
- Galvanised steel

| Dimensions mm | **Order no.** | PU |
|---|---|---|
| ø 3.5 x 12 | **0 045 167** | 200 ea. |
| ø 3.5 x 20 | **0 045 168** | 200 ea. |

## Door damper for pressing in







- For drilling ø 5 x 5.5 mm
- Plastic, transparent

| Order no. | PU |
|---|---|
| **9 079 298** | 1/1000 ea. |

## Door damper for pressing in







- For drilling ø 6 x 7 mm
- Plastic

| Colour | Order no. | PU |
|---|---|---|
| white | **0 025 048** | 1/1000 ea. |

## Door damper for sticking on






- Self adhesive
- Plastic, transparent

| Order no. | PU |
|---|---|
| **0 072 120** | 50 ea. |

# InnoTech Atira double walled drawer system

- **Range summary, interior organisation**
- **Powder coated steel, white**



**OrgaTray 440**
**for drawers / internal drawers**
47



**OrgaTray 490**
**for drawers / internal drawers**
48




**OrgaTray 590**
**for drawers / internal drawers**
49



**OrgaStore 410 for pot-and-pan drawers / internal pot-and-pan drawers**
50



**OrgaStore 820 for pot-and-pan drawers / internal pot-and-pan drawers**
51



**Accessories**
53

# InnoTech Atira double walled drawer system

- **Internal organisation system for drawers and internal drawers**
- **Plastic, silver / white / anthracite**



- For general-purpose use
- Knife and spice rack can be incorporated, see page 53
- Plastic.

## OrgaTray 440

| Tray width mm | Nominal width mm | white | | silver | | anthracite | | PU |
|---|---|---|---|---|---|---|---|---|
| | | Order no. / Depth mm | | Order no. / Depth mm | | Order no. / Depth mm | | |
| | | 380 - 440 | 441 - 520 | 380 - 440 | 441 - 520 | 380 - 440 | 441 - 520 | |
| 201 - 250 | 300 | 9 194 949 | 9 194 962 | 9 194 918 | 9 194 931 | 9 194 980 | - | 1 ea. |
| 251 - 300 | 350 | 9 194 950 | 9 194 963 | 9 194 919 | 9 194 932 | 9 194 981 | - | 1 ea. |
| 301 - 350 | 400 | 9 194 951 | 9 194 964 | 9 194 920 | 9 194 933 | 9 194 982 | 9 194 995 | 1 ea. |
| 351 - 400 | 450 | 9 194 952 | 9 194 965 | 9 194 921 | 9 194 934 | 9 194 983 | 9 194 996 | 1 ea. |
| 401 - 450 | 500 | 9 194 953 | 9 194 966 | 9 194 922 | 9 194 935 | 9 194 984 | 9 194 997 | 1 ea. |
| 451 - 500 | 550 | 9 194 954 | 9 194 967 | 9 194 923 | 9 194 936 | 9 194 985 | 9 194 998 | 1 ea. |
| 501 - 600 | 600 | 9 194 955 | 9 194 968 | 9 194 924 | 9 194 937 | 9 194 986 | 9 194 999 | 1 ea. |
| 601 - 700 | 700 | 9 194 956 | 9 194 969 | 9 194 925 | 9 194 938 | 9 194 987 | 9 195 000 | 1 ea. |
| 701 - 800 | 800 | 9 194 957 | 9 194 970 | 9 194 926 | 9 194 939 | 9 194 988 | 9 195 001 | 1 ea. |
| 801 - 900 | 900 | 9 194 958 | 9 194 971 | 9 194 927 | 9 194 940 | 9 194 989 | 9 195 002 | 1 ea. |
| 1091 - 1150 | 1200 | 9 194 960 | 9 194 973 | 9 194 929 | 9 194 942 | 9 194 991 | 9 195 004 | 1 ea. |


## Partitioning




* = knife and spice rack can be incorporated

D = Depth W = Width NW = Nominal width

## Dimensional drawing




- Trimmed width (B) = LB - 62
- Trimmed depth = nominal length - 7.7

# InnoTech Atira double walled drawer system

- **Internal organisation system for drawers and internal drawers**
- **Plastic, silver / white**



- Variable in width, suitable for cabinet width starting from 450 mm
- Two trays can be fitted in a cabinet width starting from 800 mm
- Plastic.

## OrgaTray 490


| Order no. / nominal length mm | | | | PU |
|---|---|---|---|---|
| Silver | | White | | |
| 470 | 520 | 470 | 520 | |
| 9 207 241 | 9 207 242 | 9 207 243 | 9 207 245 | 1 ea. |

## Partitioning

| NL | D | |
|---|---|---|
| 470 | 462 |  |
| 520 | 512 |  |
| W | | 326 |
| CW | | ≥ 450 |

NL = Nominal length D = Depth W = Width CW = Cabinet body width

## Dimensional drawing



# InnoTech Atira double walled drawer system

- **Internal organisation system for drawers and internal drawers**
- **Plastic, silver / white**




- For nominal length 470 mm
- Suitable for standard cabinet width
- Plastic, white

Set comprises:
- 1 plastic cutlery tray
- Dividing elements for partitioning drawer to suit needs (quantity differs depending on width, see illustration of partitioning)

## OrgaTray, 590

| Cabinet width mm | Order no. | Order no. | PU |
|---|---|---|---|
| | Silver | White | |
| 300 | **9 194 886** | **9 194 897** | 1 set |
| 400 | **9 194 887** | **9 194 898** | 1 set |
| 450 | **9 194 888** | **9 194 899** | 1 set |
| 500 | **9 194 889** | **9 194 900** | 1 set |
| 600 | **9 194 891** | **9 194 902** | 1 set |
| 800 | **9 194 892** | **9 194 903** | 1 set |
| 900 | **9 194 893** | **9 194 904** | 1 set |
| 1000 | **9 194 894** | **9 194 905** | 1 set |

## Partitioning




NL = Nominal length D = Depth W = Width CW = Cabinet body width

## Dividing elements



- For OrgaTray 590

| Nominal length mm | Order no. | Order no. | PU |
|---|---|---|---|
| | Silver | White | |
| 68 | **9 204 229** | **9 204 230** | 1/50 ea. |
| 128 | **9 005 931** | **9 204 201** | 1/50 ea. |

# InnoTech Atira double walled drawer system

- **Internal organisation system for pot-and-pan drawers and internal pot-and-pan drawers**
- **Plastic, silver / white / anthracite**



- For pot-and-pan drawer or internal pot-and-pan drawer with railing
- Crosswise railings and lengthwise dividers must be ordered separately
- It is recommended to fit an anti-slip mat

## OrgaStore 410 cut to size



- Suitable for customised carcase widths
- Crosswise railing, adapter and lengthwise divider must be ordered separately
- B = LB - 65.5
- Adapter, plastic

| Article | Length mm | Silver | White | Anthracite | PU |
|---|---|---|---|---|---|
| Crosswise railing | 2000 | **9 194 614** | **9 194 615** | **9 194 616** | 1/30 ea. |
| Adapter | | **9 194 617** | **9 194 619** | **9 194 621** | 1/20 ea. |

## OrgaStore 410 lengthwise divider



- Plastic

| Silver | White | Dark grey | PU |
|---|---|---|---|
| **9 194 618** | **9 194 620** | **9 194 622** | 1/10 ea. |

# InnoTech Atira double walled drawer system

- **Internal organisation system for pot-and-pan drawers and internal pot-and-pan drawers**
- **Plastic, silver / white / anthracite**



- Suitable for standard cabinet width
- Aluminium profile can be trimmed to suit variable widths
- Available for cabinet width starting from 300 mm
- Plastic elements, white

Set comprises:
- 1 aluminium profile with plastic adapters
- Plastic dividing elements

## OrgaStore 820 divider



- Height 125 mm
- Also available for adding to set

| Silver | White | Anthracite | PU |
|---|---|---|---|
| **9 194 867** | **9 182 230** | **9 182 231** | 1/15 ea. |

## Adapter



- Height 125 mm
- Plugs onto aluminium profile without the need for tools
- 2 adapters are required for a set

| Silver | White | Anthracite | PU |
|---|---|---|---|
| **9 194 866** | **9 182 233** | **9 182 234** | 1/30 ea. |


## OrgaStore 820 aluminium profile




- Height 120 mm
- Length 2000 mm
- Cut to size

| Silver | White | Anthracite | PU |
|---|---|---|---|
| **9 194 868** | **9 182 249** | **9 182 250** | 1 ea. |

## Partitioning






CW = Cabinet body width




- B = LB - 97

## Anti-slip mat






- For inserting into the drawer or pot-and-pan drawer
- 5 m roll
- Plastic, white

Advice:
- Trimmed width (B) = LB - 84
- Cut length (L) = nominal length - 7.7

| Nominal length mm | Silver | White | Anthracite | PU |
|---|---|---|---|---|
| 470 | **9 209 533** | **9 209 572** | **-** | 1 ea. |
| 520 | **9 209 536** | **9 209 574** | **-** | 1 ea. |
| 650 | **9 209 568** | **9 209 575** | **9 209 582** | 1 ea. |

## Knife holder and spice rack




- For OrgaTray 440
- Beech, lacquered

| Article | Order no. | PU |
|---|---|---|
| 1 Knife holder | **0 074 430** | 1 ea. |
| 2 Spice rack, standing, ø 53 mm | **0 044 934** | 1 ea. |
| 3 Spice rack, lying flat | **9 079 207** | 1 ea. |

# InnoTech Atira double walled drawer system

- **Range summary – solutions with bottom cutout**
- **Powder coated steel, white**



**Banio**
**for drawers / pot-and-pan drawers**
54



**Metal surround for under sink solutions**
**for drawers / pot-and-pan drawers**
55

# InnoTech Atira double walled drawer system

- **Solutions with bottom cutout**
- **Plastic, Silver/White**



- For drawer or pot-and-pan drawer
- Can be used for nominal lengths up to 470 mm
- Suitable for cabinet width starting from 600 mm
- Total frame height 87 mm
- Frame set and container set must be ordered separately

## Banio frame set



- Plastic

| Grey | White | Dark grey | PU |
|---|---|---|---|
| **9 153 387** | **9 153 385** | **9 207 259** | 1 set |

## Banio container set




- The set comprises 3 trays
- 84 mm x 84 mm / 84 mm x 168 mm / 84 mm x 252 mm
- Plastic, translucent white

Set comprises:
- 3 trays, translucent plastic

| translucent, white | translucent, dark grey | PU |
|---|---|---|
| **9 153 388** | **9 207 260** | 1 set |

## Dimensions for cutting to size




- Dimension A = NL + 10
- Dimension B = LB - 76.5

# InnoTech Atira double walled drawer system

- **Solutions with bottom cutout**
- **Powder coated steel, silver/white**




- For utilising the space below the sink
- For drawers and pot-and-pan drawers


## Metal surround

| Silver | White | Anthracite | PU |
|---|---|---|---|
| **9 204 282** | **9 204 283** | **9 204 284** | 1 ea. |

## Dimensional drawing




## Dimensions for cutting to size




- Dimension A = NL + 10
- Dimension B = LB - 76.5
- Dimension C1 = K - 20
- Dimension C2 = H - 20



InnoTech Pull 58



Bin.it Vario 61



Bin.it Flex 62



Laundry basket pull-out InnoTech Pull Laundry 63

| | InnoTech Pull | Bin.it Vario | Bin.it Flex |
|---|---|---|---|
| |  |  |  |
| Page | 58 | 61 | 62 |
| Description | ▸ Top running for<br>- InnoTech Atira drawers<br>- Quadro full extension runner<br>▸ Silent System | ▸ Bottom running for pot-and-pan drawers<br>▸ Bin system can be installed later as long as enough space is available inside the cabinet | ▸ Bottom running for pot-and-pan drawers<br>▸ Bin system can be installed later as long as enough space is available inside the cabinet |
| For cabinet width mm | ▸ 300, 400, 450, 500 or 600 mm | ▸ 300 mm<br>▸ 450 - 600 mm<br>▸ 600 - 1200 mm | ▸ 600 mm |
| Capacity l | Various bin combinations can be used ensuring the flexibility of this system | ▸ 17L + 8L<br>▸ 17L + 2x 8L<br>▸ 17L + 11L + 8L + 5L | ▸ 2x 12L |
| Optional opening systems | ▸ Easys electromechanical opening system<br>▸ Push to open<br>▸ Foot pedal | ▸ Easys electromechanical opening system<br>▸ Push to open | ▸ Easys electromechanical opening system<br>▸ Push to open |

# InnoTech Atira double walled drawer system

- **Waste collecting systems behind front panels**
- **InnoTech Pull**



- Top running waste collector for InnoTech Atira drawer, height 70 mm
- The InnoTech Pull frame is fitted instead of the drawer base
- Frame can be equipped as required with various bins and accessories
- Please order bin separately
- InnoTech Atira drawer components must be ordered separately
- Bin system can be used with Quadro V6 full extension Silent System and Push to open
- Powder coated steel, anthracite


Set comprises:
- 1 fitted frame including front stay and lid
- Fixing material

Page reference:
- For bins, see page 59
- For InnoTech Atira drawer components, see pages 10 - 12


## InnoTech Pull frame

| For carcase width mm | Type | Order no. / nominal length | PU |
|---|---|---|---|
| | | 470 | |
| 300 | | **9 279 409** | 1 set |
| 400 | | **9 279 410** | 1 set |
| 450 | | **9 279 411** | 1 set |
| 500 | | **9 279 412** | 1 set |
| 600 | | **9 279 413** | 1 set |
| 600 | 600 - 2 (for 2 x 40 l) | **9 279 414** | 1 set |

## Partitioning




## Installation



# InnoTech Atira double walled drawer system

- **Waste collecting systems behind front panels**
- **InnoTech Pull**



- For fitting any chosen component in the InnoTech Pull frame
- Plastic bin with sturdy double handle
- As standard, all bins are supplied without lid
- Lids must be ordered separately, see below
- The lid heights specified below are total dimensions, the overlay height for all lids is 2 mm

Page reference:
- For InnoTech Pull frame, see page 58


## Bin

| Article | Material / finish | Width mm | Depth mm | Height mm | **Order no.** | PU |
|---|---|---|---|---|---|---|
| Bin 8 l | Plastic, anthracite | 152 | 225 | 295 | **9 279 390** | 1 ea. |
| Bin 11 l | Plastic, anthracite | 152 | 304 | 295 | **9 279 391** | 1 ea. |
| Bin 17 l | Plastic, anthracite | 225 | 304 | 295 | **9 279 392** | 1 ea. |
| Bin 29 l | Plastic, anthracite | 225 | 304 | 460 | **9 279 393** | 1 ea. |
| Bin 40 l | Plastic, anthracite | 223 | 418 | 505 | **9 279 394** | 1 ea. |

## Lid

| Article | Material / finish | Width mm | Depth mm | Height mm | **Order no.** | PU |
|---|---|---|---|---|---|---|
| Lid 8 l | Plastic, anthracite | 152 | 225 | 21 | **9 279 396** | 1 ea. |
| Lid 11 l | Plastic, anthracite | 152 | 304 | 21 | **9 279 397** | 1 ea. |
| Lid 17 / 29 l | Plastic, anthracite | 225 | 304 | 21 | **9 279 398** | 1 ea. |
| Lid 40 l | Plastic, anthracite | 223 | 418 | 21 | **9 279 399** | 1 ea. |

## Planning dimensions




| **Bin height mm** | **X mm** | **Y mm** |
|---|---|---|
| 295 | 395 | 295 |
| 460 | 560 | 460 |
| 505 | 605 | 505 |

# InnoTech Atira double walled drawer system

- **Waste collecting systems behind front panels**
- **InnoTech Pull, all-inclusive sets**



- Top running waste collector for InnoTech Atira drawer, height 70 mm
- The InnoTech Pull frame is fitted instead of the drawer base
- Frame can be equipped as required with various bins and accessories
- Please order bin separately
- InnoTech Atira drawer components must be ordered separately
- Bin system can be used with Quadro V6 full extension Silent System and Push to open
- Powder coated steel, anthracite


Set comprises:
- 1 fitted frame including front stay and lid
- Bins
- Fixing material

Page reference:
- For InnoTech Atira drawer components, see pages 10 - 12

## InnoTech Pull, all-inclusive sets


| For carcase width mm | Capacity bins | Order no. | PU |
|---|---|---|---|
| 400 | 29 l + 8 l | **9 304 683** | 1 set |
| 450 | 17 l + 17 l | **9 304 684** | 1 set |
| 450 | 29 l + 29 l | **9 304 685** | 1 set |
| 500 | 17 l + 17 l | **9 304 686** | 1 set |
| 500 | 29 l + 29 l | **9 304 687** | 1 set |
| 600 | 29 l + 29 l + 8 l + 8 l | **9 304 688** | 1 set |
| 600 | 40 l + 40 l | **9 304 689** | 1 set |

## Installation



## Bin.it Vario 300






- For use in pot-and-pan drawer, e.g. InnoTech Atira, nominal length (NL) 470 / 520 mm or for ArciTech, nominal length (NL) 500 mm
- For cabinet width 300 mm
- Capacity 25 litres
- Installed height 312 mm
- Cut dimensions of insert tray: max. width 220 mm, max. depth 565 mm min. width 205 mm, min. depth 400 mm
- Insert tray, bin and lid, grey plastic


Set comprises:

- 2 bins with lid 17L + 8L
- 1 insert tray

| Order no. | PU |
|---|---|
| **9 207 645** | 1 set |

## Bin.it Vario 450 - 600






- For use in pot-and-pan drawer, e.g. InnoTech Atira, nominal length (NL) 470 / 520 mm or for ArciTech, nominal length (NL) 500 mm
- For cabinet width 450 - 600 mm by cutting the anti-slip insert mat to size
- Capacity 33 litres
- Installed height 297 mm
- Cut dimensions of the insert mat: max. width 565 mm, max. depth 565 mm min. width 311 mm, min. depth 456 mm
- Insert mat, bin and lid, grey plastic


Set comprises:

- 3 bins with lid 17L + 8L + 8L
- 1 insert mat

| Order no. | PU |
|---|---|
| **9 105 101** | 1 set |

## Bin.it Vario 600 - 1200






- For use in pot-and-pan drawer, e.g. InnoTech Atira, nominal length (NL) 470 / 520 mm or for ArciTech, nominal length (NL) 500 mm
- For cabinet width 600 - 1200 mm by cutting the anti-slip insert mat to size
- Capacity 41 litres
- Installed height 297 mm
- Cut dimensions of the insert mat: max. width 1125 mm, max. depth 565 mm min. width 468 mm, min. depth 456 mm
- Insert mat, bin and lid, grey plastic


Set comprises:

- 4 bins with lid 17L + 11L + 8L + 5L
- 1 insert mat

| Order no. | PU |
|---|---|
| **9 079 921** | 1 set |

## Bin.it Flex 600






- For use in pot-and-pan drawer, e.g. ArciTech, nominal length (NL) 450 / 500 mm or for InnoTech Atira, nominal length (NL) 470 mm
- For cabinet width 600 mm
- Capacity 24 litres
- Installed height 230 mm from upper edge of drawer base
- Insert tray can be cut to size, dimensions for cutting to size: max. width 540 mm, max. depth 490 mm min. width 503 mm, min. depth 422 mm
- Insert tray, bin and lid, grey plastic
- Storage trays, translucent plastic

Set comprises:

- 2 bins with lid 12L + 12L
- 2 storage trays
- 1 insert tray

| Order no. | PU |
|---|---|
| **9 132 349** | 1 set |

## Replacement bin / lid

| Replacement bin / lid | W x D x H mm | Order no. | PU |
|---|---|---|---|
| 12 l, grey plastic | 310 x 223 x 230 | **9 136 187** | 1 ea. |

**Note:** All replacement bins are supplied without lid.

## Laundry basket pull-out InnoTech Pull Laundry



- Laundry basket pull-out for InnoTech Atira drawers, height 70 mm
- For nominal length (NL) 470 mm
- For carcase width 600 mm
- The InnoTech Pull Laundry frame is fitted instead of a drawer bottom panel
- Including two removable laundry baskets with handles
- InnoTech Atira drawer components must be ordered separately
- Frame, powder coated, silver
- Laundry baskets, white plastic

## InnoTech Pull Laundry





Set comprises:
- 1 fitted frame including front stay
- 2 laundry baskets, 40L each
- Fixing material


Page reference:
- For InnoTech Atira drawer components, see pages 14 - 16

| Order no. | PU |
|---|---|
| **9 207 636** | 1 set |

## Planning dimensions







Assembly aids for drawers 69



Drilling jigs and hole marking jigs 70


## InnoFit 300



- For assembling InnoTech / Innotech Atira drawers and pot-and-pan drawers
- Manual component positioning, pneumatic pressing
- All settings can be made without the need for tools
- Air pressure 6 - 8 bar / 100 psi
- Capacity: up to 65 drawers an hour
- Metal frame

| Order no. | PU |
|---|---|
| **9 019 743** | 1 ea. |

## InnoFit 100



- For assembling InnoTech / Innotech Atira drawers and pot-and-pan drawers
- Manual component positioning and assembling
- All settings can be made without the need for tools
- Capacity: up to 15 drawers an hour

| Order no. | PU |
|---|---|
| **0 045 555** | 1 ea. |

## Assembly jig InnoTech Atira wooden rear panel




- For installing ArciTech / InnoTech / InnoTech Atira wooden and aluminium rear panels
- Manual component positioning and assembling
- All settings can be made without the need for tools

| Order no. | PU |
|---|---|
| **9 184 693** | 1 ea. |

## Face angle application








- Face angle application for combination with Practica drilling jig for InnoTech Atira
- Aluminium

| Order no. | PU |
|---|---|
| **0 078 093** | 1 ea. |

## Practica for InnoTech




- For fitting the front panel connector for
  - InnoTech Atira drawer / pot-and-pan drawer
- Adjustment range
  - Side front panel overlay: up to - 6 mm, up to + 20 mm
  - Front panel height: up to + 35 mm from bottom edge of base
- Aluminium
- Please order sleeve drill accessories separately

Page reference:
- For accessory sleeve drill, see below

| Order no. | PU |
|---|---|
| **0 013 392** | 1 ea. |

## Sleeve drill



- Minimal drill wear as the drill bit does not come into contact with the jig
- Precision drill bit guidance through sleeve
- Adjustable drill depth stop
- Can be used with Accura, Practica, Lift Advanced drilling jigs

| Diameter mm | Order no. | PU |
|---|---|---|
| 3 | **0 078 095** | 1 ea. |
| 10 | **0 078 096** | 1 ea. |

## Practica 200 fo InnoTech Atira




- For fitting the front panel connector
- Plywood
- Hardened steel drilling bushes for 10 mm drill bits with depth setting ring
- Adjustment range
  - Side front panel overlay: up to -6 mm, up to +20 mm
  - Front panel height: up to +35 mm from bottom edge of base

| Order no. | PU |
|---|---|
| **9 162 018** | 1 ea. |

## Planning Dimension


http://www.hettich.com/short/5b9550

**InnoTech Atira**



## BlueJig IT





Insert hole marking jig in drawer profile

Align front panel and mark drilling pattern

- For marking the holes for fitting InnoTech / InnoTech Atira drawer front connector
- Plastic / steel

Set comprises:
- 2 BlueJig IT

| Order no. | PU |
|---|---|
| **0 078 097** | 1 set |

## EB drilling jig




- Drilling jig for drilling positions for attaching InnoTech side stabiliser (order no. 9 079 333)
- Plastic, white


| Installed width mm | Order no. | PU |
|---|---|---|
| 12,5 | **9 080 311** | 1 ea. |

# Installation, Adjustments and Technical Information

## Planning dimensions





## Assembling drawer, height 54 mm






**InnoFit 300**


**http://www.hettich.com/short/7d9219**




















## Assembling drawer, height 70 mm







































## Assembling pot-and-pan drawer, height 144 mm / 176 mm



































## Installing front panel, drawer, height 54 mm / 70 mm









## Installing front panel, pot-and-pan drawer with railing, height 144 mm / 176 mm









## Installing front panel, pot-and-pan drawer with double railing, height 176 mm













## Installing front panel, internal drawer 100, height 70 mm


















## Installing front panel, internal pot-and-pan drawer 100 with railing, height 144 mm














## Installing lengthwise railing





## Installing double railing, height 176 mm





## Installing TopSide







## Installing Quadro drawer runner





## Installing drawer





## Adjusting front panel, drawer








## Adjusting front panel, pot-and-pan drawer with railing






## Installing cover cap



## Removing drawer




## Removing railing






## Removing front panel


Drawer
Pot-and-pan drawer
Internal drawer 100
Internal pot-and-pan drawer 100






## Installing side stabiliser






## Quality that meets all the demands

The quality of the drawer systems is monitored continuously. Hettich fittings comply with the national and international quality standards of the markets our customers operate in. The diagrams below show some of the tests Hettich fittings are required to pass.


**Application**
Hettich drawer systems are suitable for use in living room, kitchen, bathroom and office furniture both in the home and business environment.

**Load capacity and pull-out guard**
The load capacity (to DIN EN 15338) stated in the catalogue is understood to mean the weight of the drawer itself including front panel and contents in kg. The applicable level is shown on the product. Load capacity relates to a reference length of 500 mm. The load capacity may vary for other nominal lengths. All Hettich drawer systems feature guards to prevent the drawer from rolling out and being removed unintentionally and meet the requirements of the impact test in a test frame to EN 15338. Fitted in the proper manner, the drawer systems are suitable for furniture defined in EN 14749. The maximum front panel height is governed in particular by material, drawer size and drawer runner. Testing is conducted on drawers with a 130 mm front panel height and pot-and-pan drawers with a 300 mm front panel height. We will be pleased to provide any further information you may require.

**Corrosion test**
Hettich runner systems satisfy the requirements on corrosion defined in EN 15338, 72-hour condensation water test to EN 6270.


## Wear test

The fully laden drawer must remain in proper working order after a defined number of opening and closing operations at a defined test velocity.




## Retention-on-opening test

The fully laden drawer is abruptly opened all the way several times at a defined test velocity.




## Horizontal load test

Opened all the way, the fully laden drawer is additionally exposed to horizontal strain with a defined lateral force.




## Vertical strain test

Opened all the way, the drawer is additionally exposed to vertical strain with a defined eccentric force.



# Order number index


| Order no. | Page |
|---|---|
| 0 010 085 | 44 |
| 0 013 392 | 66 |
| 0 013 952 | 44 |
| 0 025 048 | 45 |
| 0 044 934 | 52 |
| 0 045 167 | 65 |
| 0 045 168 | 44 |
| 0 045 555 | 69 |
| 0 051 265 | 44 |
| 0 072 120 | 45 |
| 0 074 430 | 52 |
| 0 078 093 | 66 |
| 0 078 095 | 66 |
| 0 078 096 | 66 |
| 0 078 097 | 68 |
| 1 061 450 | 7, 10, 15 |
| 1 061 965 | 15, 21 |
| 1 062 501 | 10 |
| 1 062 502 | 10 |
| 1 063 801 | 7 |
| 1 063 802 | 7 |
| 1 064 450 | 21 |
| 1 065 191 | 7, 10, 15, 21 |
| 9 002 506 | 15 |
| 9 003 473 | 7 |
| 9 003 474 | 7 |
| 9 005 503 | 21 |
| 9 005 931 | 49 |
| 9 007 355 | 14 |
| 9 007 356 | 14 |
| 9 019 743 | 65 |
| 9 027 831 | 20 |
| 9 027 832 | 20 |
| 9 079 207 | 52 |
| 9 079 232 | 43 |
| 9 079 298 | 45 |
| 9 079 333 | 42 |
| 9 079 921 | 61 |
| 9 080 311 | 42, 68 |
| 9 101 300 | 30 |
| 9 101 301 | 30 |
| 9 104 107 | 25 |
| 9 105 101 | 61 |
| 9 117 782 | 25 |
| 9 117 988 | 30 |
| 9 117 991 | 30 |
| 9 117 993 | 32 |
| 9 117 994 | 32 |
| 9 117 995 | 32 |
| 9 117 997 | 32 |
| 9 118 013 | 30 |
| 9 118 014 | 30 |
| 9 118 016 | 30 |
| 9 118 018 | 30 |
| 9 118 019 | 30 |
| 9 118 020 | 30 |
| 9 118 054 | 30 |

| Order no. | Page |
|---|---|
| 9 125 589 | 30 |
| 9 125 590 | 30 |
| 9 125 601 | 30 |
| 9 125 602 | 30 |
| 9 125 603 | 30 |
| 9 125 604 | 30 |
| 9 125 605 | 30 |
| 9 125 606 | 30 |
| 9 125 608 | 30 |
| 9 126 346 | 32 |
| 9 126 347 | 32 |
| 9 126 348 | 32 |
| 9 126 645 | 32 |
| 9 132 349 | 62 |
| 9 136 187 | 62 |
| 9 153 385 | 54 |
| 9 153 387 | 54 |
| 9 153 388 | 54 |
| 9 159 023 | 28 |
| 9 159 024 | 28 |
| 9 159 025 | 28 |
| 9 159 026 | 28 |
| 9 159 027 | 28 |
| 9 159 028 | 28 |
| 9 159 029 | 28 |
| 9 159 030 | 28 |
| 9 162 018 | 67 |
| 9 165 607 | 30 |
| 9 182 230 | 51 |
| 9 182 231 | 51 |
| 9 182 233 | 51 |
| 9 182 234 | 51 |
| 9 182 249 | 51 |
| 9 182 250 | 51 |
| 9 184 693 | 65 |
| 9 194 390 | 10, 14, 20 |
| 9 194 391 | 10, 14, 20 |
| 9 194 392 | 10, 14, 20 |
| 9 194 393 | 10, 14, 20 |
| 9 194 394 | 10, 14, 20 |
| 9 194 395 | 10, 14, 20 |
| 9 194 396 | 10, 14, 20 |
| 9 194 397 | 10, 14, 20 |
| 9 194 398 | 10, 14, 20 |
| 9 194 399 | 10, 14, 20 |
| 9 194 400 | 10, 14, 20 |
| 9 194 401 | 10, 14, 20 |
| 9 194 402 | 10, 14, 20 |
| 9 194 403 | 10, 14, 20 |
| 9 194 404 | 10, 14, 20 |
| 9 194 405 | 10, 14, 20 |
| 9 194 406 | 10, 14, 20 |
| 9 194 407 | 10, 14, 20 |
| 9 194 408 | 10, 14, 20 |
| 9 194 409 | 10, 14, 20 |
| 9 194 410 | 10, 14, 20 |
| 9 194 411 | 10, 14, 20 |

| Order no. | Page |
|---|---|
| 9 194 415 | 10, 14, 20 |
| 9 194 416 | 10, 14, 20 |
| 9 194 417 | 10, 14, 20 |
| 9 194 432 | 7 |
| 9 194 433 | 7 |
| 9 194 522 | 14, 20 |
| 9 194 523 | 14, 20 |
| 9 194 524 | 14, 20 |
| 9 194 525 | 14, 20 |
| 9 194 526 | 14, 20 |
| 9 194 527 | 14, 20 |
| 9 194 528 | 14, 20 |
| 9 194 529 | 14, 20 |
| 9 194 530 | 14, 20 |
| 9 194 531 | 14, 20 |
| 9 194 532 | 14, 20 |
| 9 194 533 | 14, 20 |
| 9 194 534 | 14, 20 |
| 9 194 535 | 14, 20 |
| 9 194 536 | 14, 20 |
| 9 194 537 | 14, 20 |
| 9 194 538 | 14, 20 |
| 9 194 539 | 14, 20 |
| 9 194 540 | 14, 20 |
| 9 194 541 | 14, 20 |
| 9 194 542 | 14, 20 |
| 9 194 543 | 14, 20 |
| 9 194 544 | 14, 20 |
| 9 194 545 | 14, 20 |
| 9 194 546 | 14, 20 |
| 9 194 547 | 14, 20 |
| 9 194 548 | 14, 20 |
| 9 194 549 | 14, 20 |
| 9 194 614 | 14, 20 |
| 9 194 615 | 14, 20 |
| 9 194 616 | 25, 50 |
| 9 194 617 | 50 |
| 9 194 618 | 50 |
| 9 194 619 | 50 |
| 9 194 620 | 50 |
| 9 194 621 | 50 |
| 9 194 622 | 50 |
| 9 194 623 | 7 |
| 9 194 624 | 7 |
| 9 194 627 | 10 |
| 9 194 628 | 10 |
| 9 194 635 | 14 |
| 9 194 636 | 14 |
| 9 194 639 | 20 |
| 9 194 640 | 20 |
| 9 194 643 | 7, 11, 15, 21 |
| 9 194 644 | 7, 11, 15, 21 |
| 9 194 646 | 7, 11, 15, 21 |
| 9 194 647 | 7, 11, 15, 21 |
| 9 194 649 | 11, 15, 21 |
| 9 194 650 | 7, 11, 15, 21 |
| 9 194 652 | 7, 11, 15, 21 |

| Order no. | Page |
|---|---|
| 9 194 660 | 22 |
| 9 194 661 | 22 |
| 9 194 663 | 16 |
| 9 194 664 | 16 |
| 9 194 665 | 16 |
| 9 194 666 | 16 |
| 9 194 667 | 16 |
| 9 194 668 | 16 |
| 9 194 669 | 16 |
| 9 194 670 | 22 |
| 9 194 671 | 22 |
| 9 194 672 | 22 |
| 9 194 673 | 22 |
| 9 194 674 | 22 |
| 9 194 675 | 22 |
| 9 194 676 | 22 |
| 9 194 677 | 16 |
| 9 194 678 | 16 |
| 9 194 679 | 7, 16 |
| 9 194 680 | 16 |
| 9 194 681 | 16 |
| 9 194 682 | 16 |
| 9 194 683 | 16 |
| 9 194 684 | 16 |
| 9 194 685 | 16 |
| 9 194 686 | 16 |
| 9 194 687 | 16 |
| 9 194 688 | 16 |
| 9 194 689 | 16 |
| 9 194 690 | 16 |
| 9 194 698 | 22 |
| 9 194 699 | 22 |
| 9 194 700 | 22 |
| 9 194 701 | 22 |
| 9 194 702 | 22 |
| 9 194 703 | 22 |
| 9 194 704 | 22 |
| 9 194 705 | 22 |
| 9 194 706 | 22 |
| 9 194 707 | 22 |
| 9 194 708 | 22 |
| 9 194 709 | 22 |
| 9 194 710 | 22 |
| 9 194 711 | 22 |
| 9 194 764 | 25 |
| 9 194 765 | 25 |
| 9 194 766 | 25 |
| 9 194 866 | 51 |
| 9 194 867 | 51 |
| 9 194 868 | 51 |
| 9 194 886 | 49 |
| 9 194 887 | 49 |
| 9 194 888 | 49 |
| 9 194 889 | 49 |
| 9 194 891 | 49 |
| 9 194 892 | 49 |
| 9 194 893 | 49 |

# Order number index


| Order no. | Page |
|---|---|
| 9 194 899 | 49 |
| 9 194 900 | 49 |
| 9 194 902 | 49 |
| 9 194 903 | 49 |
| 9 194 904 | 49 |
| 9 194 905 | 49 |
| 9 194 918 | 47 |
| 9 194 919 | 47 |
| 9 194 920 | 47 |
| 9 194 921 | 47 |
| 9 194 922 | 47 |
| 9 194 923 | 47 |
| 9 194 924 | 47 |
| 9 194 925 | 47 |
| 9 194 926 | 47 |
| 9 194 927 | 47 |
| 9 194 929 | 47 |
| 9 194 931 | 47 |
| 9 194 932 | 47 |
| 9 194 933 | 47 |
| 9 194 934 | 47 |
| 9 194 935 | 47 |
| 9 194 936 | 47 |
| 9 194 937 | 47 |
| 9 194 938 | 47 |
| 9 194 939 | 47 |
| 9 194 940 | 47 |
| 9 194 942 | 47 |
| 9 194 949 | 47 |
| 9 194 950 | 47 |
| 9 194 951 | 47 |
| 9 194 952 | 47 |
| 9 194 953 | 47 |
| 9 194 954 | 47 |
| 9 194 955 | 47 |
| 9 194 956 | 47 |
| 9 194 957 | 47 |
| 9 194 958 | 47 |
| 9 194 960 | 47 |
| 9 194 962 | 47 |
| 9 194 963 | 47 |
| 9 194 964 | 47 |
| 9 194 965 | 47 |
| 9 194 966 | 47 |
| 9 194 967 | 47 |
| 9 194 968 | 47 |
| 9 194 969 | 47 |
| 9 194 970 | 47 |
| 9 194 971 | 47 |
| 9 194 973 | 47 |
| 9 194 980 | 47 |
| 9 194 981 | 47 |
| 9 194 982 | 47 |
| 9 194 983 | 47 |
| 9 194 984 | 47 |
| 9 194 985 | 47 |
| 9 194 985 | 47 |

| Order no. | Page |
|---|---|
| 9 194 989 | 47 |
| 9 194 991 | 47 |
| 9 194 995 | 47 |
| 9 194 996 | 47 |
| 9 194 997 | 47 |
| 9 194 998 | 47 |
| 9 194 999 | 47 |
| 9 195 000 | 47 |
| 9 195 001 | 47 |
| 9 195 002 | 47 |
| 9 195 004 | 47 |
| 9 196 348 | 25 |
| 9 196 349 | 25 |
| 9 204 201 | 49 |
| 9 204 229 | 49 |
| 9 204 230 | 49 |
| 9 204 282 | 55 |
| 9 204 283 | 55 |
| 9 204 284 | 55 |
| 9 206 256 | 15 |
| 9 206 256 | 21 |
| 9 206 257 | 15 |
| 9 206 257 | 21 |
| 9 207 241 | 48 |
| 9 207 242 | 48 |
| 9 207 243 | 48 |
| 9 207 245 | 48 |
| 9 207 259 | 54 |
| 9 207 260 | 54 |
| 9 207 545 | 52 |
| 9 207 574 | 52 |
| 9 207 636 | 63 |
| 9 207 645 | 61 |
| 9 209 533 | 52 |
| 9 209 536 | 52 |
| 9 209 568 | 52 |
| 9 209 572 | 52 |
| 9 209 582 | 52 |
| 9 219 965 | 36 |
| 9 219 966 | 36 |
| 9 221 295 | 36 |
| 9 221 295 | 40 |
| 9 235 838 | 25 |
| 9 236 718 | 36 |
| 9 236 718 | 40 |
| 9 240 161 | 40 |
| 9 240 162 | 40 |
| 9 240 163 | 40 |
| 9 240 164 | 40 |
| 9 262 213 | 40 |
| 9 279 390 | 59 |
| 9 279 391 | 59 |
| 9 279 392 | 59 |
| 9 279 393 | 59 |
| 9 279 394 | 59 |
| 9 279 396 | 59 |
| 9 279 397 | 59 |

| Order no. | Page |
|---|---|
| 9 279 410 | 58 |
| 9 279 411 | 58 |
| 9 279 412 | 58 |
| 9 279 413 | 58 |
| 9 279 414 | 58 |
| 9 293 516 | 25 |
| 9 293 517 | 25 |
| 9 293 518 | 25 |
| 9 304 683 | 60 |
| 9 304 684 | 60 |
| 9 304 685 | 60 |
| 9 304 686 | 60 |
| 9 304 687 | 60 |
| 9 304 688 | 60 |
| 9 304 689 | 60 |
| 9 306 263 | 13 |
| 9 306 265 | 19 |
| 9 311 544 | 34 |
| 9 311 545 | 34 |
| 9 311 546 | 34 |
| 9 311 547 | 34 |
| 9 318 952 | 30 |
| 9 318 953 | 30 |
| 9 318 954 | 30 |
| 9 318 955 | 30 |
| 9 318 956 | 30 |
| 9 318 957 | 30 |
| 9 318 975 | 32 |
| 9 318 976 | 32 |
| 9 319 010 | 32 |
| 9 319 011 | 32 |
| 9 319 012 | 32 |
| 9 319 013 | 32 |
| 9 319 041 | 38 |
| 9 319 042 | 38 |
| 9 319 043 | 38 |
| 9 319 044 | 38 |
| 9 319 046 | 38 |
| 9 319 048 | 38 |
| 9 319 051 | 38 |
| 9 319 052 | 38 |
| 9 319 053 | 38 |
| 9 319 079 | 38 |
| 9 319 080 | 38 |
| 9 319 081 | 38 |
| 9 319 082 | 38 |
| 9 319 114 | 9 |
| 9 319 115 | 9 |
| 9 319 116 | 9 |
| 9 319 118 | 9 |
| 9 319 119 | 9 |
| 9 319 120 | 9 |
| 9 319 122 | 9 |
| 9 319 123 | 9 |
| 9 319 124 | 9 |
| 9 319 125 | 9 |
| 9 319 126 | 9 |

| Order no. | Page |
|---|---|
| 9 319 143 | 13 |
| 9 319 144 | 13 |
| 9 319 145 | 13 |
| 9 319 146 | 13 |
| 9 319 148 | 13 |
| 9 319 149 | 13 |
| 9 319 150 | 13 |
| 9 319 151 | 13 |
| 9 319 152 | 13 |
| 9 319 153 | 13 |
| 9 319 162 | 19 |
| 9 319 163 | 19 |
| 9 319 164 | 19 |
| 9 319 165 | 19 |
| 9 319 166 | 19 |
| 9 319 167 | 19 |
| 9 319 169 | 19 |
| 9 319 170 | 19 |
| 9 319 171 | 19 |
| 9 319 172 | 19 |
| 9 319 173 | 19 |
| 9 319 174 | 19 |
| 9 360 240 | 9 |
| 9 360 242 | 9 |
| 9 360 243 | 9 |
| 9 360 244 | 9 |
| 9 360 245 | 13 |
| 9 360 247 | 13 |
| 9 360 249 | 13 |
| 9 360 250 | 19 |
| 9 360 251 | 19 |
| 9 360 252 | 19 |
| 9 360 253 | 19 |
| 9 360 255 | 9 |
| 9 360 256 | 9, 13 |
| 9 360 257 | 9 |
| 9 360 259 | 9 |
| 9 360 260 | 13 |
| 9 360 261 | 13 |
| 9 360 262 | 13 |
| 9 360 264 | 19 |
| 9 360 266 | 19 |
| 9 360 267 | 19 |
| 9 364 717 | 9 |
| 9 364 718 | 9 |
| 9 364 719 | 9 |
| 9 364 720 | 9 |
| 9 364 721 | 13 |
| 9 364 722 | 13 |
| 9 364 723 | 13 |
| 9 364 755 | 13 |
| 9 364 756 | 19 |
| 9 364 757 | 19 |
| 9 364 758 | 19 |
| 9 364 759 | 19 |
| 9 364 760 | 9 |
| 9 364 761 | 9 |

# Order number index


| Order no. | | Page |
|---|---|---|
| 9 364 765 | | 9 |
| 9 364 766 | | 9 |
| 9 364 767 | | 9 |
| 9 364 768 | | 9 |
| 9 364 769 | | 9 |
| 9 364 770 | | 9 |
| 9 364 771 | | 9 |
| 9 364 772 | | 9 |
| 9 364 773 | | 9 |
| 9 364 774 | | 13 |
| 9 364 775 | | 13 |
| 9 364 776 | | 13 |
| 9 364 777 | | 13 |
| 9 364 778 | | 13 |
| 9 364 779 | | 13 |
| 9 364 780 | | 13 |
| 9 364 781 | | 13 |
| 9 364 782 | | 13 |
| 9 364 783 | | 13 |
| 9 364 784 | | 13 |
| 9 364 785 | | 13 |
| 9 364 786 | | 13 |
| 9 364 787 | | 13 |
| 9 364 788 | | 19 |
| 9 364 789 | | 19 |
| 9 364 790 | | 19 |
| 9 364 791 | | 19 |
| 9 364 792 | | 19 |
| 9 364 793 | | 19 |
| 9 364 794 | | 19 |
| 9 364 795 | | 19 |
| 9 364 796 | | 19 |
| 9 364 797 | | 19 |
| 9 364 798 | | 19 |
| 9 364 799 | | 19 |
| 9 364 800 | | 19 |
| 9 364 801 | | 19 |

**General technical conditions**
The fitting information, screw fixing points and load capacity information contained in this document assume proper attachment using screws specified by Hettich to a chipboard panel providing a screw pull out resistance of at least 1,000 N in accordance with EN 320.

Hettich accepts no responsibility for the load capacity of furniture and its components if materials or fastening methods are used other than those stated; the furniture manufacturer must verify load capacity.

The fitting situations show in this catalogue are only intended to illustrate the possible options. The furniture manufacturer is responsible for ensuring that furniture is designed in compliance with standards, in particular with regard to meeting the requirements on safety.

We will be pleased to provide any further information you may require.

**General Terms of Sale and Delivery**
All products and services will be provided exclusively on the basis of our General Terms of Sale and Delivery published on our website at www.hettich-agb.com.

**Legal notice**
© Hettich Marketing- und Vertriebs GmbH & Co. KG
32602 Vlotho, Germany

October 2024

We reserve all rights to this catalogue under copyright law. It shall not be permissible to duplicate this catalogue in any form either in whole or in part without our written consent. Subject to technical alterations. Errors and omissions excepted. Subject to colour variations.

www.hettich.com

**Hettich New Zealand**
18 Barmac Place
East Tamaki, Auckland

Free Phone: 0800 438 842
sales-nz@hettich.com
shop.hettich.com
designwithhettich.co.nz

DOI August 2024

Kits-in-white_InnoTech-Atira_09/23_HNZ/en