

Stationary Leak Tester XXXL

The Oxipack Stationary Leak Tester XXXL is the solution for testing a wide range of large packaging up to 25 Kg.

You can use the SLT XXXL for different types of products and packages. For example, it can be used for milk powder packages, but also for large pet food bags or for testing whether outer packaging is leak-tight to ensure a sterile environment. Through the use of two rubber membranes it is possible to create a deep vacuum in the test chamber without damaging the packaging, while creating a very small measuring space. Without changing any settings, the SLT XXXL can test for both micro and larger leaks. Identical and different packaging can be tested together without changing any settings.

The SLT XXXL measures according to the non-destructive detection of leaks in packages by vacuum decay method (ASTM F2338).



Technical specifications: Stationary Leak Tester XXXL

Dimensions and Weight	1014 x 1407 x 1165 mm (L x W x H) 125 KG
Materials	Stainless steel, Anodized aluminium, Polycarbonate, Rubber
Power supply	100 - 230V 50/60HZ
Air supply	5,5 - 8 bar
Compliance and IP rating	CE IP20
Size measuring chamber	800 x 1000 x 300 mm (L x W x H)
Leak detection method	ASTM F2338
Minimum leakage	> 5,4 cm³/min
Maximum testing capacity	1 P/M
Connections	USB/Ethernet export 24VDC logic (free programmable)
Packaging type and size	MAP up to 800 x 1000 x 300 mm (L x W x H)
Options	IOT Data, Barcode scanner, Printer, Line Numbers, OPC UA

- Non-destructive
- Accurate
- Easy to operate
- Direct result
- Robust design

oxipack
leak detection