

## Stationary Leak Tester Pharmaceutical

#### **SLTP**

Oxipack's standard solution for testing a wide range of flexible packaging, the SLT combines efficiency and accuracy in leak detection for maintaining product quality.

#### Features:

- Non-destructive vacuum decay method (ASTM F2338).
- 21 CFR Part 11 compliant software for secure electronic records and signatures.\*
- Can test multiple packs simultaneously.
- Operator-independent results.
- Integrated vacuum pump and control systems.



#### **Benefits**

#### Precise & Reliable

High precision in detecting micro leaks. Consistent and reliable results.

#### Adaptable & User-friendly

Adaptable for different sizes and shapes. Easy to operate.

#### **Efficient**

Fast and efficient, suitable for high-volume testing.

#### **Technical Specifications:**

Dimensions and Weight: 630 x 705 x 333 mm (L x W x H), 40 KG  $\,$ 

Materials: Stainless Steel, Anodized Aluminium, Polycarbonate, Rubber

Power Supply: 100 - 230V 50/60HZ

Air Supply: > 5.5 - < 8 bar Air Consumption: 150 Nl/min

Compliance and IP Rating: CE, IP20, 21 CFR Part 11 (Software) Size Measuring Chamber: 350 x 500 x 116 mm (L x W x H)

Leak Detection Method: ASTM F2338

Minimum Leakage: > 0.9 cm3/min

Maximum Testing Capacity: 2P/M

Connections: USB/Ethernet export, 24VDC logic (free programmable)

Packaging Type and Size: MAP up to 350 x 500 x 116 mm (L x W x H)

<sup>\*</sup>Compliance with 21 CFR Part 11:





Trusted by

1000+

**Customers Worldwide** 

# The Zero Waste Foundation

### **Dedicated To A Greener Tomorrow**

Sustainability isn't just a buzzword for us; it's how we operate. Through the Zero Waste Foundation, we're all about doing right by the planet.

From installing machines remotely to cutting down on travel, to choosing recyclable materials and energy-efficient tech, every choice we make is about reducing our footprint and leading the way to a zero-waste future.





