

ROOF BATTEN

THM40

PRODUCT DESCRIPTION

Studco Steel Battens sit between roofing system and external roofing finish and provides a surface for the external roofing finish to attach directly to.

FEATURES

- Flat flanges for direct fixing.
- Hemmed flanges for safe and easy handling.
- Manufactured in Australia from high quality, Australian Steel.

INSTALLATION

- Contact Studco's technical team for custom solutions on 1300 255 255 or email techadvice@studcosystems.com.au

APPLICATION

Can be used within external roofing system applications.

PRODUCT RANGE

Ordering Information

Product Code	Product Info	Width (mm)	Depth/Height (mm)	Length (mm)	Thickness BMT (mm)	Sub Pack	Stock Pack	Approx Kg / Piece
THM40	Roof Batten 40 x 40 x 0.48 BMT	40	40	4800 / 6000	0.48	10	150	0.61

WARRANTY

This product is covered by Studco's Warranty.

Conditions and limitations of warranties are set out in Studco Project Warranty certificate.

FURTHER ASSISTANCE

Contact the Technical Team at Studco for assistance with specifications, product selection, acoustic engineering, and structural engineering enquiries. Call on 1300 255 255 or contact us at sales@studcosystems.com.au.



THM40



ACCREDITATION



Contact the team for pricing & samples

hello@mbsarchitectural.com.au | 03 9580 7800



MBS
Architectural

Every material. One source.

Reach out to our team for support, samples and advice.

03 9580 7800

hello@mbsarchitectural.com.au

VIC | 7 Haymer Court, Braeside 3195

QLD | 13 Pease Court, Bethania 4205

[@MBSarchitectural](#)