

LINEAR METAL CEILINGS

MBS

Architectural

ACS Coruline
BROCHURE

ACS Coruline



MATERIALITY

Metal



GRID SYSTEM

- Fully concealed one-way T-Bar suspension system
- Panels screw fixed, via concealed method



SHEET SIZE

- 160mm wide x 6000mm long max
- Other lengths are available upon request



FINISHING

Can be manufactured from both Aluminium & Zincalume

- Aluminium = Powder Coat & Anodised
- Zincalume = Powder Coat, Colourbond & Clear Lacquer



PERFORATION

- 2.5mm perforation @ 15% open area
- Also available unperforated



ACOUSTIC PERFORMANCE


- 25mm insulation = NRC 0.70
- 50mm insulation = NRC 0.85
- 75mm insulation = NRC 0.90




LEAD TIME

3 - 4 Weeks


SYSTEM



PERIMETER TRIMS



ACOUSTIC DATA



1 NRC = 0.70 PERFORATED + 25MM BTF

2 NRC = 0.85 PERFORATED + 50MM BTF

3 NRC = 0.90 PERFORATED + 75MM BTF



MBS
Architectural

Every material. One source.

03 9580 7800

hello@mbsarchitectural.com.au

VIC | 7 Haymer Court, Braeside 3195

QLD | 13 Pease Court, Bethania 4205

@MBSarchitectural