


02 Mar 2006 10:19a G:\DATA\arch\WISDOT_001044954_Madison_SWEF\1_Arch\5_Final_PS&E (Construction Documents)\D3 Drawings\Pre-Bid Revision 2\C101_R2.dwg by: mrob



- SHEET KEY NOTES**
1. ACCESSIBLE PARKING STALLS, THIS VICINITY CONNECTED TO ACCESSIBLE ROUTE. QUANTITY IN ACCORDANCE WITH THE FOLLOWING CHART:

TOTAL # PARKING SPACES PROVIDED	MIN. #
1 TO 25	1 ACCESSIBLE
26 TO 50	2 ACCESSIBLE
51 TO 75	3 ACCESSIBLE
76 TO 100	4 ACCESSIBLE

 MAXIMUM SLOPE AT PARKING STALLS AND ACCESS AISLES IS 1:50.
 2. ACCESSIBLE ROUTE: MAXIMUM SLOPE OF 1:20, MAXIMUM CROSS SLOPE OF 1:50. 5 FT X 5 FT PASSING SPACES AT TOP AT BOTTOM OF WALK.
 3. FRONT STAIR CONCRETE WITH PIPE HANDRAILS. REFER TO 4/A403 AND STRUCTURAL.
 10 RISERS @ 6.92 IN. = 5.77 FT RISE.
 9 TREADS @ 11 IN. = 8.25 FT RUN.
 NOTIFY SUPERVISING PROFESSIONAL IF FIELD CONDITIONS VARY.
 4. SIDEWALK WITH CONCRETE RETAINING WALL AND GUARDRAIL, REFER TO 1/A201, A403, AND STRUCTURAL.
 5. REAR STAIR-CONCRETE WITH PIPE HANDRAILS. REFER TO 1/A201, 5/A403, AND STRUCTURAL.
 9 RISERS @ 6.31 IN. = 4.73 FT. RISE
 8 TREADS @ 11 IN. = 7.33 FT. RUN
 NOTIFY SUPERVISING PROFESSIONAL IF FIELD CONDITIONS VARY.
 6. BENCH, REFER TO SPECIFICATIONS.
 7. FLAG POLE, REFER TO SPECIFICATIONS.
 8. PIPING FROM WELL TO PRESSURE TANK. REFER TO PLBG FOR CONTINUATION
 9. PROPOSED SEPTIC HOLDING TANK AND SANITARY PIPING INTO BUILDING. REFER TO PLUMBING PLANS FOR CONTINUATION.
 10. PROPOSED COMMUNICATIONS TOWER. REFER TO COMMUNICATIONS TOWER DRAWINGS/DETAILS.
 11. CONCRETE SIDEWALK. REFER TO ROADWAY PLANS.
 12. WELL - BUILD UP GRADE AROUND WELL, AND PROVIDE POSITIVE DRAINAGE AWAY. REFER TO DETAILS 1/C501 & 2/C501
 13. INDICATES DIRECTION OF DRAINAGE. REFER TO ROADWAY PLANS.
 14. MODULAR BLOCK GRAVITY RETAINING WALL. REFER TO SPECIFICATIONS AND ROADWAY DETAILS.
 15. GEOTHERMAL WELLS, THIS VICINITY. REFER TO HVAC PLANS AND SPECIFICATIONS.

SHEET ABBREVIATIONS
 T.O.W. = TOP OF RETAINING WALL
 E.T. = ELECTRICAL TRANSFORMER
 BOC = BOTTOM OF CURB

SHEET NOTES
 THIS PLAN INCLUDES SELECTED SPOT ELEVATIONS. THESE ARE INTENDED TO COMMUNICATE THE RISE OF STAIRS AND HEIGHT OF MODULAR BLOCK GRAVITY RETAINING WALL ONLY. FIELD VERIFICATION OF THE EXISTING TOPOGRAPHY IS REQUIRED BY THE CONTRACTOR. REFER TO ROADWAY PLANS FOR SITE GRADING AND DRAINAGE.

