

Safety Weight Enforcement Facility Septic System and LP Tank Information

2/16/2018

| Site | Septic System Type | | | | | LP Tank | | |
|----------------|----------------------|-------------|--|----------------------|---------------------------------------|------------------------------|---------------|----------|
| | Qty - Gallons - Each | Qty - tanks | System Type | Alarm System | Freq of Pump | Estimated Annual Usage (gal) | Tank/Cyl size | Owned by |
| 11-Dickeyville | 1,215 | 1 | Septic tank & field w/ dosing chamber & force main | No Alarm | 4 yrs | 700 | 500 | STATE |
| 16-Madison | 3,000 | 1 | Holding tank | Yes | every 6 weeks | Geo Thermal Heating | | |
| 19-Beloit | 3,000 | 3 | 1 - Holding tank - for unspecified bay pits. Septic tank & field (1st = 5,000, 2nd = 1,600). | Yes | Holding - Monthly Septic - 3 years | 12,000 | 3@1000 | STATE |
| 21-Kenosha | 3,000 | 3 | Holding tanks (2 sanitary, 1 inspection trench drains) | | Weekly | 14,000 | 3@1000 | STATE |
| 22-Racine | 3,000 | 1 | Holding tank | | Monthly | 1,000 | 500 | STATE |
| 34-Wrightstown | 3,000 | 1 | Holding tank | | Quarterly | Electric Heat | | |
| 35-Newton | 3,000 | 1 | Holding tank | Operational | 3 - 4 time/year | 300 | 500 | STATE |
| 41-Abrams | 3,000 | 1 | Holding tank | Alarm | Quarterly | 700 | 500 | STATE |
| 44-Coloma | 1,450 | 1 | Septic tank & field | No Alarm | 4 years | 300 | 500 | STATE |
| 54-Sparta | 4,000 | 2 | Sewer holding tank & drain field. Two chamber septic tank. | No Alarm | 1 - 2 time/month | 1,200 | 500 | STATE |
| 61-Hudson | 1,450 | 1 | Septic tank & field w/ force main | Light, Operational?? | 3 yrs | Electric Heat | | |
| 63-Menomonie | 3,000 | 1 | Holding tank | Operational | Monthly | 1,000 | 500 | STATE |
| 72-Superior | 3,000 | 3 | Septic tank & field. Two septic, One Bay. | | 1 - 2 time/month | 1,500 | 500 | STATE |