

Wisconsin
Department of
Transportation



Rest Area Traffic
And
Water Usage Report

Report Created February 2013

Table of Contents

Report Summary	1
Water Comparison Report: 2012/2011/2010/2009	5
Traffic Comparison Report: 2012/2011/2010/2009	6
Traffic vs. 2012 Budget Report	7
Traffic Count/Water Usage by County Summary	8

County	Site name	Site ID	Traffic	Water	Page #
Barron	RA 34	030020	X	X	8
Barron	RA 33	030021	X	X	8
Columbia	RA 11	110020	X	X	9
Columbia	RA 12	110021	X	X	9
Dodge	RA 63	148563	X	X	10
Dodge	RA 64	148564	X	X	10
Douglas	RA 23	168523	X	X	11
Dunn	RA 61	178561	X	X	11
Dunn	RA 62	178562	X	X	12
Grant	RA 106	228510	X	X	12
Iron	RA 103	268503	X	X	13
Jackson	RA 53	270020	X	X	13
Jackson	RA 54	270022	X	X	14
Jefferson	RA 13	288513	X	X	14
Jefferson	RA 14	288514	X	X	15
Juneau	RA 9	298509	X	X	15
Juneau	RA 10	298510	X	X	16
Kenosha	RA 26	300021	X	X	16
La Crosse	RA 15	328515		X	17
La Crosse	RA 31	328531	X	X	17
Manitowoc	RA 52	360020	X	X	18
Manitowoc	RA 51	360021	X	X	18
Manitowoc	W-4	368504		X	19
Marquette	RA 82	390020	X	X	19
Marquette	RA 81	390021	X	X	20
Monroe	RA 16	418516		X	20
Rock	RA 17	530017	X	X	21
Rock	RA 22, M	538522	X	X	21
Walworth	RA 35	648535	X	X	22
Walworth	RA 36	648536	X	X	22
Waupaca	RA 101	688501	X	X	23

REPORT SUMMARY

Introduction

Rehabilitation For Wisconsin, Inc. (RFW) maintains a comprehensive database of roadside facility traffic counts and water usage as part of their program management services for the Wisconsin Department of Transportation Rest Area Maintenance Program. The data collected is used for various purposes including comparing traffic volume to site maintenance costs, adjusting work schedules to accommodate site use, analyzing budgets, and evaluating facility construction needs. This report is organized into the following sections:

Water Comparison Report: 2012/2011/2010/2009

Traffic Comparison Report: 2012/2011/2010/2009

Traffic vs. FY 2012 Budget Report

Traffic Count/Water Usage by County Summary

"Water Comparison Report" Summary

The "Water Comparison Report" shows the average water usage per month for each year-round rest area site from 2009 to 2012. Overall, water usage for 2012 averaged 64,111 gallons per month per site. This is slightly lower than 2011, which averaged 69,196 per month per site. Between 2011 and 2012, the following individual sites experienced an increase in water usage greater than 15%:

County	Site name	% Change Between 2012 vs. 2011
Juneau	RA 10	47.75%
Jefferson	RA 14	32.10%
Douglas	RA 23	26.08%
Iron	RA 103	19.54%
Kenosha	RA 26	18.42%
Manitowoc	W-4	17.15%
Walworth	RA 36	16.57%
Manitowoc	RA 52	16.40%

Potential explanations:

- ❖ Increase in traffic volume at RA 10 in Juneau County.
- ❖ Increase in traffic volume at RA 14 in Jefferson County.
- ❖ Increase due to a stuck valve at RA 23 in Douglas County.
- ❖ Increase in traffic volume at RA 103 in Iron County.
- ❖ Increase in traffic volume at RA 26 in Kenosha County.
- ❖ Possible increase in traffic volume at Wayside 4 in Manitowoc County.
- ❖ Increase in traffic volume at RA 36 in Walworth County.
- ❖ Increase in plant and landscape watering at RA 52 in Manitowoc County.

The following sites experienced a decrease greater than 15% in water use.

County	Site name	% Change Between 2012 vs. 2011
Jackson	RA 53	-47.38%
LaCrosse	RA 15	-39.64%
Monroe	RA 16	-26.97%
Rock	RA 17	-21.06%
Dodge	RA 64	-19.36%

Potential explanations:

- Decrease in plant and landscape watering at RA 53 in Jackson County.
- Decrease in plant and landscape watering at RAs 15 & 16 in LaCrosse and Monroe Counties.
- Decrease in traffic counts at RA 17 in Rock County.
- Decrease in plant and landscape watering at RA 64 in Dodge County.

"Traffic Comparison Report" Summary

The "Traffic Comparison Report" compares the Average Daily Traffic (ADT) for Calendar Years 2009 to 2012 for sites with permanent traffic counters (only located at year-round facilities). The average daily traffic in 2012 was 640 cars per-site per-day or an average of 1,600 people per-site per-day. Overall, the ADT in 2012 was higher than 2011 by 17.15% -- which is an average of 93 more cars per-site per-day and an average of 233 more people per-site per-day.

The sites below experienced a fifteen percent increase or more in ADT in 2012 vs. 2011.

County	Site name	% Change Between 2012 vs. 2011
Columbia	RA 12	246.15%
Columbia	RA 11	127.84%
Dodge	RA 63	29.29%
Jackson	RA 54	28.05%
Jefferson	RA 14	25.81%
Jackson	RA 53	24.79%
Walworth	RA 36	18.21%
Marquette	RA 81	18.09%
Iron	RA 103	17.69%
Barron	RA 34	17.47%
Marquette	RA 82	16.71%
Barron	RA 33	15.81%

Potential explanations:

- ❖ Received traffic data for a complete year for the first time since the new buildings were completed for RAs 11 & 12 in Columbia County were built. These rest areas have the highest traffic volume in the state.
- ❖ There have been issues with inaccurate and incomplete data for RA 63 in Dodge County due to equipment failure.
- ❖ In 2011 there was insufficient data and no data collected during several months in Calendar Year 2011 for RAs 53 & 54 in Jackson County.
- ❖ Increase in traffic volume at RA 36 in Walworth County.
- ❖ Increase in traffic volume at RAs 81 & 82 in Marquette County.
- ❖ Increase in traffic volume at RA 103 in Iron County.
- ❖ Increase in traffic volume at RAs 33 & 34 in Barron County.

The sites below experienced greater than fifteen percent decrease in ADT in 2012 vs. 2011.

County	Site name	% Change Between 2012 vs. 2011
Rock	RA 17	-55.94%
Rock	RA 22	-22.89%
Waupaca	RA 101	-15.38%

Potential explanations:

- ❖ No data was collected during several months for RA 17 in Rock County.
- ❖ A decrease in traffic at RA 22 in Rock County.
- ❖ No data was collected during several months for RA 101 in Waupaca County.

Traffic vs. Budget Cost Comparison

This report reflects the December 2011 through November 2012 (CY2012) time period. Compared are the ADT for this time period and the concurrent budget expenditures for janitorial, maintenance and landscaping services by work centers and outside vendors as well. Logically, pairs of rest areas in close geographic proximity, usually find efficiencies in travel and staff support that stand-alone sites do not. In any given year, outside professional services will vary site to site based on age and wear to facility components and physical plant.

The comparison report is separated into two sections: sorted by traffic volume and sorted by budget. The report also provides a cost per vehicle rate based on the maintenance, custodial care and landscape maintenance services budget. Traffic data anomalies are footnoted at the bottom of the report using key symbols for reference.

"Traffic Count/Water Usage Report" Summary

The attached "Traffic Count / Water Usage" report is organized by county, then by site. Each site section lists traffic counts and water data (if applicable) and amenities. The report includes traffic or water notes if pertinent. Occasional problems with the traffic counter equipment is noted; frequent equipment problems may cause the data to be distorted slightly and may help to explain why the traffic may be somewhat higher or lower than the previous month.

The data categories represent:

CombADT – the average daily number of cars and trucks counted at continuously counted sites (Note: no car or truck individual counts were taken in 2011 and 2012)

Total ADT – the average daily count of both cars and trucks at all counted sites

Monthly H2O Usage – the total number of gallons of water used during the month

Notes - Notes indicate if there were any problems with the equipment and when the traffic counter was down; or any well notes included on the water meter reading sheets.

WisDOT has discontinued forwarding data from the Continuous Mainline traffic counters in CY 2012. RFW had received data from only a few selected Continuous Mainline counters in previous years.

Data Management

The information is processed using Microsoft Access database software. Information for each site is entered into one database file then linked to the data file. Reports are produced grouped by county, listing site information and specific traffic and/or water data.

The WisDOT Information Technology and Management Section forwards traffic data reports to RFW monthly. The monthly reports include permanently counted sites including year-round sites. The monthly average daily traffic (MADT) figure is entered for permanent counter sites. WisDOT's traffic count year begins in December and ends November of the following year.

Water use is recorded daily at all year-round roadside facilities by the site maintenance personnel. The majority of the facilities' water meters register water use in gallons, while others register the use in cubic feet. All report data is converted and presented in gallon quantities. Monthly water reading reports are sent to RFW for processing and filing by the 15th of every month by the rest area manager. RFW ensures that all reports are received in an accurate and timely manner.

Analytical Data Reports

The traffic data has been useful to the RAM program managers in evaluating site maintenance funding needs. The traffic counts provide a general comparison for evaluating budgets as well as specific data on hourly and daily traffic variations used to develop maintenance crew work

schedules at the roadside facilities. RFW has developed a comparison chart of traffic counts versus site budgeted figures. This has proved useful when negotiating levels of service and budgets for maintenance service provider contracts.

Water Comparison Report

Calendar Years 2009, 2010, 2011 and 2012 Average Monthly Gallons of Water Usage Comparison

County	Site name	2009 AVG Water	2010 AVG Water	2011 AVG Water	2012 AVG Water	% Change	Notes
Jackson	RA 53	178,956	221,463	347,638	182,913	-47.38%	2010 - Increase in traffic counts. 2009 - Additional water usage during July to water lawns/flowers.
Columbia	RA 12 (N)		148,546	183,708	162,175	-11.72%	New rest area opened in January 2010.
Columbia	RA 11 (N)	20,600	138,980	155,254	151,042	-2.71%	2011 - Well #3 shut down 7/31/11 due to bad water samples and went back online 11/28/11. Pump not working December 2009 - mid March 2010. New meter installed March 15, 2010. 2009 - New rest area opened in November.
Jackson	RA 54	120,213	120,038	143,506	128,931	-10.16%	
Rock	RA 22	170,000	148,708	133,158	120,992	-9.14%	
Juneau	RA 10	74,356	85,933	76,608	113,192	47.75%	2010 - Excessive watering of flowers. 2009 - Water meter broke February-March. Site temporarily closed April 8-May 6 due to plumbing upgrades. New meter installed in May.
Kenosha	RA 26	90,014	67,912	81,417	96,417	18.42%	
Rock	RA 17	163,438	145,575	116,581	92,031	-21.06%	
Dodge	RA 63	78,183	81,758	72,483	77,692	7.19%	
Juneau	RA 9	63,282	71,642	67,533	72,975	8.06%	2009 - Building shut down on February 24-28. Site temporarily closed in March due to plumbing upgrades. New meter installed in April.
Jefferson	RA 14	66,367	69,117	54,964	72,607	32.10%	2009 - Increase in traffic.
Manitowoc	RA 52	63,150	59,033	59,252	68,970	16.40%	
Dodge	RA 64	94,047	98,430	84,535	68,173	-19.36%	
Dunn	RA 61	78,688	64,563	62,500	67,625	8.20%	2010 - Closed for a week in June for parking lot repairs. Watered grounds and flowers less. 2009 - Building was closed October 19-22 due to highway construction.
Dunn	RA 62	78,500	59,625	62,688	63,563	1.40%	2010- Watered flowers and ground less. 2009 - Building was closed October 19-22 due to highway construction.
Jefferson	RA 13	55,633	69,517	55,675	60,283	8.28%	2010 - Well issues. 2009 - Increase in traffic.
Manitowoc	RA 51	51,135	49,615	54,609	59,607	9.15%	
La Crosse	RA 31	40,308	41,408	40,717	43,025	5.67%	
Monroe	RA 16	46,025	50,750	53,600	39,142	-26.97%	
Walworth	RA 35	45,308	35,850	32,967	37,325	13.22%	
Marquette	RA 82	32,142	31,250	30,250	31,983	5.73%	
Marquette	RA 81	29,200	27,925	25,408	27,925	9.91%	
Grant	RA 106	23,892	22,533	24,525	25,300	3.16%	2009 - Increase in traffic.
Walworth	RA 36	24,667	21,858	21,617	25,200	16.57%	
La Crosse	RA 15	24,836	30,833	40,233	24,283	-39.64%	2012 - Well shut down 9/19/2012. 2009 - Site was temporarily closed April 9 - July 3.
Barron	RA 34	17,418	16,624	17,046	18,794	10.25%	2012 - Flush valve stuck open on 9/25/12. 2008 - Building closed due to plumbing February 17-29. Building closed for installation of new plumbing March 1-11.
Douglas	RA 23	15,025	13,419	11,302	14,250	26.08%	2011 - Meter exchange on 3/18/11. 2009 - Slight increase in traffic.
Barron	RA 33	16,464	15,741	13,909	13,805	-0.75%	
Iron	RA 103	9,805	11,453	11,152	13,331	19.54%	2010 - Increase in traffic. 2009 - Decrease in traffic.
Manitowoc	W-4	10,920	7,635	7,170	8,400	17.15%	2012 - Wayside opened on May 25 and closed October 31. 2011 - Wayside opened on May 27 and closed September 16. 2010 - Wayside opened for season on May 17. Less landscape watering occurred in 2010. 2009 - Wayside opened for season on May 21.
Waupaca	RA 101	3,665	4,205	3,062	5,488	79.23%	2012 - Valve open all night 4/27/12. 2009 - New meter installed March 14.
Overall Average Water Usage:		59,541	65,546	69,196	64,111	-7.35%	

Traffic Comparison Report

Calendar Year 2009, 2010, 2011 and 2012 Average Daily Traffic (ADT) Comparison.

County	Site name	2009 ADT Traffic	2010 ADT Traffic	2011 ADT Traffic	2012 ADT Traffic	% Change Between 2012/2011	Notes
Columbia	RA 12 (N)			455	1575	246.15%	No data collected due to highway construction, December 2010 - June 2011. Insufficient data collected for September and October 2011.
Columbia	RA 11 (N)			607	1383	127.84%	No data collected for December 2011. No data collected due to highway construction, December 2010 - June 2011.
Dunn	RA 62	1089	1124	1026	1164	13.45%	Insufficient data collected for September 2011.
Juneau	RA 10	1053	1042	922	1051	13.99%	Insufficient data collected for September 2011. No data collected 4/8/2009-5/6/2009 due to site being temporarily closed for plumbing upgrades.
Dunn	RA 61	907	1035	921	1051	14.12%	Insufficient data collected for September 2011.
Rock	RA 22	1424	1370	1267	977	-22.89%	Insufficient data collected for September 2011.
Juneau	RA 9	930	893	797	909	14.05%	Insufficient data collected for September 2011. No data collected in March 2009 due to site being temporarily closed for plumbing upgrades.
Jackson	RA 53	890	915	722	901	24.79%	Insufficient data collected for September 2011 and no data collected in October 2011.
Jackson	RA 54	938	935	656	840	28.05%	No data collected for June 2012. Insufficient data collected for September 2011. No data collected in August and October 2011.
Jefferson	RA 13	888	873	663	751	13.27%	Insufficient data collected for September 2011.
Jefferson	RA 14	660	567	589	741	25.81%	Insufficient data collected for September 2011.
Dodge	RA 63	697	708	536	693	29.29%	No data collected August 2011 and insufficient data collected September 2011.
Kenosha	RA 26	1030	606	585	652	11.45%	Traffic re-routed, only one counter in 2012. Re-routing of parking areas bypass counter for most traffic in 2011. Site closed to public, May and June 2010. Traffic re-routed. Data includes construction and site crew only. No data collected May - Aug 2009
Dodge	RA 64	702	650	559	624	11.63%	Inaccurate data collected in June 2012 due to equipment problems. Insufficient data collected for September 2011. No data collected due to incomplete data due to mechanical problems in May 2009.
Rock	RA 17	1330	1332	1287	567	-55.94%	No data collected August, September, October and November 2012.
Manitowoc	RA 52	472	472	466	453	-2.79%	No data collected for April 2012.
Marquette	RA 82	432	412	353	412	16.71%	Insufficient data collected for September 2011.
Manitowoc	RA 51	406	393	384	376	-2.08%	No data collected for April 2012.
Walworth	RA 35	385	384	319	364	14.11%	Insufficient data collected for September 2011. No data collected in September 2009.
Grant	RA 106	359	358	323	360	11.46%	Insufficient data collected for September 2011.
Marquette	RA 81	367	364	304	359	18.09%	Insufficient data collected for September 2011.
Walworth	RA 36	350	355	291	344	18.21%	Insufficient data collected for September 2011.
LaCrosse	RA 31	368	383	298	325	9.06%	Insufficient data collected for September 2011.
Barron	RA 34	309	302	269	316	17.47%	Insufficient data collected for September 2011.
Barron	RA 33	300	292	253	293	15.81%	Insufficient data collected for September 2011.
Douglas	RA 23	207	219	216	204	-5.56%	Insufficient data collected for September 2011.
Iron	RA 103	125	148	130	153	17.69%	Insufficient data collected for September 2011.
Waupaca	RA 101	114	124	104	88	-15.38%	No data collected for September, October and November 2012. Insufficient data collected for September 2011.
La Crosse	RA 15	296					No data collected in 2012. No data collected in 2011. No data collected in 2010. Data collected 9/1/2009 - 9/28/2009.
Monroe	RA 16	448					No data collected in 2012. No data collected in 2011. No data collected in 2010. Data collected 9/3/2009 - 9/28/2009.
Overall ADT Traffic:		624	625	547	640	17.15%	

Rest Area Maintenance Program CY 2012 Traffic and CY 2012 Budget Cost Comparison

Report Information: The Operating CCLM (Custodial Care and Landscape Maintenance services by the maintenance service provider) Budget for paired sites (i.e. RA 11 & RA 12) is shown with an equal split for the December/2011-November/2012 Period (CY2012). Paired sites have an operational advantage because they are close in proximity to each other and thus may gain certain efficiencies in personnel and equipment over those serving as a single site. The Operating Budget also includes Special Vendor Service costs for trash, plumbing, electrical, HVAC, septic, well services, etc. and are noted as per the range of these costs below; these costs are dependent on each site's mechanical systems. This report shall be used as a reference tool.

Sorted by Traffic (ADT)

Sorted by Budget

County	Rest Area #	2012 ADT	CY 12 Operating CCLM Budget	Cost Per Vehicle	Line	County	Rest Area #	2012 ADT	CY 12 Operating CCLM Budget
Columbia	RA 12	1575	\$334,606.65	\$0.58	1	Kenosha	RA 26 #	652	\$407,158.48
Columbia	RA 11	1383	\$334,606.65	\$0.66	2	Columbia	RA 11	1383	\$334,606.65
Dunn	RA 62	1164	\$167,046.92	\$0.39	3	Columbia	RA 12	1575	\$334,606.65
Dunn	RA 61	1051	\$167,046.92	\$0.44	4	Rock	RA 22	567	\$305,616.80
Juneau	RA 10	1051	\$210,725.62	\$0.55	5	Rock	RA 17 ✖	977	\$264,447.75
Rock	RA 22	977	\$305,616.80	\$0.86	6	Juneau	RA 9	1051	\$210,725.62
Juneau	RA 9	909	\$210,725.62	\$0.64	7	Juneau	RA 10	909	\$210,725.62
Jackson	RA 53	901	\$209,402.13	\$0.64	8	Jackson	RA 53	901	\$209,402.13
Jackson	RA 54 ●	840	\$209,402.13	\$0.68	9	Jackson	RA 54 ●	840	\$209,402.13
Jefferson	RA 13	751	\$197,141.45	\$0.72	10	Jefferson	RA 14	751	\$197,141.45
Jefferson	RA 14	741	\$197,141.45	\$0.73	11	Jefferson	RA 13	741	\$197,141.45
Dodge	RA 63	693	\$100,639.66	\$0.40	12	Grant	RA 106	360	\$168,645.79
Kenosha	RA 26 #	652	\$407,158.48	\$1.71	13	Douglas	RA 23	204	\$167,269.80
Dodge	RA 64 ▲	624	\$100,639.66	\$0.44	14	Dunn	RA 61	1164	\$167,046.92
Rock	RA 17 ✖	567	\$264,447.75	\$1.28	15	Dunn	RA 62	1051	\$167,046.92
Manitowoc	RA 52 ■	453	\$132,796.64	\$0.80	16	La Crosse	RA 31	325	\$140,852.34
Marquette	RA 82	412	\$96,739.55	\$0.64	17	Iron	RA 103	153	\$136,587.80
Manitowoc	RA 51 ■	376	\$132,796.64	\$0.97	18	Manitowoc	RA 51 ■	453	\$132,796.64
Walworth	RA 35	364	\$91,755.03	\$0.69	19	Manitowoc	RA 52 ■	376	\$132,796.64
Grant	RA 106	360	\$168,645.79	\$1.28	20	Barron	RA 33	316	\$102,990.07
Marquette	RA 81	359	\$96,739.55	\$0.74	21	Barron	RA 34	293	\$102,990.07
Walworth	RA 36	344	\$91,755.03	\$0.73	22	Dodge	RA 63	624	\$100,639.66
La Crosse	RA 31	325	\$140,852.34	\$1.19	23	Dodge	RA 64 ▲	693	\$100,639.66
Barron	RA 34	316	\$102,990.07	\$0.89	24	Waupaca	RA 101 ■	88	\$97,206.23
Barron	RA 33	293	\$102,990.07	\$0.96	25	Marquette	RA 81	412	\$96,739.55
Douglas	RA 23	204	\$167,269.80	\$2.25	26	Marquette	RA 82	359	\$96,739.55
Iron	RA 103	153	\$136,587.80	\$2.45	27	Walworth	RA 36	364	\$91,755.03
Waupaca	RA 101 ■	88	\$97,206.23	\$3.03	28	Walworth	RA 35	344	\$91,755.03
La Crosse	RA 15 ▲	0	\$89,849.97	\$0.00	29	La Crosse	RA 15 ▲	0	\$89,849.97
Monroe	RA 16 ▲	0	\$89,849.97	\$0.00	30	Monroe	RA 16 ▲	0	\$89,849.97

NOTES:

- ▲ Inaccurate traffic data due to equipment problems, June 2012.
- ▲ No traffic data collected in 2012.
- No traffic data collected in June 2012.
- ✖ No traffic data collected August 2012-November 2012.
- No traffic data collected in April 2012.
- No traffic data collected September 2012-November 2012.
- # Inaccurate traffic data entire period due to traffic re-route one counter not working.

cost per vehicle= (Budget/365)/ADT

Traffic Count and Water Usage

CY 2012

ADT=Average Daily Traffic AADT=Annual Average Daily Traffic

Prepared by RFW, Inc.

Barron RA 34 USH 53 1.6 mi S of STH "I" at Chetek (NB) Site id: 030020

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	26.0	Standard Table:	6	Telephone:	Y	Elect Fountain
Side of Road:	E	Phy Hdcp Tables:	2	Flag Pole:	1	Wastewater: S
Car Parking:	34	Fire Grills:	3	Info Board:	WM	Exhaust Fan
Truck Parking:	12	Waste Recp:	8	Lighting:	Y	Lawcon:
		Recycle Bins:	21	Water Supply:	W	

Scenic Overlook: Boat Landing:
Historical Marker: 1 Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	207	207			
Jan 2012	190	190			
Feb 2012	212	212			
Mar 2012	235	235			
Apr 2012	280	280			
May 2012	362	362			
Jun 2012	450	450			
Jul 2012	464	464			
Aug 2012	444	444			
Sep 2012	382	382			
Oct 2012	311	311			
Nov 2012	254	254			
YTD Avg	316	316			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	9,637	
Feb 2012	11,357	
Mar 2012	12,925	
Apr 2012	14,435	
May 2012	20,968	
Jun 2012	29,206	
Jul 2012	33,250	
Aug 2012	29,251	
Sep 2012	23,489	9/25 -- flush valve stuck open
Oct 2012	17,449	
Nov 2012	12,630	
Dec 2012	10,933	
YTD Avg	18,794	

Barron RA 33 USH 53 2 mi N of New Auburn (SB) Site id: 030021

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	22.8	Standard Table:	4	Telephone:	Y	Elect Fountain
Side of Road:	W	Phy Hdcp Tables:	2	Flag Pole:	1	Wastewater: S
Car Parking:	36	Fire Grills:	4	Info Board:	WM	Exhaust Fan
Truck Parking:	14	Waste Recp:	6	Lighting:	Y	Lawcon:
		Recycle Bins:	21	Water Supply:	W	

Scenic Overlook: Boat Landing:
Historical Marker: Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	209	209			Equip. problems: 12/17
Jan 2012	190	190			
Feb 2012	211	211			
Mar 2012	233	233			Equip. problems: 3/15
Apr 2012	256	256			
May 2012	312	312			
Jun 2012	377	377			
Jul 2012	413	413			
Aug 2012	410	410			
Sep 2012	353	353			
Oct 2012	297	297			
Nov 2012	252	252			
YTD Avg	293	293			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	8,109	
Feb 2012	8,967	
Mar 2012	10,392	
Apr 2012	11,278	
May 2012	14,125	
Jun 2012	18,926	
Jul 2012	24,120	
Aug 2012	21,522	
Sep 2012	16,788	
Oct 2012	12,830	
Nov 2012	9,821	
Dec 2012	8,787	
YTD Avg	13,805	

Traffic Count and Water Usage

CY 2012

ADT=Average Daily Traffic AADT=Annual Average Daily Traffic

Prepared by RFW, Inc.

Columbia RA 11 I-90/94/39 EB 0.5 mi S of Wisconsin River Site id: 111020

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	17.6	Standard Table:	8	Telephone:	Y	Elect Fountain
Side of Road:	W	Phy Hdcp Tables:	2	Flag Pole:	1	Wastewater: S
Car Parking:	56	Fire Grills:		Info Board:	WM	Exhaust Fan
Truck Parking:	25	Waste Recp:	22	Lighting:	Y	Lawcon:
		Recycle Bins:	26	Water Supply:	W2	

Scenic Overlook: Boat Landing:
Historical Marker: 1 Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	-	0			No data collected.
Jan 2012	1,077	1,077			
Feb 2012	1,104	1,104			Equip. problems: 2/1
Mar 2012	1,236	1,236			Equip. problems: 3/15
Apr 2012	1,340	1,340			
May 2012	1,506	1,506			Equip. problems: 5/26 - 31
Jun 2012	1,851	1,851			Equip. problems: 6/1 - 6
Jul 2012	1,913	1,913			
Aug 2012	2,028	2,028			Equip. problems: 8/16 - 31
Sep 2012	1,592	1,592			Equip. problems: 9/1 - 5
Oct 2012	1,558	1,558			Equip. problems: 10/23 - 31
Nov 2012	1,391	1,391			
YTD Avg	1,383	1,383			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	166,800	
Feb 2012	163,200	
Mar 2012	213,600	
Apr 2012	230,000	
May 2012	445,500	
Jun 2012	658,600	
Jul 2012	467,000	
Aug 2012	503,900	
Sep 2012	312,300	
Oct 2012	283,000	
Nov 2012	260,800	
Dec 2012	187,500	
YTD Avg	162,175	

Columbia RA 12 I-90/94/39 WB 0.6 mi S of Wisconsin River Site id: 111021

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	18.0	Standard Table:	9	Telephone:	Y	Elect Fountain
Side of Road:	E	Phy Hdcp Tables:	2	Flag Pole:	1	Wastewater: S
Car Parking:	51	Fire Grills:		Info Board:	WM	Exhaust Fan
Truck Parking:	22	Waste Recp:	23	Lighting:	Y	Lawcon:
		Recycle Bins:	27	Water Supply:	W2	

Scenic Overlook: Boat Landing:
Historical Marker: 1 Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	1,250	1,250			Equip. problems: 12/15 - 21
Jan 2012	1,090	1,090			
Feb 2012	1,162	1,162			
Mar 2012	1,297	1,297			Equip. problems: 3/15
Apr 2012	1,426	1,426			
May 2012	1,747	1,747			Equip. problems: 5/26 - 31
Jun 2012	2,040	2,040			Equip. problems: 6/1 - 6
Jul 2012	2,109	2,109			
Aug 2012	2,132	2,132			Equip. problems: 8/16 - 31
Sep 2012	1,703	1,703			Equip. problems: 9/1 - 10
Oct 2012	1,588	1,588			Equip. problems: 10/23 - 31
Nov 2012	1,359	1,359			Equip. problems: 11/16 - 20, 22 - 29
YTD Avg	1,575	1,575			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	151,000	
Feb 2012	162,000	
Mar 2012	209,000	
Apr 2012	232,000	
May 2012	444,000	
Jun 2012	646,000	
Jul 2012	428,000	
Aug 2012	451,000	
Sep 2012	280,000	
Oct 2012	237,000	10/11 - bad water sample
Nov 2012	205,000	
Dec 2012	180,000	
YTD Avg	151,042	

Traffic Count and Water Usage

CY 2012

ADT=Average Daily Traffic AADT=Annual Average Daily Traffic

Prepared by RFW, Inc.

Dodge RA 63 USH 41 SB 2.4 mi NW of E County Line Site id: 148563

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	5.3	Standard Table:	2	Telephone:	Y	Elect Fountain
Side of Road:	W	Phy Hdcp Tables:	2	Flag Pole:	1	Wastewater: M
Car Parking:	46	Fire Grills:		Info Board:	LB	Exhaust Fan
Truck Parking:	22	Waste Recp:	14	Lighting:	Y	Lawcon:
		Recycle Bins:	21	Water Supply	W	

Scenic Overlook: Boat Landing:
Historical Marker: Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	553	553			
Jan 2012	490	490			
Feb 2012	531	531			
Mar 2012	591	591			Equip. problems: 3/15
Apr 2012	670	670			
May 2012	819	819			
Jun 2012	781	781			
Jul 2012	850	850			
Aug 2012	851	851			
Sep 2012	783	783			
Oct 2012	723	723			Equip. problems: 10/31
Nov 2012	672	672			Equip. problems: 11/1 - 5, 11 - 12
YTD Avg	693	693			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	45,300	
Feb 2012	48,300	
Mar 2012	62,200	
Apr 2012	71,400	
May 2012	102,000	
Jun 2012	92,400	
Jul 2012	110,600	
Aug 2012	112,900	
Sep 2012	87,900	
Oct 2012	81,000	
Nov 2012	66,000	
Dec 2012	52,300	
YTD Avg	77,692	

Dodge RA 64 USH 41 NB 2.3 mi NW of E County Line Site id: 148564

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	25.0	Standard Table:	2	Telephone:	Y	Elect Fountain
Side of Road:	E	Phy Hdcp Tables:	2	Flag Pole:	1	Wastewater: M
Car Parking:	49	Fire Grills:		Info Board:	WM	Exhaust Fan
Truck Parking:	12	Waste Recp:	15	Lighting:	Y	Lawcon:
		Recycle Bins:	18	Water Supply	W	

Scenic Overlook: Boat Landing:
Historical Marker: 1 Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	504	504			
Jan 2012	432	432			
Feb 2012	474	474			
Mar 2012	535	535			Equip. problems: 3/15
Apr 2012	612	612			Equip. problems: 4/23 - 25
May 2012	710	710			
Jun 2012	676	676			Inaccurate data due to equipment problems
Jul 2012	831	831			
Aug 2012	802	802			Equip. problems: 8/22 - 27
Sep 2012	696	696			
Oct 2012	645	645			Equip. problems: 10/31
Nov 2012	572	572			Equip. problems: 11/1 - 19
YTD Avg	624	624			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	45,980	
Feb 2012	49,300	
Mar 2012	58,720	
Apr 2012	69,840	
May 2012	84,040	
Jun 2012	131,880	
Jul 2012	83,040	
Aug 2012	79,760	
Sep 2012	68,760	
Oct 2012	57,020	
Nov 2012	47,020	
Dec 2012	42,720	
YTD Avg	68,173	

Traffic Count and Water Usage

CY 2012

ADT=Average Daily Traffic AADT=Annual Average Daily Traffic

Prepared by RFW, Inc.

Douglas RA 23 USH 2 & 53 SB S limits of Superior Site id: 168523

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	20.0	Standard Table:	8	Telephone:	Y	Elect Fountain	
Side of Road:	S	Phy Hdcp Tables:		Flag Pole:	2	Wastewater:	M
Car Parking:	46	Fire Grills:	4	Info Board:	SH	Exhaust Fan	
Truck Parking:	14	Waste Recp:	12	Lighting:	Y	Lawcon:	
		Recycle Bins:	21	Water Supply	M		

Scenic Overlook: Boat Landing:
Historical Marker: 1 Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	118	118			
Jan 2012	103	103			
Feb 2012	113	113			
Mar 2012	133	133			Equip. problems: 3/15
Apr 2012	152	152			
May 2012	177	177			
Jun 2012	336	336			
Jul 2012	331	331			
Aug 2012	344	344			
Sep 2012	293	293			
Oct 2012	212	212			
Nov 2012	141	141			
YTD Avg	204	204			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	8,475	
Feb 2012	5,850	
Mar 2012	8,325	
Apr 2012	6,525	
May 2012	12,150	
Jun 2012	20,625	
Jul 2012	27,000	
Aug 2012	26,325	
Sep 2012	20,700	
Oct 2012	22,575	
Nov 2012	6,900	
Dec 2012	5,550	
YTD Avg	14,250	

Dunn RA 61 I-94 EB 1.5 mi E of STH 25 Site id: 178561

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	15.3	Standard Table:	11	Telephone:	Y	Elect Fountain	
Side of Road:	S	Phy Hdcp Tables:	10	Flag Pole:	2	Wastewater:	M
Car Parking:	45	Fire Grills:		Info Board:	WM	Exhaust Fan	
Truck Parking:	24	Waste Recp:	0	Lighting:	Y	Lawcon:	
		Recycle Bins:	28	Water Supply	M		

Scenic Overlook: Boat Landing:
Historical Marker: 1 Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	879	879			
Jan 2012	760	760			
Feb 2012	791	791			
Mar 2012	942	942			Equip. problems: 3/15
Apr 2012	1,017	1,017			
May 2012	1,076	1,076			
Jun 2012	1,277	1,277			
Jul 2012	1,324	1,324			
Aug 2012	1,362	1,362			
Sep 2012	1,155	1,155			
Oct 2012	1,074	1,074			
Nov 2012	960	960			
YTD Avg	1,051	1,051			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	40,500	
Feb 2012	39,750	
Mar 2012	54,750	
Apr 2012	60,750	
May 2012	69,000	
Jun 2012	86,250	
Jul 2012	104,250	
Aug 2012	111,750	
Sep 2012	70,500	
Oct 2012	66,000	
Nov 2012	57,000	
Dec 2012	51,000	
YTD Avg	67,625	

Traffic Count and Water Usage

CY 2012

ADT=Average Daily Traffic AADT=Annual Average Daily Traffic

Prepared by RFW, Inc.

Dunn RA 62 I-94 WB 2.5 mi W of CTH B Site id: 178562

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	14.0	Standard Table:	11	Telephone:	Y	Elect Fountain
Side of Road:	N	Phy Hdcp Tables:	10	Flag Pole:	2	Wastewater: M
Car Parking:	45	Fire Grills:		Info Board:	WM	Exhaust Fan
Truck Parking:	24	Waste Recp:	23	Lighting:	Y	Lawcon:
		Recycle Bins:	28	Water Supply:	M	

Scenic Overlook: Boat Landing:
Historical Marker: 1 Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	965	965			
Jan 2012	817	817			
Feb 2012	855	855			
Mar 2012	1,033	1,033			Equip. problems: 3/15
Apr 2012	1,146	1,146			
May 2012	1,269	1,269			
Jun 2012	1,413	1,413			
Jul 2012	1,464	1,464			
Aug 2012	1,484	1,484			
Sep 2012	1,255	1,255			
Oct 2012	1,194	1,194			
Nov 2012	1,071	1,071			
YTD Avg	1,164	1,164			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	42,000	
Feb 2012	43,500	
Mar 2012	60,750	
Apr 2012	63,000	
May 2012	67,500	
Jun 2012	78,750	
Jul 2012	88,500	
Aug 2012	85,500	
Sep 2012	65,250	
Oct 2012	63,750	
Nov 2012	54,750	
Dec 2012	49,500	
YTD Avg	63,563	

Grant RA 106 USH 61 & 151 at STH 11 Interchange Site id: 228510

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	25.0	Standard Table:	4	Telephone:	Y	Elect Fountain
Side of Road:	W	Phy Hdcp Tables:	2	Flag Pole:	1	Wastewater: M
Car Parking:	29	Fire Grills:		Info Board:	WM	Exhaust Fan
Truck Parking:	18	Waste Recp:	6	Lighting:	Y	Lawcon:
		Recycle Bins:	19	Water Supply:	W	

Scenic Overlook: Boat Landing:
Historical Marker: Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	286	286			
Jan 2012	250	250			
Feb 2012	268	268			
Mar 2012	330	330			Equip. problems: 3/15
Apr 2012	358	358			
May 2012	392	392			
Jun 2012	432	432			
Jul 2012	466	466			
Aug 2012	439	439			
Sep 2012	403	403			
Oct 2012	382	382			
Nov 2012	319	319			
YTD Avg	360	360			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	14,400	
Feb 2012	15,500	
Mar 2012	21,100	
Apr 2012	21,800	
May 2012	28,700	
Jun 2012	34,400	
Jul 2012	38,800	
Aug 2012	35,500	
Sep 2012	27,900	
Oct 2012	25,900	
Nov 2012	21,100	
Dec 2012	18,500	
YTD Avg	25,300	

Traffic Count and Water Usage

CY 2012

ADT=Average Daily Traffic AADT=Annual Average Daily Traffic

Prepared by RFW, Inc.

Iron RA 103 USH 51 0.2 mi S of USH 2 Site id: 268503

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	14.6	Standard Table:	5	Telephone:	N	Elect Fountain	
Side of Road:	W	Phy Hdcp Tables:	2	Flag Pole:	2	Wastewater:	M
Car Parking:	25	Fire Grills:		Info Board:	WM	Exhaust Fan	Y
Truck Parking:	8	Waste Recp:	9	Lighting:	Y	Lawcon:	
		Recycle Bins:	16	Water Supply	M		

Scenic Overlook: Boat Landing:
Historical Marker: 1 Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	95	95			
Jan 2012	117	117			Equip. problems: 1/14 - 23
Feb 2012	114	114			
Mar 2012	127	127			Equip. problems: 3/15
Apr 2012	123	123			
May 2012	158	158			
Jun 2012	204	204			
Jul 2012	249	249			
Aug 2012	225	225			
Sep 2012	180	180			
Oct 2012	135	135			
Nov 2012	106	106			
YTD Avg	153	153			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	6,616	
Feb 2012	6,754	
Mar 2012	8,413	
Apr 2012	9,472	
May 2012	12,710	
Jun 2012	17,112	
Jul 2012	24,101	
Aug 2012	23,894	
Sep 2012	18,575	
Oct 2012	14,460	
Nov 2012	8,138	
Dec 2012	9,730	
YTD Avg	13,331	

Jackson RA 53 I-94 EB 3 mi N of CTH O at Millston Site id: 270020

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	80.0	Standard Table:	16	Telephone:	Y	Elect Fountain	
Side of Road:	W	Phy Hdcp Tables:	6	Flag Pole:	2	Wastewater:	S
Car Parking:	115	Fire Grills:		Info Board:	WM	Exhaust Fan	
Truck Parking:	41	Waste Recp:	31	Lighting:	Y	Lawcon:	
		Recycle Bins:	42	Water Supply	W		

Scenic Overlook: Boat Landing:
Historical Marker: 2 Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	703	703			
Jan 2012	600	600			
Feb 2012	636	636			
Mar 2012	738	738			Equip. problems: 3/15 - 27
Apr 2012	839	839			
May 2012	984	984			Equip. problems: 5/12, 16, 21
Jun 2012	1,133	1,133			Equip. problems: 6/15
Jul 2012	1,197	1,197			
Aug 2012	1,239	1,239			
Sep 2012	996	996			Equip. problems: 9/26 - 30
Oct 2012	914	914			Equip. problems: 10/1 - 10
Nov 2012	830	830			
YTD Avg	901	901			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	264,300	
Feb 2012	235,275	
Mar 2012	229,425	
Apr 2012	163,725	
May 2012	127,875	
Jun 2012	179,775	
Jul 2012	195,675	
Aug 2012	185,850	
Sep 2012	145,200	
Oct 2012	173,550	
Nov 2012	159,450	
Dec 2012	134,850	
YTD Avg	182,913	

Traffic Count and Water Usage

CY 2012

ADT=Average Daily Traffic AADT=Annual Average Daily Traffic

Prepared by RFW, Inc.

Jackson RA 54 I-94 WB 6 mi N of CTH O at Millston Site id: 270022

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres: 210.0 Standard Table: 17 Telephone: Y Elect Fountain
 Side of Road: E Phy Hdcp Tables: 6 Flag Pole: 2 Wastewater: S
 Car Parking: 85 Fire Grills: Info Board: WM Exhaust Fan
 Truck Parking: 42 Waste Recp: 29 Lighting: Y Lawcon:
 Recycle Bins: 44 Water Supply W

Scenic Overlook: 1 Boat Landing:
 Historical Marker: 3 Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	708	708			
Jan 2012	582	582			
Feb 2012	642	642			
Mar 2012	800	800			Equip. problems: 3/15
Apr 2012	915	915			
May 2012	1,065	1,065			
Jun 2012	-	0			No data collected.
Jul 2012	1,265	1,265			
Aug 2012	1,266	1,266			
Sep 2012	1,034	1,034			
Oct 2012	953	953			
Nov 2012	847	847			
YTD Avg	840	840			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	102,525	
Feb 2012	76,200	
Mar 2012	98,475	
Apr 2012	102,675	
May 2012	121,800	
Jun 2012	152,025	
Jul 2012	165,525	
Aug 2012	173,100	
Sep 2012	172,800	
Oct 2012	156,900	
Nov 2012	147,975	
Dec 2012	77,175	
YTD Avg	128,931	

Jefferson RA 13 I-94 EB 1 mi E of STH 89 Site id: 288513

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres: 26.3 Standard Table: 11 Telephone: Y Elect Fountain
 Side of Road: S Phy Hdcp Tables: 5 Flag Pole: 2 Wastewater: M
 Car Parking: 103 Fire Grills: Info Board: LB Exhaust Fan
 Truck Parking: 28 Waste Recp: 20 Lighting: Y Lawcon:
 Recycle Bins: 40 Water Supply W

Scenic Overlook: Boat Landing:
 Historical Marker: 1 Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	616	616			Equip. problems: 12/9 - 13, 27 - 31
Jan 2012	548	548			Equip. problems: 1/1 - 5
Feb 2012	594	594			
Mar 2012	671	671			Equip. problems: 3/15
Apr 2012	741	741			
May 2012	842	842			
Jun 2012	870	870			
Jul 2012	906	906			
Aug 2012	916	916			
Sep 2012	818	818			
Oct 2012	775	775			
Nov 2012	718	718			
YTD Avg	751	751			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	34,600	
Feb 2012	39,300	
Mar 2012	34,300	
Apr 2012	60,200	
May 2012	60,200	
Jun 2012	85,800	
Jul 2012	76,100	
Aug 2012	91,400	
Sep 2012	64,100	
Oct 2012	85,600	
Nov 2012	52,500	
Dec 2012	39,300	
YTD Avg	60,283	

Traffic Count and Water Usage

CY 2012

ADT=Average Daily Traffic AADT=Annual Average Daily Traffic

Prepared by RFW, Inc.

Jefferson RA 14 I-94 WB 3 mi W of STH 26 Site id: 288514

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	23.8	Standard Table:	11	Telephone:	Y	Elect Fountain	
Side of Road:	N	Phy Hdcp Tables:	6	Flag Pole:	2	Wastewater:	M
Car Parking:	72	Fire Grills:		Info Board:	LB	Exhaust Fan	
Truck Parking:	30	Waste Recp:	22	Lighting:	Y	Lawcon:	
		Recycle Bins:	41	Water Supply	W		

Scenic Overlook: Boat Landing:
Historical Marker: 1 Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	534	534			
Jan 2012	478	478			
Feb 2012	507	507			
Mar 2012	579	579			Equip. problems: 3/15
Apr 2012	632	632			
May 2012	718	718			
Jun 2012	758	758			Equip. problems: 6/6-7
Jul 2012	791	791			
Aug 2012	1,318	1,318			
Sep 2012	738	738			
Oct 2012	774	774			
Nov 2012	1,066	1,066			
YTD Avg	741	741			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	50,179	
Feb 2012	52,247	
Mar 2012	69,292	
Apr 2012	74,926	
May 2012	87,175	
Jun 2012	84,650	
Jul 2012	117,239	
Aug 2012	88,866	
Sep 2012	77,944	
Oct 2012	66,416	
Nov 2012	54,600	
Dec 2012	47,745	
YTD Avg	72,607	

Juneau RA 9 I 90/94 EB 5.3 E mi E of STH 82 Site id: 298509

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	12.1	Standard Table:	8	Telephone:	Y	Elect Fountain	
Side of Road:	SW	Phy Hdcp Tables:	4	Flag Pole:	1	Wastewater:	S
Car Parking:	54	Fire Grills:		Info Board:	WM	Exhaust Fan	Y
Truck Parking:	23	Waste Recp:	25	Lighting:	Y	Lawcon:	
		Recycle Bins:	28	Water Supply	W		

Scenic Overlook: Boat Landing:
Historical Marker: 2 Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	726	726			
Jan 2012	603	603			
Feb 2012	634	634			
Mar 2012	771	771			Equip. problems: 3/14
Apr 2012	854	854			Equip. problems: 4/11
May 2012	967	967			
Jun 2012	1,137	1,137			
Jul 2012	1,179	1,179			
Aug 2012	1,212	1,212			
Sep 2012	1,014	1,014			
Oct 2012	947	947			Equip. problems: 10/6, 11, 14
Nov 2012	862	862			
YTD Avg	909	909			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	41,600	
Feb 2012	39,200	
Mar 2012	56,200	
Apr 2012	65,200	
May 2012	79,800	
Jun 2012	98,600	
Jul 2012	113,400	
Aug 2012	108,000	
Sep 2012	81,100	
Oct 2012	75,900	
Nov 2012	65,200	
Dec 2012	51,500	
YTD Avg	72,975	

Traffic Count and Water Usage

CY 2012

ADT=Average Daily Traffic AADT=Annual Average Daily Traffic

Prepared by RFW, Inc.

Juneau RA 10 I 90/94 WB 6.2 mi E of STH 82 Site id: 298510

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	10.9	Standard Table:	10	Telephone:	Y	Elect Fountain
Side of Road:	NE	Phy Hdcp Tables:	2	Flag Pole:	2	Wastewater: S
Car Parking:	76	Fire Grills:		Info Board:	WM	Exhaust Fan Y
Truck Parking:	25	Waste Recp:	23	Lighting:	Y	Lawcon:
		Recycle Bins:	28	Water Supply	W	

Scenic Overlook: Boat Landing:
Historical Marker: 1 Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	820	820			
Jan 2012	682	682			
Feb 2012	746	746			
Mar 2012	901	901			Equip. problems: 3/15
Apr 2012	1,024	1,024			
May 2012	1,186	1,186			
Jun 2012	1,326	1,326			
Jul 2012	1,373	1,373			
Aug 2012	1,356	1,356			
Sep 2012	1,162	1,162			
Oct 2012	1,084	1,084			
Nov 2012	950	950			
YTD Avg	1,051	1,051			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	58,800	
Feb 2012	57,900	
Mar 2012	83,800	
Apr 2012	102,800	
May 2012	126,400	
Jun 2012	160,300	
Jul 2012	188,700	
Aug 2012	174,200	
Sep 2012	131,600	
Oct 2012	107,400	
Nov 2012	92,200	
Dec 2012	74,200	
YTD Avg	113,192	

Kenosha RA 26, M I 94 WB 1.6 mi N of State Line Site id: 300021

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	28.2	Standard Table:	20	Telephone:	Y	Elect Fountain
Side of Road:	E	Phy Hdcp Tables:	4	Flag Pole:	3	Wastewater: M
Car Parking:	75	Fire Grills:		Info Board:	WM	Exhaust Fan
Truck Parking:	27	Waste Recp:	13	Lighting:	Y	Lawcon:
		Recycle Bins:	27	Water Supply	M	

Scenic Overlook: Boat Landing:
Historical Marker: 2 Welcome Sign: 1

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	561	561			Equip. problems: 12/30 - 31
Jan 2012	453	453			
Feb 2012	500	500			
Mar 2012	552	552			
Apr 2012	604	604			
May 2012	676	676			
Jun 2012	768	768			
Jul 2012	849	849			
Aug 2012	838	838			
Sep 2012	719	719			
Oct 2012	675	675			
Nov 2012	630	630			
YTD Avg	652	652			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	65,000	
Feb 2012	68,000	
Mar 2012	83,000	
Apr 2012	88,000	
May 2012	101,000	
Jun 2012	121,000	
Jul 2012	145,000	
Aug 2012	131,000	
Sep 2012	103,000	
Oct 2012	94,000	
Nov 2012	81,000	
Dec 2012	77,000	
YTD Avg	96,417	

Traffic Count and Water Usage

CY 2012

ADT=Average Daily Traffic AADT=Annual Average Daily Traffic

Prepared by RFW, Inc.

La Crosse RA 15 I-90 EB at E County Line Site id: 328515

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	26.0	Standard Table:	6	Telephone:	Y	Elect Fountain
Side of Road:	S	Phy Hdcp Tables:	1	Flag Pole:	1	Wastewater: S
Car Parking:	48	Fire Grills:		Info Board:	SH	Exhaust Fan Y
Truck Parking:	16	Waste Recp:	7	Lighting:	Y	Lawcon:
		Recycle Bins:	19	Water Supply	W	

Scenic Overlook: Boat Landing:
Historical Marker: 1 Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
------	---------	-----------	----------	-----------	-------------

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	20,900	
Feb 2012	17,800	
Mar 2012	19,600	
Apr 2012	21,300	
May 2012	26,100	
Jun 2012	30,200	
Jul 2012	36,000	
Aug 2012	32,600	
Sep 2012	28,400	9/19 - well shut down
Oct 2012	21,900	
Nov 2012	17,800	
Dec 2012	18,800	
YTD Avg	24,283	

La Crosse RA 31, M I-90 EB 1.4 mi E of State Line Site id: 328531

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	9.1	Standard Table:	12	Telephone:	Y	Elect Fountain
Side of Road:	S	Phy Hdcp Tables:	2	Flag Pole:	1	Wastewater: M
Car Parking:	39	Fire Grills:		Info Board:	SH	Exhaust Fan Y
Truck Parking:	17	Waste Recp:	10	Lighting:	Y	Lawcon:
		Recycle Bins:	21	Water Supply	W	

Scenic Overlook: Boat Landing:
Historical Marker: 2 Welcome Sign: 1

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
------	---------	-----------	----------	-----------	-------------

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	19,600	
Feb 2012	19,000	
Mar 2012	30,500	
Apr 2012	34,300	
May 2012	64,300	
Jun 2012	61,800	
Jul 2012	73,800	
Aug 2012	66,700	
Sep 2012	49,000	
Oct 2012	43,000	
Nov 2012	29,300	
Dec 2012	25,000	
YTD Avg	43,025	

Dec 2011	225	225			
Jan 2012	188	188			
Feb 2012	202	202			
Mar 2012	262	262			Equip. problems: 3/15
Apr 2012	289	289			
May 2012	345	345			
Jun 2012	443	443			
Jul 2012	477	477			
Aug 2012	502	502			Equip. problems: 8/10 - 28
Sep 2012	380	380			
Oct 2012	329	329			
Nov 2012	261	261			
YTD Avg	325	325			

Traffic Count and Water Usage

CY 2012

ADT=Average Daily Traffic AADT=Annual Average Daily Traffic

Prepared by RFW, Inc.

Manitowoc RA 52 I-43 NB 1.1 mi SE of N County Line Site id: 360020

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	40.0	Standard Table:	11	Telephone:	Y	Elect Fountain
Side of Road:	E	Phy Hdcp Tables:	4	Flag Pole:	1	Wastewater: S
Car Parking:	50	Fire Grills:		Info Board:	WM	Exhaust Fan
Truck Parking:	20	Waste Recp:	16	Lighting:	Y	Lawcon:
		Recycle Bins:	28	Water Supply:	W	

Scenic Overlook: Boat Landing:
Historical Marker: 1 Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	376	376			
Jan 2012	313	313			
Feb 2012	335	335			
Mar 2012	368	368			Equip. problems: 3/12
Apr 2012	-	0			No data collected.
May 2012	537	537			
Jun 2012	601	601			
Jul 2012	680	680			
Aug 2012	680	680			
Sep 2012	580	580			
Oct 2012	519	519			
Nov 2012	441	441			
YTD Avg	453	453			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	32,732	
Feb 2012	28,530	
Mar 2012	36,019	
Apr 2012	46,858	
May 2012	72,751	
Jun 2012	115,782	
Jul 2012	139,854	
Aug 2012	105,302	
Sep 2012	97,592	
Oct 2012	64,450	
Nov 2012	46,755	
Dec 2012	41,013	
YTD Avg	68,970	

Manitowoc RA 51 I-43 SB 1.1 mi SE of N County Line Site id: 360021

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	50.0	Standard Table:	11	Telephone:	Y	Elect Fountain
Side of Road:	W	Phy Hdcp Tables:	4	Flag Pole:	1	Wastewater: S
Car Parking:	47	Fire Grills:		Info Board:	WM	Exhaust Fan
Truck Parking:	20	Waste Recp:	17	Lighting:	Y	Lawcon:
		Recycle Bins:	28	Water Supply:	W	

Scenic Overlook: Boat Landing:
Historical Marker: 1 Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	300	300			
Jan 2012	268	268			
Feb 2012	285	285			
Mar 2012	302	302			Equip. problems: 3/12
Apr 2012	-	0			No data collected.
May 2012	453	453			
Jun 2012	484	484			
Jul 2012	564	564			
Aug 2012	545	545			
Sep 2012	507	507			
Oct 2012	440	440			
Nov 2012	368	368			Equip. problems: 11/5
YTD Avg	376	376			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	28,502	
Feb 2012	29,430	
Mar 2012	33,420	
Apr 2012	40,348	
May 2012	67,405	
Jun 2012	104,230	
Jul 2012	135,457	
Aug 2012	79,403	
Sep 2012	78,955	
Oct 2012	53,608	
Nov 2012	35,692	
Dec 2012	28,832	
YTD Avg	59,607	

Traffic Count and Water Usage

CY 2012

ADT=Average Daily Traffic AADT=Annual Average Daily Traffic

Prepared by RFW, Inc.

Manitowoc W-4 USH 42 Lakeshore - Manitowoc Two Rivers Site id: 368504

Maintained by: RFW

Site Type: Seasonal Wayside

Site Info:

Size Acres:	5.0	Standard Table:	12	Telephone:	Elect Fountain
Side of Road:	E	Phy Hdcp Tables:	2	Flag Pole:	Wastewater: M
Car Parking:	66	Fire Grills:	4	Info Board:	SB Exhaust Fan Y
Truck Parking:		Waste Recp:	4	Lighting:	Y Lawcon:
		Recycle Bins:	6	Water Supply:	M

Scenic Overlook: 1 Boat Landing:
Historical Marker: Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
------	---------	-----------	----------	-----------	-------------

WATER:

Date	Water Used (gal.)	Water Note
May 2012	1,650	
Jun 2012	11,625	
Jul 2012	13,200	
Aug 2012	9,975	
Sep 2012	8,025	
Oct 2012	5,925	10/31 - Closed for season
YTD Avg	8,400	

Marquette RA 82 I-39/51 NB 4 mi N of Westfield Site id: 390020

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	43.5	Standard Table:	6	Telephone:	N Elect Fountain
Side of Road:	E	Phy Hdcp Tables:	4	Flag Pole:	1 Wastewater: S
Car Parking:	48	Fire Grills:		Info Board:	WM Exhaust Fan Y
Truck Parking:	30	Waste Recp:	24	Lighting:	Y Lawcon:
		Recycle Bins:	22	Water Supply:	W

Scenic Overlook: Boat Landing:
Historical Marker: 1 Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
------	---------	-----------	----------	-----------	-------------

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	16,200	
Feb 2012	18,700	
Mar 2012	23,400	
Apr 2012	26,500	
May 2012	38,000	
Jun 2012	42,800	
Jul 2012	52,500	
Aug 2012	52,600	
Sep 2012	38,800	
Oct 2012	30,900	
Nov 2012	22,500	
Dec 2012	20,900	
YTD Avg	31,983	

Dec 2011	326	326	Equip. problems: 12/1 - 8
Jan 2012	267	267	
Feb 2012	288	288	
Mar 2012	350	350	Equip. problems: 3/15
Apr 2012	387	387	
May 2012	522	522	
Jun 2012	506	506	Equip. problems: 6/6
Jul 2012	554	554	
Aug 2012	537	537	Equip. problems: 8/30
Sep 2012	455	455	Equip. problems: 9/28 - 30
Oct 2012	410	410	
Nov 2012	338	338	Equip. problems: 11/6
YTD Avg	412	412	

Traffic Count and Water Usage

CY 2012

ADT=Average Daily Traffic AADT=Annual Average Daily Traffic

Prepared by RFW, Inc.

Marquette RA 81 I-39/51 SB 0.5 mi S of N County Line Site id: 390021

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	54.6	Standard Table:	9	Telephone:	N	Elect Fountain	
Side of Road:	W	Phy Hdcp Tables:	2	Flag Pole:	1	Wastewater:	S
Car Parking:	58	Fire Grills:		Info Board:	WM	Exhaust Fan	Y
Truck Parking:	20	Waste Recp:	12	Lighting:	Y	Lawcon:	
		Recycle Bins:	19	Water Supply	W		

Scenic Overlook: Boat Landing:
Historical Marker: Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	228	228			
Jan 2012	213	213			
Feb 2012	232	232			
Mar 2012	257	257			Equip. problems: 3/15
Apr 2012	294	294			
May 2012	396	396			
Jun 2012	468	468			Equip. problems: 6/6
Jul 2012	549	549			
Aug 2012	535	535			
Sep 2012	454	454			
Oct 2012	381	381			
Nov 2012	297	297			
YTD Avg	359	359			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	14,100	
Feb 2012	13,700	
Mar 2012	17,100	
Apr 2012	22,100	
May 2012	30,100	
Jun 2012	37,900	
Jul 2012	49,800	
Aug 2012	46,500	
Sep 2012	34,400	
Oct 2012	32,400	
Nov 2012	20,200	
Dec 2012	16,800	
YTD Avg	27,925	

Monroe RA 16 I-90 WB 1.2 mi E of West County Line Site id: 418516

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	32.0	Standard Table:	13	Telephone:	Y	Elect Fountain	
Side of Road:	N	Phy Hdcp Tables:	2	Flag Pole:	1	Wastewater:	S
Car Parking:	44	Fire Grills:		Info Board:	SH	Exhaust Fan	Y
Truck Parking:	16	Waste Recp:	6	Lighting:	Y	Lawcon:	
		Recycle Bins:	21	Water Supply	W		

Scenic Overlook: Boat Landing:
Historical Marker: 1 Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Jan 2012					
Feb 2012					
Mar 2012					
Apr 2012					
May 2012					
Jun 2012					
Jul 2012					
Aug 2012					
Sep 2012					
Oct 2012					
Nov 2012					
Dec 2012					
YTD Avg					

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	37,900	
Feb 2012	27,400	
Mar 2012	27,300	
Apr 2012	32,300	
May 2012	42,900	
Jun 2012	51,500	
Jul 2012	61,200	
Aug 2012	52,800	
Sep 2012	40,900	
Oct 2012	34,400	
Nov 2012	31,300	
Dec 2012	29,800	
YTD Avg	39,142	

Traffic Count and Water Usage

CY 2012

ADT=Average Daily Traffic AADT=Annual Average Daily Traffic

Prepared by RFW, Inc.

Rock RA 17 I-90/39 EB 1.4 mi S of CTH M Site id: 530017

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres: 60.0	Standard Table: 16	Telephone: Y	Elect Fountain
Side of Road: W	Phy Hdcp Tables: 7	Flag Pole: 1	Wastewater: M
Car Parking: 83	Fire Grills:	Info Board: SH	Exhaust Fan
Truck Parking: 44	Waste Recp: 18	Lighting: Y	Lawcon:
	Recycle Bins: 28	Water Supply: W2	

Scenic Overlook: Boat Landing:
Historical Marker: 1 Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	1,008	1,008			
Jan 2012	943	943			
Feb 2012	970	970			
Mar 2012	1,113	1,113			Equip. problems: 3/15
Apr 2012	1,175	1,175			
May 2012	373	373			
Jun 2012	628	628			
Jul 2012	599	599			
Aug 2012	-	0			No Data Collected
Sep 2012	-	0			No Data Collected
Oct 2012	-	0			No Data Collected
Nov 2012	-	0			No Data Collected
YTD Avg	567	567			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	62,100	
Feb 2012	60,600	
Mar 2012	77,625	
Apr 2012	84,900	
May 2012	50,625	
Jun 2012	123,075	
Jul 2012	163,500	
Aug 2012	147,525	
Sep 2012	103,950	
Oct 2012	95,025	
Nov 2012	72,450	
Dec 2012	63,000	
YTD Avg	92,031	

Rock RA 22, M I 90/39 WB 1 mi N of State Line Site id: 538522

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres: 38.5	Standard Table: 17	Telephone: Y	Elect Fountain
Side of Road: E	Phy Hdcp Tables: 5	Flag Pole: 2	Wastewater: M
Car Parking: 71	Fire Grills:	Info Board: SH	Exhaust Fan
Truck Parking: 30	Waste Recp: 27	Lighting: Y	Lawcon:
	Recycle Bins: 30	Water Supply: W2	

Scenic Overlook: Boat Landing:
Historical Marker: 2 Welcome Sign: 1

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	1,107	1,107			
Jan 2012	965	965			
Feb 2012	1,011	1,011			
Mar 2012	1,203	1,203			Equip. problems: 3/15
Apr 2012	1,353	1,353			Equip. problems: 11/20
May 2012	541	541			
Jun 2012	1,013	1,013			
Jul 2012	1,220	1,220			
Aug 2012	1,081	1,081			
Sep 2012	788	788			
Oct 2012	682	682			
Nov 2012	765	765			
YTD Avg	977	977			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	74,800	
Feb 2012	73,800	
Mar 2012	103,700	
Apr 2012	120,000	
May 2012	71,000	
Jun 2012	176,500	
Jul 2012	217,800	
Aug 2012	183,000	
Sep 2012	131,200	
Oct 2012	114,600	
Nov 2012	94,000	
Dec 2012	91,500	
YTD Avg	120,992	

Traffic Count and Water Usage

CY 2012

ADT=Average Daily Traffic AADT=Annual Average Daily Traffic

Prepared by RFW, Inc.

Walworth RA 35 I-43 NB 3.5 NE of USH 12 Site id: 648535

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	50.0	Standard Table:	2	Telephone:	Y	Elect Fountain
Side of Road:	E	Phy Hdcp Tables:	1	Flag Pole:	1	Wastewater: S
Car Parking:	47	Fire Grills:		Info Board:	WM	Exhaust Fan
Truck Parking:	15	Waste Recp:	9	Lighting:	Y	Lawcon:
		Recycle Bins:	24	Water Supply:	W	

Scenic Overlook: Boat Landing:
Historical Marker: Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	311	311			
Jan 2012	286	286			
Feb 2012	317	317			
Mar 2012	345	345			Equip. problems: 3/15
Apr 2012	365	365			
May 2012	325	325			
Jun 2012	432	432			
Jul 2012	426	426			
Aug 2012	439	439			
Sep 2012	405	405			
Oct 2012	381	381			
Nov 2012	335	335			Equip. problems: 11/16
YTD Avg	364	364			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	24,400	
Feb 2012	23,300	
Mar 2012	29,400	
Apr 2012	62,100	
May 2012	31,100	
Jun 2012	46,900	
Jul 2012	55,100	
Aug 2012	46,800	
Sep 2012	37,800	
Oct 2012	35,100	
Nov 2012	29,500	
Dec 2012	26,400	
YTD Avg	37,325	

Walworth RA 36 I-43 SB 3.2 mi SW of STH 120 Site id: 648536

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres:	45.0	Standard Table:	2	Telephone:	Y	Elect Fountain
Side of Road:	W	Phy Hdcp Tables:	1	Flag Pole:	1	Wastewater: S
Car Parking:	47	Fire Grills:		Info Board:	WM	Exhaust Fan
Truck Parking:	14	Waste Recp:	8	Lighting:	Y	Lawcon:
		Recycle Bins:	17	Water Supply:	W	

Scenic Overlook: Boat Landing:
Historical Marker: Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	281	281			
Jan 2012	268	268			
Feb 2012	290	290			
Mar 2012	311	311			Equip. problems: 3/15
Apr 2012	332	332			
May 2012	390	390			
Jun 2012	418	418			
Jul 2012	401	401			
Aug 2012	410	410			
Sep 2012	372	372			
Oct 2012	346	346			
Nov 2012	307	307			
YTD Avg	344	344			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	15,200	
Feb 2012	15,700	
Mar 2012	18,500	
Apr 2012	21,500	
May 2012	27,600	
Jun 2012	36,000	
Jul 2012	34,700	
Aug 2012	31,000	
Sep 2012	25,000	
Oct 2012	23,200	
Nov 2012	20,600	
Dec 2012	33,400	
YTD Avg	25,200	

Traffic Count and Water Usage

CY 2012

ADT=Average Daily Traffic AADT=Annual Average Daily Traffic

Prepared by RFW, Inc.

Waupaca RA 101 USH 45 at E limits of Marion Site id: 688501

Maintained by: RFW

Site Type: Rest Area

Site Info:

Size Acres: 23.8	Standard Table: 8	Telephone: Y	Elect Fountain
Side of Road: W	Phy Hdcp Tables: 4	Flag Pole: 1	Wastewater: M
Car Parking: 36	Fire Grills:	Info Board: SB3	Exhaust Fan Y
Truck Parking: 17	Waste Recp: 10	Lighting: Y	Lawcon:
	Recycle Bins: 19	Water Supply M	

Scenic Overlook: Boat Landing:
Historical Marker: Welcome Sign:

TRAFFIC:

Date	Car ADT	Truck ADT	Comb ADT	Total ADT	TrafficNote
Dec 2011	78	78			
Jan 2012	73	73			
Feb 2012	77	77			
Mar 2012	84	84			Equip. problems: 3/15
Apr 2012	100	100			
May 2012	149	149			Equip. problems: 5/15 -16
Jun 2012	159	159			
Jul 2012	167	167			
Aug 2012	171	171			Equip. problems: 8/30-31
Sep 2012	-	0			No data collected. Traffic counter down - no replacement.
Oct 2012	-	0			No data collected. Traffic counter down - no replacement.
Nov 2012	-	0			No data collected. Traffic counter down - no replacement.
YTD Avg	88	88			

WATER:

Date	Water Used (gal.)	Water Note
Jan 2012	1,560	
Feb 2012	1,750	
Mar 2012	1,980	
Apr 2012	20,480	4/27 - Valve open all night fixed in the am on the 28th.
May 2012	3,530	
Jun 2012	4,290	
Jul 2012	8,820	
Aug 2012	6,180	
Sep 2012	5,660	
Oct 2012	4,850	
Nov 2012	3,800	
Dec 2012	2,960	
YTD Avg	5,488	



Rehabilitation For Wisconsin , Inc.
2000 Engel Street, Suite 100
Madison, WI 53713-4822

Phone/TTY: (608) 244-5310

Fax: (608) 244-9097

Email: r fw@r fw.org

Website: ram.r fw.org/RAM.htm