Baseline Assessment – Stream Attributes

Reach S-F8 (Pipeline ROW) Perennial Spread I Franklin County, Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope <4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Lack of habitat
Wolman Pebble Count	✓
RiverMorph Data Sheet	✓
USM Form (Virginia Only)	✓
Longitudinal Profile and Cross Sections	✓



Photo Type: RB US VIEW Location, Orientation, Photographer Initials: Downstream at ROW/LOD on right bank looking S upstream, DW



Location, Orientation, Photographer Initials: Upstream at ROW/LOD on right bank looking N downstream, DW



Photo Type: DS COND Location, Orientation, Photographer Initials: Downstream at ROW/LOD looking N downstream, DW



Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking E at right streambank, DW



Photo Type: RB CL Location, Orientation, Photographer Initials: On thalweg at pipe centerline looking W at left streambank, DW



Location, Orientation, Photographer Initials: Upstream at ROW/LOD looking S upstream, DW



Photo Type: LB DS VIEW Location, Orientation, Photographer Initials: Upstream at ROW/LOD on left bank looking N downstream, DW



Location, Orientation, Photographer Initials: Upstream at ROW/LOD on left bank looking S upstream, DW

### APPAT TREATMENT OF DISTRICT CONTROL OF THE CASE OF	USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mount	tain Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	37.057724	Lon.	-79.836406	WEATHER:	Sunny	DATE:	August 2	26, 2021
Second				S-F8, 52	29.23 ac							Comments:		
Many Control And American Services Many Cont	STREAM IMPACT LENGTH:	83		RESTORATION (Levels I-III)		Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:		
Part Street Channel Stage 18	Column No. 1- Impact Existin	ng Condition (Debit))	Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)				Years			Column No. 5- Mitigation Projecte	ed at Maturity (C	redit)
Mode Some planch data forms	Stream Classification:	Perenn	nial	Stream Classification:			Stream Classification:		0			Stream Classification:	0)
Marriage	Percent Stream Channel S	lope	1.05	Percent Stream Channel Slo	pe	Ī	Percent Stream Channel Slo	ppe	0	Percent Stream Channel Slo	оре 0	Percent Stream Channel Sl	оре	0
Microsoft Cycling	HGM Score (attach o	data forms):		HGM Score (attach d	lata forms):		HGM Score (attach o	data forms):		HGM Score (attach da	ata forms):	HGM Score (attach da	ita forms):	
Expectational Cycling			Average		Average			1	Average		Average		1	Average
## PART - Pyrysia, Chemical and Biological Indicators Name Na	Hydrology Biogeochemical Cycling		0	Biogeochemical Cycling	0		Biogeochemical Cycling		0	Biogeochemical Cycling	0	Biogeochemical Cycling		0
PMTSCAL NDCATOR (Applies to all colors described in the Series PMTSCAL NDCATOR (Applies to all colors described in the Series PMTSCAL NDCATOR (Applies to all colors described in the Series PMTSCAL NDCATOR (Applies to all colors described in the Series PMTSCAL NDCATOR (Applies to all colors described in the Series PMTSCAL NDCATOR (Applies to all colors described in the Series PMTSCAL NDCATOR (Applies to descri	PART I - Physical, Chemical an	d Biological Indicat	ors		d Biological Indicators			d Biological Ir	dicators		Biological Indicators		Biological Indica	ators
SEPA REP (Nation Calculate Name) SEPA REP (Name Control Calculate Name)		Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale Rang	Site Score		Points Scale Range Site Score		Points Scale Range	Site Score
Figure Statistical Available Cover 50	PHYSICAL INDICATOR (Applies to all stream	ns classifications)		PHYSICAL INDICATOR (Applies to all streams of	classifications)		PHYSICAL INDICATOR (Applies to all streams of	classifications)	1	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)	
Control Mode Cont	USEPA RBP (High Gradient Data Sheet)						USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		
Section Control Cont			20											
Sectioned Deposition Social Sectioned Deposition Socia														
Channel Attendance Channel			18	Sediment Deposition			Sediment Deposition			4. Sediment Deposition		Sediment Deposition		
Frequency of Filters (or benefits)														
B. Barn Stability (E. 8 RB)				0. 0										
10. Rigorativ Vegetative Zore Wide; (L8 ARS) 0.30 1.50 1.														
Total REP Score			16			-								
CHEMICAL INDICATOR (Applies to intermittent and Personnal Streams) WIVDEP Water Quality Indicators (General) Specific Conductivity	Total RBP Score		176				Total RBP Score		0	Total RBP Score		Total RBP Score		0
W/DEP Water Quality Indicators (General) Specific Conductivity Specific Co	Sub-Total			Sub-Total	0		Sub-Total		Ō	Sub-Total	0	Sub-Total		0
Specific Conductivity	CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial Strea	ams)	CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermittent	and Perennial	Streams)	CHEMICAL INDICATOR (Applies to Intermitten	at and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Str	reams)
System Condition Index (WVSCI) Sub-Total Sub-Tot		al)												
##		0.00	50.0	opeome conductivity	0.00		opcome conductivity	0.00		opeome conductivity	0.00	opecine conductivity	0.00	
Column C	<=99 - 90 points	0-90	59.9		0-90			0-90			0-90		0-90	
Column C	pH	0.1		рН	0.1		рН	0.1		рН	0.1	рН	0.1	
Sub-Total	6.0-8.0 = 80 points	0-80	7.27		5-90			5-90			5-90		5-90	
Sub-Total	DO			DO			DO			DO		DO		
Sub-Total 1 Sub-Total 2 Sub-Total 3 Sub-Total 3 Sub-Total 4 Sub-Total 4 Sub-Total 5 Su	.50 00 11	10-30	6.67		10-30			10-30			10-30		10-30	
BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WVSCI) O 0-100 0-1 0-10 0-1 0-10 0-1 0-10 0-1 0-1			1	Sub-Total	0	1	Sub-Total		0	Sub-Total	0	Sub-Total	l	0
O 0-100 0-1 0-100 0-1 0-100 0-1 0-100 0-1 0-1		ittent and Perennial St	reams)		ent and Perennial Streams)			ttent and Peren	nial Streams)		ittent and Perennial Streams)		ittent and Perenni	ial Streams)
Sub-Total 0 Sub-To	WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		
PART II - Index and Unit Score Index Index Linear Feet Unit Score Index Linear Feet Unit Score Index Unit Score Index Linear Feet Unit Score	0	0-100 0-1			0-100 0-1			0-100 0-1			0-100 0-1		0-100 0-1	
PART II - Index and Unit Score Index Index Linear Feet Unit Score Index Linear Feet Unit Score Index Unit Score Index Linear Feet Unit Score	Sub-Total		0	Sub-Total	0		Sub-Total	L	0	Sub-Total	0	Sub-Total		0
Index Linear Feet Unit Score Index Linear Feet Unit Score Index Linear Feet Unit Score U			- 1		<u> </u>	-	-		· · ·		*			
	PART II - Index and	Unit Score		PART II - Index and t	Unit Score		PART II - Index and	Unit Score		PART II - Index and Ur	nit Score	PART II - Index and U	nit Score	
0.940 83 78.02 0 0 0 0 0 0 0 0 0 0	Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet	Unit Score
	0.940	83	78.02	0	0 0		0	0	0	0	0 0	0	0	0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET#	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE	REASON FOR SURVEY			

WEATHER CONDITIONS	Now Past 24 hours Yes No storm (heavy rain) rain (steady rain) showers (intermittent) % cloud cover clear/sunny Has there been a heavy rain in the last 7 days? Yes No Air Temperature 0 C Other
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) RDAD RDAD RDAD ROAD ROAD
	P.DU Pige Sueport
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Warmwater Stream Origin Glacial Spring-fed Non-glacial montane Swamp and bog Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field/ Agric	Pasture Industr	ercial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	me potential sources		
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type an	Shrubs		erbaceous		
INSTREA FEATURI		Estimat Samplin Area in Estimat	km² (m²x1000) ed Stream Depth Velocity	m m² km² m	High Water Mark Proportion of Reach R Morphology Types Riffle Pool Channelized Yes	Run%		
LARGE V DEBRIS	VOODY		m² of LWD	m ² /km ² (LWD/	reach area)			
AQUATIO VEGETA		Roote Floati Domin a	ed emergent Fing Algae A	Rooted submerge Attached Algae		e e e e e e e e e e e e e e e e e e e		
WATER (QUALITY	Specific Dissolve pH Turbidi	cature0 C Conductance ed Oxygen ty ttrument Used	_	Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear □ Slightly tu Opaque Stained	Chemical Other Globs Flecks		
SUBSTRATE		Odors Norm Chem Other	ical Anaerobic		are the undersides blac	Othereh are not deeply embedded,		
		Ausci	n Siigin Model	ate Floiu	se res no			
INC		STRATE (dd up to 1	COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add			
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area		
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)			
Boulder	> 256 mm (10")				materiais (CrOWI)			
Cobble	64-256 mm (2.5	"-10")		Muck-Mud	black, very fine organic (FPOM)			
Gravel	2-64 mm (0.1"-2	2.5")			(ITOM)			

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.			
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).			
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Ps	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Conditi	on Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.				
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	areas of erosion; high erosion potential during	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.				
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
Parameters to	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potentia to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.				
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.				
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
1	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION					
STATION #	_ RIVERMILE	STREAM CLASS					
LAT	LONG	RIVER BASIN					
STORET#		AGENCY					
INVESTIGATORS			LOT NUMBER				
FORM COMPLETED BY		DATE REASON FOR SURVEY TIME					
HABITAT TYPES	Indicate the percentage of each habitat type present						

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand
	Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3 = Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Franklin County Stream ID: S-F8

Stream Name: UNT to Maggodee Creek

HUC Code: 03010101 Basin: Upper Roanoke

Survey Date: 8/26/2021 Surveyors: JM, DW Type: Representative

Inches	PARTICLE	Millimeters	LE COUNT	Particle	Total #	Item %	% Cur
menes	TARTICLE	Willimeters		Count	10tal#	Item 70	/6 Cui
	Silt/Clay	< .062	S/C	‡	26	26.00	26.00
	Very Fine	.062125		.	0	0.00	26.00
	Fine	.12525	1	.	0	0.00	26.00
	Medium	.255	SAND	•	0	0.00	26.00
	Coarse	.50-1.0	1	^	0	0.00	26.00
.0408	Very Coarse	1.0-2		•	0	0.00	26.00
.0816	Very Fine	2 -4		.	0	0.00	26.00
.1622	Fine	4 -5.7		.	1	1.00	27.00
.2231	Fine	5.7 - 8	1	•	4	4.00	31.00
.3144	Medium	8 -11.3	1	-	7	7.00	38.00
.4463	Medium	11.3 - 16	GRAVEL	•	8	8.00	46.00
.6389	Coarse	16 -22.6		•	7	7.00	53.00
.89 - 1.26	Coarse	22.6 - 32		•	4	4.00	57.00
1.26 - 1.77	Vry Coarse	32 - 45		^	2	2.00	59.00
1.77 -2.5	Vry Coarse	45 - 64	1	•	4	4.00	63.00
2.5 - 3.5	Small	64 - 90		^	4	4.00	67.00
3.5 - 5.0	Small	90 - 128	1	^	5	5.00	72.00
5.0 - 7.1	Large	128 - 180	COBBLE	^	6	6.00	78.00
7.1 - 10.1	Large	180 - 256	1	^	8	8.00	86.00
10.1 - 14.3	Small	256 - 362		^	2	2.00	88.00
14.3 - 20	Small	362 - 512	1	^	0	0.00	88.00
20 - 40	Medium	512 - 1024	BOULDER	•	0	0.00	88.00
40 - 80	Large	1024 -2048	1	•	0	0.00	88.00
80 - 160	Vry Large	2048 -4096	1	•	0	0.00	88.00
	Bedrock		BDRK	‡	12	12.00	100.0
			†	Totals:	100		

RIVERMORPH PARTICLE SUMMARY

UNT to Maggodee Creek

River Name: UNT to Maggode Reach Name: S-F8
Sample Name: Representative 08/26/2021

Size (mm)	TOT #	ITEM %	CUM %
0 - 0.062 0.062 - 0.125 0.125 - 0.25 0.25 - 0.50 0.50 - 1.0 1.0 - 2.0 2.0 - 4.0 4.0 - 5.7 5.7 - 8.0 8.0 - 11.3 11.3 - 16.0 16.0 - 22.6 22.6 - 32.0 32 - 45 45 - 64 64 - 90 90 - 128 128 - 180 180 - 256 256 - 362 362 - 512 512 - 1024 1024 - 2048 Bedrock	26 0 0 0 0 0 1 4 7 8 7 4 2 4 4 5 6 8 2 0 0 0 1 2	26.00 0.00 0.00 0.00 0.00 0.00 1.00 4.00 7.00 8.00 7.00 4.00 2.00 4.00 2.00 4.00 5.00 6.00 8.00 2.00 0.00 0.00 0.00	26.00 26.00 26.00 26.00 26.00 27.00 31.00 38.00 46.00 53.00 57.00 59.00 63.00 67.00 72.00 78.00 86.00 88.00 88.00 88.00 88.00
D16 (mm) D35 (mm) D50 (mm) D84 (mm) D95 (mm) D100 (mm) Silt/Clay (%) Sand (%) Gravel (%) Cobble (%) Boulder (%) Bedrock (%)	0.04 9.89 19.77 237 Bedrock Bedrock 26 0 37 23 2		

Total Particles = 100.

			Strear	n Ass	essm	ent Fo	orm (F	orm '	1)		
					tream Method	lology for use	in Virginia		• ,		
Project #	Projec	ct Name (App		Locality	Cowardin	HUC	Date	SAR#	Impact	Impact	
22865.06	Mountain Valley Pipeline (Mountain Valley Pipeline, LLC)			Franklin County	Class. R3	03010101	8/26/2021	S-F8	Length 83	Factor 1	
Name	Name(s) of Evaluator(s)			e and Informa	ition				SAR Length		
JM, DW			UNT to Magg	odee Creek					83		
1. Channel C	ondition: Asse	ss the cross-secti	on of the stream a	and prevailing con	dition (erosion, ag	gradation)					
	Opti	imal	Subo	ptimal	Conditional Catego	ory ginal	Pr	oor	Sev	oro	
Channel	Very little incision or	r active erosion; 80- Vegetative surface	Slightly incised, f	ew areas of active cted banks. Majority table (60-80%).	Often incised, but Poor. Banks more	less than Severe or stable than Severe wer bank slopes.	Overwidened/in	cised. Vertically / e. Likely to widen both banks are near	Deeply incised vertical/lateral in:	(or excavated), stability. Severe	
Condition	(80-100%). AND/OF bankfull benches at to their original fi developed wide ban channel bars and tr Transient sediment less than 10°	R Stable point bars / re present. Access loodplain or fully kfull benches. Mid- ansverse bars few. t deposition covers % of bottom.	Vegetative protec prominent (60 Depositional feat stability. The bac channels are well d has access to be newly developed portions of the sediment cover- stream	tion or natural rock -80%) AND/OR -ROWN AND/OR tures contribute to nkfull and low flow efined. Stream likely inkfull benches,or floodplains along reach. Transient s 10-40% of the bottom.	Erosion may be pr both banks. Vege 40-60% of banks. S vertical or und 40-60% Sediment transient, contr Deposition that cc may be forming/p shaped channel protection on > 40 depositional featur to ste	esent on 40-60% of tative protection on treambanks may be ercut. AND/OR may be temporary / ibute instability. ntribute to stability, resent. AND/OR V- shave vegetative % of the banks and es which contribute ability.	vertical. Erosion pr banks. Vegetative on 20-40% of bank to prevent erosion. the stream is cov. Sediment is temp nature, and contri AND/OR V-shap vegetative protect 40% of the banks a deposition	esent on 60-80% of protection present s, and is insufficient AND/OR 60-80% of ered by sediment. orary / transient in buting to instability, sed channels have tion is present on > and stable sediment is absent.	Streambed below av majority of banks Vegetative protect i than 20% of banks erosion. Obvious present. Erosion/raw AND/OR Aggradin than 80% of stream deposition, contrib Multiple thread of subterran	erage rooting depth, vertical/undercut. on present on less i, is not preventing 5 bank sloughing banks on 80-100%. g channel. Greater bed is covered by utting to instability. channels and/or ean flow.	CI
Scores	3	3	2	.4		2	1	.6	1		2.40
2. RIPARIAN	Opti		Cor	areas along the enditional Cate ptimal	gory	ginal	Po	oor	NOTES>>		
Riparian Buffers	Tree stratum (dbh > with > 60% tree Wetlands located are	canopy cover. within the riparian	tree stratum (dbb > 3 inches) present, with 30% to 60% tree canopy cover and containing both herbaceous and shrub layers or a non-maintained understory.	Riparian areas with tree stratum (dbh > 3 inches) present, with 30% to 60% tree canopy cover and a maintained understory. Recent	High Marginal: Non-maintained, dense herbaceous vegetation with either a shrub layer or a tree layer (dbh > 3 inches) present, with <30% tree canopy cover.	Low Marginal: Non-maintained, dense herbaceous vegetation, riparian areas lacking shrub and tree stratum, hay production, ponds, open water. If present, tree stratum (dbh > 3 inches) present, with <30% tree canopy cover with maintained understory.	High Poor: Lawns, mowed, and maintained areas, nurseries; no-till cropland; actively grazed pasture, sparsely vegetated non-maintained area, recently seeded and stabilized, or other comparable condition.	Low Poor: Impervious surfaces, mine spoil lands, denuded surfaces, row crops, active feed lots, trails, or other comparable conditions.			
			High	Low	High	Low	High	Low	1		
Scores	1.	.5	1.2	1.1	0.85	0.75	0.6	0.5	4		
2. Determine squ	parian areas along each stream bank into Condition Categories and Condition Scores using the descriptors. Ensure the sums of % Riparian										
	iparian Area and S % Riparian Area>	10%	90%	ne blocks below.			DIOCKS	equal 100 100%	-		
Right Bank	Score >	0.85	0.5								
	% Riparian Area>	30%	70%					100%	CI= (Sum % RA * Sci	ores*0.01)/2 0.54	CI
Left Bank	% Riparian Area>	0.6	0.5					100 /0	Lt Bank CI >	0.54	0.53
3. INSTREAM	I HABITAT: Va			and depths: woody	y and leafy debris	stable substrate:	low embededness	s; shade; undercu	t banks; root mats; \$		2.00
complexes, stabl			, Tolodity (,,		.,	
Instream	Opti	imal	Subo	Conditiona ptimal	al Category Mar	ginal	D,	oor	NOTES>>		
Habitat/ Available Cover		re typically present	Stable habitat ele present in 30-50% adequate for r	ments are typically of the reach and are maintenance of ations.	Marginal Stable habitat elements are typically present in 10-30% of the reach and are adequate for maintenance of populations.		Poor Habitat elements listed above are lacking or are unstable. Habitat elements are typically present in less than 10% of the reach.		at less		2 1
Scores	1.5		5 12		-	9	0.5		Stream Gradient High / Low		CI

Scores

1.5

1.2

0.9

0.5

High / Low

1.50

Stream Impact Assessment Form Page 2										
Project #	Project Name (App	Locality	Cowardin Class.	нис	Date	SAR#	Impact Length	Impact Factor		
22865.06	Mountain Valley Pipeline (Mountain Valley Pipeline, LLC)		Franklin County	R3	03010101	8/26/2021	S-F8	83	1	
4. CHANNEL ALTERATION: Stream crossings, riprap, concrete, gabions, or concrete blocks, straightening of channel, channelization, embankments, spoil piles, constrictions, livestock										
	Negligible	Conditional Category or Moderate Severe				ere	NOTES>>			
Channel Alteration		Less than 20% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	20-40% of the stream reach is disrupted by any of the channel alterations listed in the parameter guidelines.	of the channel	is disrupted by any of the channel	Greater than 80% o by any of the chann in the parameter g 80% of banks sho riprap, or	f reach is disrupted el alterations listed uidelines AND/OR ored with gabion,			
Scores	1.5	1.3	1.1	0.9	0.7	0.	5			
	REACH	CONDITION	INDEX and S	STREAM CO	NDITION UN	ITS FOR THI	S REACH			


NOTE: The CIs and RCI should be rounded to 2 decimal places. The CR should be rounded to a whole number.

THE REACH CONDITION INDEX (RCI) >> 1.07

RCI= (Sum of all Cl's)/5, except if stream is ephemeral RCI = (Riparian Cl/2)

COMPENSATION REQUIREMENT (CR) >>


CR = RCI X L_I X IF




 ${\color{red}{\sf CAPTION}}. \ {\color{blue}{\sf Assessment}} \ {\color{blue}{\sf is}} \ {\color{blue}{\sf limited}} \ {\color{blue}{\sf to}} \ {\color{blue}{\sf areas}} \ {\color{blue}{\sf within}} \ {\color{blue}{\sf the}} \ {\color{blue}{\sf temporary}} \ {\color{blue}{\sf ROW}}.$

DESCRIBE PROPOSED IMPACT:


PROVIDED UNDER SEPARATE COVER






(IN FEET) 1 inch = 20 ft.


CL STAKEOUT POINTS: S-F8 CROSS SECTION B (PIPE CL)										
	PR	E-CROSSING	POST-CROSSING							
DT LOC	NODTHING	FACTING		VERT.	HORZ.					
PT. LOC.	NORTHING	EASTING	ELEV	DIFF.	DIFF.					
TS-L	13457675.18	1979817.75	874.53							
B\$-L	13457673.44	1979819.16	874.33							
THW	13457671.20	1979820.66	873.72							
BS-R	13457658.39	1979830.27	874.56							
TS-R	13457650.92	1979835.45	878.76							





SURVEY NOTES:

- 1. This map has been oriented to NAD 1983 UTM ZONE 17N, and vertically to The North American Vertical Datum of 1988 (NAVD 88), using a Real Time Network (RTN) GPS. Field locations were completed on October 4, 2018.
- 2. Monumentation, including traverse stations and fly points, shown on this drawing should be used to orient any future boundary, topographic, or location survey.
- 3. Easement lines shown on plan view were provided by Mountain Valley Pipeline (MVP).
- 4. WSSI Contour Interval = 2.0'. Contours within the channel were interpolated using stream channel breaklines (i.e. top of slopes, toe of slopes, thalweg) and cross-sectional points. Contours outside the channel were interpolated using cross-sectional spot shots.
- 5. All section views shown are left to right facing downstream.
- 6. Cross-section B shot at location of pipe centerline (based on best professional judgement).





PRE-CROSSING PHOTOS

268.6)

Horizontal Datum: NAD 1983 UTM ZONE 1

Sheet #

1 of 1

Approved

NAS

Vertical Datum: NAVD 88

Boundary and Topo Source:


PFS SIH


Computer File Name:


2865_03 S-I MP 268-278 Sheets.dwg


Survey\22000s\22800\22865.03\Spread I Work Dwgs

WSSI 2' C.I. Topo









CROSS SECTION H: 1"=10' SCALE: V: 1"=5' CROSS SECTION LEGEND EXISTING GRADE

NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.