



OAG INNOVATOR

240E MULTI-PURPOSE SERVICE VESSEL



MAIN SPECIFICATIONS

Length: 240 ft 0 in (73.2 m)
Beam: 54 ft 0 in (16.5 m)
Draft Max: 13 ft 2 in (4.01 m)
Draft Min: 8 ft 0 in (2.44 m)
Gross: 1,815 GT
Net: 544 NT

CARGO DECK / CAPACITY

Deadweight: 2,036 LT (2,069 MT)
Deck Area: 140 ft x 45 ft (6,300 ft²)
42.7 m x 13.7m (585.3 m²)
Deck Cargo: 1,100 LT (1,118 MT)
Potable Water: 45,340 gal (172 m³)
Fuel: 97,444 gal (369 m³)

PERFORMANCE

Cruise Speed: 10.0 kts 90 gal/hr (341 l/hr)
Max Speed: 12.0 kts 205 gal/hr (776 l/hr)

ACCOMMODATIONS

Cabins/Berths for crew and passengers, 44 bunks

DOCUMENTATION


IMO: 9251808 **O.N.:** 1108573 **Flag:** U.S.

Certifications: Oceans-SOLAS, USCG Subchapter I, USCG Subchapter L

Classifications: , American Bureau of Shipping, +DPS-2, +A1, +AMS, OSV, ACP, CRC

PROPULSION / MACHINERY

Main Engines: 2 x Caterpillar 3516B
Total Horsepower: 4,520 hp
Propellers: CPP, High Efficiency, 4-Blade **Propeller**
Diameter: 95 in (2,413 mm)
Primary Generators: 3 x Caterpillar 3406B
Total Rating: 750 kW
Bow Thruster: 2 x Brunvoll CPP Tunnel
Total Rating: 1,200 hp
Stern Thruster: 1 x Brunvoll CPP Tunnel
Total Rating: 600 hp
Rudder: Independent Steering, Schilling Fishtail
Power Generation: 480V/60 Hz/3-Phase
Knuckle Boom Crane: 1 x Hydra-Pro HPO240-21K
Max Lift @ Max Radius: 7 MT @ 70 ft
Max Lift @ Min Radius: 36 MT @ 20 ft
Max Lift @ Max Depth: 35 MT @ 675 ft
Max Lift @ Max Height: 18 MT @ 102.0 ft abv MD
Roll Damping: Anti-Roll Tank



	OUTBOARD PROFILE & GENERAL ARRANGEMENT		SIZE
	NO. 8053		D
	HORNBECK OFFSHORE SERVICES		DATE 11/13/13
	HORNBECK OFFSHORE SERVICES		SHEET 2 OF 2