

CIRCA

Data Sheet

CIRCA FD

Where Sound Meets Style

The CIRCA FD fireproof ceiling speaker is engineered with safety in mind, featuring a robust metallic flameproof cover that effectively prevents fire spread through ceiling mounting holes. Its integrated fire protection features shield both the speaker and its connected lines, ensuring performance stability in high-risk environments. Compliant with international installation and safety standards, this speaker is a dependable choice for commercial spaces, public facilities, and other security-conscious applications.



Engineered Clarity with Acoustic Precision

The CIRCA FD delivers exceptional high-fidelity sound with its innovative dished grille design that preserves acoustic integrity, while the 6W transformer with multi-tapping applications ensures superior sound clarity and a wide frequency response for both music and speech.



Where Sound Meets Safety

This perfect blend of advanced audio performance and robust fire safety makes the CIRCA FD an ideal solution for environments where both performance and protection are paramount.

Technical Specifications

General Specification	Ceiling Speaker
Description:	6" + 1" Ceiling Speaker (Fire Dome)
Rated Power:	3W - 6W
Line Input:	70-100V
Frequency Response:	100-18KHz
Sensitivity (1w@1m):	92dB
Speaker Unit:	6" Woofer + 1" Tweeter
Cutout Size:	Ø 175mm
Dimensions (DxH):	Ø 200X90mm
Material:	Metal Enclosure, Metal Grille & Metal Back Cover in White
Mounting Way:	In-Ceiling Spring Clip Quick Installation
Net Weight:	0.9kg
Gross Weight:	1.8kg
Mounting:	Spring Loaded Quick-Mounting Bracket Assembly


Dimensions



Technical Data

Ceiling Speaker


SPL



Technical Data

Ceiling Speaker

Impedance



Contact Us

info@bataudio.com
www.bataudio.com
United Kingdom

