

OMNIQ

Data Sheet

OmniQ 5

Sound for All Seasons

The OMNIQ series represents latest breakthrough in ultra-wide-range waterproof commercial speakers. Crafted with the industry's advanced manufacturing technology, each model is meticulously developed to deliver reliable, high-performance audio in any environment.



All-Around Power, All-Weather Performance

The OMNIQ series speakers deliver an ultra-wide sound range with crisp treble and powerful bass, all housed in an IEC529 IP55.

Built to Adapt. Designed to Endure

Equipped with 70-100V/8Ω selector switches, these speakers offer versatile power options and flexible installation—pendant, wall-mounted, or inground—along with a safety rope connection port for enhanced durability in all-weather conditions.

Technical Specifications

General Specification

Multi-Purpose Speaker

Rated Power:

40W@100V; 60W@8Ω

Max Power:

60W@100V; 90W@8Ω

Constant Voltage Impedance:

125Ω, 250Ω, 500kΩ, 1kΩ, 2kΩ

Constant Voltage Power Selection:

100V: NC, 40W, 20W, 10W, 5W

70V: 40W, 20W, 10W, 5W, 2.5W

Sensitivity (1w@1m):

89dB

Max Sensitivity:

107dB@100V; 108dB@8Ω

Frequency Response (-10dB):

65Hz~23kHz

Mounting Method:

Three Types of Installation:

Inground Installation (With Mounting Chassis),

Wall-mounted (With Mounting Wall Bracket),

Pendant (With Steel Wire Mounting Rope)

Power Selection Method:

Rotary Selector Switch

Material:

Enclosure: ABS; Mesh Cover: Stainless Steel,

Buried Underground Chassis: Iron

Colour:

Black, White, Brown

Technical Specifications

General Specification

Multi-Purpose Speaker

Operating Temperature / Humidity:

-20°C ~ 55°C <95%

Waterproof and Dustproof Grade:

IEC529 IP55

Speaker Unit:

5" Woofer + 1" Tweeter

Dimension (LxH):

Ø170x242mm

Inside Package Dimensions:

30x30x21.4cm

Net Weight:

3.2kg



Gross Weight:

16.3kg, 4pcs


Outer Package Dimensions:

0.0851CBM, 61.5x61.5x22.5cm, 4pcs


Dimensions




Applications



In-ground



Wall-mounted




Pendant

Technical Data

Multi-Purpose Speaker

Frequency Response & Impedance



Contact Us

info@bataudio.com
www.bataudio.com
United Kingdom

