

# CLING

Data Sheet

# CLING 6

## Elevate Your Ambiance

The CLING series is a versatile line of ceiling speakers designed for both commercial and household markets. speaker features a striking bright blue paper cone and an Ultra-Narrow Frameless Magnetic Grilles that delivers a modern, stylish appearance while ensuring exceptional affordability.



## Crystal Clear Sound, Always Heard

The speaker features high-quality 2-way coaxial drivers and precisely calibrated crossovers, providing clear, detailed sound with distinct treble and bass for outstanding audio performance.


## Sleek Performance for Every Setting

Application: Ideal for boutique hotels, luxury homes, fine dining venues, luxury retail spaces, museums & galleries, and VIP lounges, the CLING series delivers the perfect balance of premium performance, refined style, and cost-effectiveness.

# Technical Specifications

General Specification	Ceiling Speaker
Line Input:	100V / 8Ω
Rated Power:	30W
Max Power:	60W
Frequency Response:	55Hz-22KHz
Material:	Panel & Back Shell: ABS; Grill: Iron
Colour:	Black
Speaker Unit:	6.5" Woofer + 1" Tweeter
Sensitivity (1w@1m):	88dB
Max Sensitivity:	106dB
Dimensions (LxH):	Ø 220x90mm
Cutout Size:	Ø 205mm
Installation Depth:	87mm
Installation:	4-Claw Rotary Mounting Ears
Net Weight:	1.2kg


# Dimensions



# Technical Data

Ceiling Speaker

## SPL



# Contact Us

---

info@bataudio.com  
www.bataudio.com  
United Kingdom

