



CLING

Data Sheet

CLING 8

Elevate Your Ambiance

The CLING series is a versatile line of ceiling speakers designed for both commercial and household markets. The speaker features a striking bright blue paper cone and an Ultra-Narrow Frameless Magnetic Grilles that delivers a modern, stylish appearance while ensuring exceptional affordability.



BRITISH ACOUSTIC TECHNOLOGY

Crystal Clear Sound, Always Heard

The speaker features high-quality 2-way coaxial drivers and precisely calibrated crossovers, providing clear, detailed sound with distinct treble and bass for outstanding audio performance.

Sleek Performance for Every Setting

Application: Ideal for boutique hotels, luxury homes, fine dining venues, luxury retail spaces, museums & galleries, and VIP lounges, the CLING series delivers the perfect balance of premium performance, refined style, and cost-effectiveness.


Technical Specifications

General Specification

Ceiling Speaker

| | |
|----------------------|--------------------------------------|
| Line Input: | 100V / 8Ω |
| Rated Power: | 40W |
| Max Power: | 80W |
| Frequency Response: | 45Hz-22KHz |
| Material: | Panel & Back Shell: ABS; Grill: Iron |
| Colour: | Black |
| Speaker Unit: | 8" Woofer + 1" Tweeter |
| Sensitivity (1w@1m): | 89dB |
| Max Sensitivity: | 108dB |
| Dimensions (LxH): | Ø 281x108mm |
| Cutout Size: | Ø 245mm |
| Installation Depth: | 105mm |
| Installation: | 4-Claw Rotary Mounting Ears |
| Net Weight: | 2.3kg |


Dimensions



Technical Data

Ceiling Speaker

Frequency Response



Contact Us

info@bataudio.com
www.bataudio.com
United Kingdom

 **BAT.**
BRITISH ACOUSTIC TECHNOLOGY