



# AMPX IV

Data Sheet

## Key Features

# AMPX IV Series

### When Performance Matters, Power it With AMPX IV

The AMPX IV series is a professional-grade line of 4-channel rack-mount power amplifiers, purpose-built for background music, paging, and public address applications. Designed to deliver stable, high-efficiency performance, these amplifiers are ideal for multi-zone sound systems and demanding commercial environments.



### Versatile Power, Seamless Integration.

The AMPX IV Series delivers 4x180W to 4x360W power, supporting 70V/100V and 4-16Ω systems for flexible installs. It features RCA I/O for quick linking and a rugged 2U rack-mount design with an aluminum front panel.


### Smart Protection. Long-Term Performance.

Built with reliability in mind, the AMPX IV series includes comprehensive protection circuitry to safeguard against short circuits, overload, overheating, and peak current conditions. This ensures long-term stable performance in commercial, institutional, or public address environments.


# Technical Specifications

| Unit               | AMPX IV 180                             | AMPX IV 260 | AMPX IV 300 | AMPX IV 360 |
|--------------------|---|-------------|-------------|-------------|
| Rated Power:       | 4 x 180W                                | 4 x 260W    | 4 x 300W    | 4 x 360W    |
| Output Terminals:  | 4-16 Ohms & 70V / 100V                  |             |             |             |
| LINE Input:        | 775mV / 10KΩ, Unbalanced 6.35 Interface |             |             |             |
| Freq Response:     | 50Hz~16Khz                              |             |             |             |
| THD:               | <0.5% at 1kHz,1/3 Rated Power           |             |             |             |
| S/N:               | ≥90dB                                   |             |             |             |
| Controls:          | 4 Volume Control, Power On / Off        |             |             |             |
| Power Supply:      | AC 220V – 50-60Hz                       |             |             |             |
| Power Consumption: | 1345W                                   | 1890W       | 2200W       | 2618W       |
| Dimension (DxWxH): | 480x484x88mm                            |             |             |             |
| Net Weight:        | 19kg                                    | 23kg        | 27kg        | 28kg        |
| Gross Weight:      | 21kg                                    | 25kg        | 29kg        | 30kg        |

# Product Dimensions



## Rear Panel Overview



# Contact Us

info@bataudio.com  
www.bataudio.com  
United Kingdom

 **BAT.**  
BRITISH ACOUSTIC TECHNOLOGY