

CLING

Data Sheet

CLING 6WS

Elevate Your Ambiance

The CLING 6WS is a versatile active ceiling speaker crafted for both commercial and household environments. It features a striking bright blue paper cone and an ultra-narrow frameless magnetic grille that delivers a modern, stylish appearance while ensuring exceptional affordability.



Integrated PoE++ & Advanced Networking

The speaker features high-quality 2-way coaxial drivers and supports PoE++ or an optional DC24V supply for clean, single-cable installation. It offers WiFi and LAN connectivity with AirPlay, DLNA, and QPlay streaming, while its built-in digital amplifier delivers clear, high-quality sound with reliable, low-latency performance.

Durable Design & Flexible Control

Application: Ideal for boutique hotels, luxury homes, fine dining venues, luxury retail spaces, museums & galleries, and VIP lounges, the CLING series delivers the perfect balance of premium performance, refined style, and cost-effectiveness.

Technical Specifications

General Specification

Surface Mount Speaker

Rated Power:

30W

Line Input:

48V PoE++ (IEEE802.3bt) / DC24V

Impedance:

8Ω

Sensitivity (1w,1m):

88dB

Frequency Response:

55Hz - 22kHz (-10dB)

Amplifier Output Power:

60W (2x 30W)

Amplifier Frequency Range:

20Hz - 20kHz

Max Sensitivity:

112dB

Material:

ABS Shell, Magnetic Grille

Colour:

Front Cover: White; Rear Barrel: Black

Operating Temperature / Humidity:

-25°C to +55°C; <95%

Speaker Unit:

6.5" Woofer + 1" Tweeter

Dimensions (LxH):

Ø265x205mm

Cutout Size:

Ø230mm

Net Weight:

4.2kg

Mounting Type:

4-Claw Rotating Mounting Ears

Audio Input:

Bluetooth 5.0, AUX IN

Technical Specifications

General Specification	Surface Mount Speaker
Network Connectivity:	WiFi 2.4G, LAN
Music Streaming Protocols:	Airplay, DNA, QPlay, etc
Audio Format Support:	MP3, AAC, FLAC, ALAC, WMA, APE, WAV, OGG, etc.
Music Source Services:	Tunein, HeartRadio, TIDAL, Napster, Qobuz, etc.
Power Dissipation:	≤100W
IP Rating:	IEC529 IP55 Compliant

Contact Us

info@bataudio.com
www.bataudio.com
United Kingdom

