



OMNIQ 5

Data Sheet

OMNIQ 5

Sound for All Seasons

The OMNIQ series represents latest breakthrough in ultra-wide-range waterproof commercial speakers. Crafted with the industry's advanced manufacturing technology, each model is meticulously developed to deliver reliable, high-performance audio in any environment.



All-Around Power, All-Weather Performance

The OMNIQ series speakers deliver an ultra-wide sound range with crisp treble and powerful bass, all housed in an IEC529 IP55.

Built to Adapt. Designed to Endure

Equipped with 70-100V/8Ω selector switches, these speakers offer versatile power options and flexible installation, pendant, wall-mounted, or inground, along with a safety rope connection port for enhanced durability in all-weather conditions.


Technical Specifications

| Unit | OMNIQ 5 |
|-----------------------------------|---|
| Rated Power: | 40W@100V; 60W@8Ω |
| Max Power: | 60W@100V; 90W@8Ω |
| Constant Voltage Impedance: | 125Ω, 250Ω, 500kΩ, 1kΩ, 2kΩ |
| Constant Voltage Power Selection: | 100V: NC, 40W, 20W, 10W, 5W 70V: 40W, 20W, 10W, 5W, 2.5W |
| Sensitivity (1w@1m): | 89dB |
| Max Sensitivity: | 107dB@100V; 108dB@8Ω |
| Frequency Response: | 65Hz~23kHz (-10dB) |
| Mounting Method: | Three Types of Installation: Inground Installation (With Mounting Chassis), Wall-mounted (With Mounting Wall Bracket), Pendant (With Steel Wire Mounting Rope) |
| Power Selection Method: | Rotary Selector Switch |
| Material: | Enclosure: ABS; Mesh Cover: Stainless Steel, Buried Underground Chassis: Iron |
| Colour: | Black, White, Brown |


Technical Specifications

| Unit | OMNIQ 5 |
|-------------------------------|-----------------------------------|
| Operating Conditions: | -20°C~55°C; <95% Humidity |
| Waterproof & Dustproof Grade: | IEC529 IP55 |
| Speaker Unit: | 5" Woofer + 1" Tweeter |
| Dimension (LxH): | Ø 170x242mm |
| Inside Package Dimensions: | 30x30x21.4cm |
| Net Weight: | 3.2kg |
| Gross Weight: | 16.3kg, 4pcs |
| Outer Package Dimensions: | 0.0851CBM, 61.5x61.5x22.5cm, 4pcs |


Dimensions




Mounting Options



In-ground



Wall-mounted




Pendant

Technical Data

Multipurpose Speaker

Frequency Response & Impedance



Contact Us

info@bataudio.com
www.bataudio.com
United Kingdom

 **BAT.**
BRITISH ACOUSTIC TECHNOLOGY