



OMNIQ 6

Data Sheet

OMNIQ 6

Sound for All Seasons

The OMNIQ series represents latest breakthrough in ultra-wide-range waterproof commercial speakers. Crafted with the industry's advanced manufacturing technology, each model is meticulously developed to deliver reliable, high-performance audio in any environment.



All-Around Power, All-Weather Performance

The OMNIQ series speakers deliver an ultra-wide sound range with crisp treble and powerful bass, all housed in an IEC529 IP55.

Built to Adapt. Designed to Endure

Equipped with 70-100V/8 Ω selector switches, these speakers offer versatile power options and flexible installation, pendant, wall-mounted, or inground, along with a safety rope connection port for enhanced durability in all-weather conditions.


Technical Specifications

Unit	OMNIQ 6
Rated Power:	60W@100V; 90W@8Ω
Max Power:	90W@100V; 120W@8Ω
Constant Voltage Impedance:	83Ω, 167Ω, 333Ω, 666Ω, 1.3kΩ
Constant Voltage Power Selection:	100V: NC, 60W, 30W, 15W, 7.5W 70V: 60W, 30W, 15W, 7.5W, 3.7W
Sensitivity (1w@1m):	90dB
Max Sensitivity:	109dB@100V; 110dB@8Ω
Frequency Response:	53Hz~23kHz (-10dB)
Mounting Method:	Three Types of Installation: Inground Installation (With Mounting Chassis), Wall-mounted (With Mounting Wall Bracket), Pendant (With Steel Wire Mounting Rope)
Power Selection Method:	Rotary Selector Switch
Material:	Enclosure: ABS; Mesh Cover: Stainless Steel, Buried Underground Chassis: Iron
Colour:	Black, White, Brown


Technical Specifications

Unit	OMNIQ 6
Operating Conditions:	-20°C~55°C; <95% Humidity
Waterproof & Dustproof Grade:	IEC529 IP55
Speaker Unit:	6.5" Woofer + 1" Tweeter
Dimension (LxH):	Ø 206x292mm
Inside Package Dimensions:	32x32x25.1cm
Net Weight:	4.6kg
Gross Weight:	19.7kg, 4pcs
Outer Package Dimensions:	0.1136CBM, 65.5x65.5x26.5cm, 4pcs


Dimensions




Applications



In-ground



Wall-mounted




Pendant

Technical Data

Multipurpose Speaker

Frequency Response



Contact Us

info@bataudio.com
www.bataudio.com
United Kingdom

 **BAT.**
BRITISH ACOUSTIC TECHNOLOGY