

AMP X IV

Data Sheet

Key Features

AMPX IV Series

When Performance Matters, Power it With AMPX IV

The AMPX IV series is a professional-grade line of 4-channel rack-mount power amplifiers, purpose-built for background music, paging, and public address applications. Designed to deliver stable, high-efficiency performance, these amplifiers are ideal for multi-zone sound systems and demanding commercial environments.



Versatile Power, Seamless Integration.

The AMPX IV Series delivers 4×180W to 4×360W power, supporting 70V/100V and 4–16Ω systems for flexible installs. It features RCA I/O for quick linking and a rugged 2U rack-mount design with an aluminum front panel.


Smart Protection. Long-Term Performance.

Built with reliability in mind, the AMPX IV series includes comprehensive protection circuitry to safeguard against short circuits, overload, overheating, and peak current conditions. This ensures long-term stable performance in commercial, institutional, or public address environments.


Technical Specifications

Unit	AMPX IV 180	AMPX IV 260	AMPX IV 300	AMPX IV 360
Rated Power:	4 x 180W	4 x 260W	4 x 300W	4 x 360W
Output Terminals:	4-16Ω & 70V/100V			
LINE Input:	775mV/10KΩ, Unbalanced 6.35 Interface			
Freq Response:	50Hz~16Khz			
THD:	<0.5%@1kHz, 1/3 Rated Power			
S/N:	≥90dB			
Controls:	4 Volume Control, Power On/Off			
Power Supply:	AC 220V~50/60Hz			
Power Consumption:	1345W	1890W	2200W	2618W
Dimension (DxWxH):	480x484x88mm			
Net Weight:	19kg	23kg	27kg	28kg
Gross Weight:	21kg	25kg	29kg	30kg

Product Dimensions



Rear Panel Overview



Contact Us

info@bataudio.com
www.bataudio.com
United Kingdom

 **BAT.**
BRITISH ACOUSTIC TECHNOLOGY