

CIRCA FD

Data Sheet

CIRCA FD

Where Sound Meets Style

The CIRCA FD fireproof ceiling speaker is engineered with safety in mind, featuring a robust metallic flameproof cover that effectively prevents fire spread through ceiling mounting holes. Its integrated fire protection features shield both the speaker and its connected lines, ensuring performance stability in high-risk environments. Compliant with international installation and safety standards, this speaker is a dependable choice for commercial spaces, public facilities, and other security-conscious applications.



Engineered Clarity with Acoustic Precision

The CIRCA FD delivers exceptional high-fidelity sound with its innovative dished grille design that preserves acoustic integrity, while the 6W transformer with multi-tapping applications ensures superior sound clarity and a wide frequency response for both music and speech.



Where Sound Meets Safety

This perfect blend of advanced audio performance and robust fire safety makes the CIRCA FD an ideal solution for environments where both performance and protection are paramount.

Technical Specifications

| Unit | CIRCA FD |
|----------------------|--|
| Rated Power: | 3W-6W |
| Line Input: | 70-100V |
| Frequency Response: | 100~18KHz |
| Sensitivity (1w@1m): | 92dB |
| Speaker Unit: | 6" Woofer + 1" Tweeter |
| Cutout Size: | Ø 175mm |
| Dimensions (DxH): | Ø 200X90mm |
| Material: | Metal Enclosure, Metal Grille & Metal Back |
| Mounting Way: | In-Ceiling Spring Clip Quick Installation |
| Net Weight: | 0.9kg |
| Gross Weight: | 1.8kg |
| Mounting: | Spring Loaded Quick-Mounting Bracket Assembly |


Dimensions



Technical Data

Ceiling Speaker


SPL



Technical Data

Ceiling Speaker

Impedance



Contact Us

info@bataudio.com
www.bataudio.com
United Kingdom

 **BAT.**
BRITISH ACOUSTIC TECHNOLOGY