

# HALO S10

Data Sheet

# HALO S10

## Clear Sound, Seamless Design

The Halo S10 is a subwoofer ceiling speaker, engineered to deliver powerful low-frequency reinforcement and enrich the acoustic experience. It seamlessly integrates with audio and video systems, extending the Halo series' capabilities for commercial and professional sound applications. Designed for robust performance, it ensures deep, consistent bass where it's needed most.



## Hear the Detail, Feel the Difference

The Halo S10 delivers exceptional low-frequency reproduction through its accurately designed crossover, ensuring a thick, clean bass response. Its powerful 10-inch woofer is engineered to meet the demands of professional audio, providing deep and impactful sound reinforcement with stunning and extraordinary sound quality.

## Versatile Power, Fast Installation.

Designed for flexible integration, it features a built-in 100V matching transformer with selectable tapings and a direct 4Ω impedance option. Installation is made simple and secure with six-claw rotary mounting ears and a dedicated safety rope connection port, ensuring robust and reliable deployment in various settings.

# Technical Specifications

Unit	HALO S10
Rated Power:	240W (100V Line/4Ω)
Max Power:	360W (100V Line)/480W (4Ω)
Power Tappings:	100V: 240W, 120W, 60W
Input Impedance:	4Ω
Sensitivity (1w,1m):	89dB
Frequency Response:	36Hz~150Hz (-10dB)
Dispersion (4kHz/1kHz):	Omnidirectional
Wiring Method:	Wiring Terminal
Material:	ABS Panel, Iron Grille & Rear Cover
Colour:	Milky White
Operating Conditions:	-20°C~55°C; <95% Humidity
Speaker Unit:	10" Woofer
Dimensions (LxH):	Ø 360x330mm (with rear cover)
Cutout Size:	Ø 330mm
Net Weight:	9kg
Mounting Type:	6 Claw Rotary Mounting Ears

# Contact Us

---

[info@bataudio.com](mailto:info@bataudio.com)  
[www.bataudio.com](http://www.bataudio.com)  
United Kingdom

 **BAT.**  
BRITISH ACOUSTIC TECHNOLOGY