



Mobilbaukrane


Spierings SK487 - AT3 - City Boy



Schwenkbereiche mit den maximal möglichen Traglasten




Abstützungen



L1,2,3 und R1,2,3 ist die minimal gewählte Abstützung je Seite.

SB	R1	R2	R3
L1	11	12	13
L2	21	22	23
L3	31	32	33





36,3m



fest + 0,78t



7,2x7,25m



L3/240°

EN

13000

m	36,3				m
	0°	15°	30°	45°	
2,99	7	1,7	7	1,7	2,99
4	7	1,7	7	1,7	4
6	7	1,7	7	1,7	6
8	7	1,7	7	1,7	8
10	7	1,7	7	1,7	10
12	6,712	1,7	5,766	1,7	12
14	5,631	1,7	4,831	1,7	14
16	4,84	1,7	4,148	1,7	16
18	4,237	1,7	3,627	1,7	18
20	3,762	1,7	3,217	1,7	20
22	3,378	1,7	2,885	1,7	22
24	3,061	1,7	2,611	1,7	24
26	2,795	1,7	2,381		26
28	2,569	1,7	2,186		28
30	2,374	1,7	2,017		30
32	2,204	1,7			32
34	2,055	1,7			34
36,27	1,923				36,27



40m



fest + 0,78t



7,2x7,25m



L3/240°

EN

13000

m	40				m
	0°	15°	30°	45°	
2,99	7	1,7	7	1,7	2,99
4	7	1,7	7	1,7	4
6	7	1,7	7	1,7	6
8	7	1,7	7	1,7	8
10	7	1,7	7	1,7	10
12	6,712	1,7	5,766	1,7	12
14	5,631	1,7	4,831	1,7	14
16	4,84	1,7	4,148	1,7	16
18	4,327	1,7	3,627	1,7	18
20	3,762	1,7	3,217	1,7	20
22	3,378	1,7	2,885	1,7	22
24	3,061	1,7	2,611	1,7	24
26	2,795	1,7	2,381	1,7	26
28	2,569	1,7	2,186	1,7	28
30	2,374	1,7	2,017		30
32	2,204	1,7	1,871		32
34	2,055	1,7	1,7		34
36	1,923	1,7			36
38	1,806	1,7			38
40	1,7				40



36,3m



fest + 0,78t



7,2x7,25m



R3/30°

EN

13000

m	36,3				m
	0°	15°	30°	45°	
2,99	7	1,7	7	1,7	2,99
4	7	1,7	7	1,7	4
6	7	1,7	7	1,7	6
8	7	1,7	7	1,7	8
10	6,748	1,7	5,796	1,7	10
12	5,46	1,7	4,684	1,7	12
14	4,573	1,7	3,918	1,7	14
16	3,925	1,7	3,358	1,7	16
18	3,431	1,7	2,93	1,7	18
20	3,041	1,7	2,594	1,7	20
22	2,726	1,7	2,322	1,7	22
24	2,466	1,7	2,097	1,664	24
26	2,248	1,7	1,909		26
28	2,062	1,7	1,748		28
30	1,903	1,7	1,61		30
32	1,763	1,693			32
34	1,641	1,575			34
36,27	1,533				36,27



40m



fest + 0,78t



7,2x7,25m



R3/30°

EN

13000

m	40				m
	0°	15°	30°	45°	
2,99	7	1,7	7	1,7	2,99
4	7	1,7	7	1,7	4
6	7	1,7	7	1,7	6
8	7	1,7	7	1,7	8
10	6,748	1,7	5,796	1,7	10
12	5,46	1,7	4,684	1,7	12
14	4,573	1,7	3,918	1,7	14
16	3,925	1,7	3,358	1,7	16
18	3,431	1,7	2,93	1,7	18
20	3,041	1,7	2,594	1,7	20
22	2,726	1,7	2,322	1,7	22
24	2,466	1,7	2,097	1,664	24
26	2,248	1,7	1,909	1,51	26
28	2,062	1,7	1,748	1,35	28
30	1,903	1,7	1,61		30
32	1,763	1,693	1,49		32
34	1,641	1,575	1,35		34
36	1,533	1,47			36
38	1,437	1,35			38
40	1,35				40



36,3m



fest



7,2x7,25m



L3/240°

EN

13000

m	36,3				m
	0°	15°	30°	45°	
2,99	7	1,7	7	1,7	2,99
4	7	1,7	7	1,7	4
6	7	1,7	7	1,7	6
8	7	1,7	7	1,7	8
10	7	1,7	6,554	1,7	10
12	6,176	1,7	5,302	1,7	12
14	4,12	1,7	4,44	1,7	14
16	3,533	1,7	3,809	1,7	16
18	3,892	1,7	3,329	1,7	18
20	3,453	1,7	2,950	1,7	20
22	3,099	1,7	2,644	1,7	22
24	2,806	1,7	2,391	1,55	24
26	2,561	1,7	2,179		26
28	2,352	1,7	1,998		28
30	2,172	1,7	1,843		30
32	2,015	1,7			32
34	1,878	1,7			34
36,27	1,756				36,27



40m



fest



7,2x7,25m



L3/240°

EN

13000

m	40				m
	0°	15°	30°	45°	
2,99	7	1,7	7	1,7	2,99
4	7	1,7	7	1,7	4
6	7	1,7	7	1,7	6
8	7	1,7	7	1,7	8
10	7	1,7	6,554	1,7	10
12	6,176	1,7	5,302	1,7	12
14	4,12	1,7	4,44	1,7	14
16	3,533	1,7	3,809	1,7	16
18	3,892	1,7	3,329	1,7	18
20	3,453	1,7	2,95	1,7	20
22	3,099	1,7	2,644	1,7	22
24	2,806	1,7	2,391	1,7	24
26	2,561	1,7	2,179	1,7	26
28	2,352	1,7	1,998	1,55	28
30	2,172	1,7	1,843		30
32	2,015	1,7	1,708		32
34	1,878	1,7	1,55		34
36	1,756	1,886			36
38	1,647	1,55			38
40	1,55				40



36,3m



fest



7,2x7,25m



R3/30°

EN

13000

m	36,3				m
	0°	15°	30°	45°	
2,99	7	1,7	7	1,7	2,99
4	7	1,7	7	1,7	4
6	7	1,7	7	1,7	6
8	7	1,7	6,822	1,7	8
10	6,09	1,7	5,228	1,7	10
12	4,924	1,7	4,220	1,7	12
14	4,12	1,7	3,526	1,7	14
16	3,533	1,7	3,019	1,7	16
18	3,085	1,7	2,632	1,7	18
20	2,732	1,7	2,327	1,7	20
22	2,447	1,7	2,08	1,65	22
24	2,211	1,7	1,877	1,484	24
26	2,014	1,7	1,706		26
28	1,845	1,7	1,561		28
30	1,701	1,632	1,436		30
32	1,575	1,511			32
34	1,464	1,404			34
36,27	1,366				36,27



40m



fest



7,2x7,25m



R3/30°

EN

13000

m	40				m
	0°	15°	30°	45°	
2,99	7	1,7	7	1,7	2,99
4	7	1,7	7	1,7	4
6	7	1,7	7	1,7	6
8	7	1,7	6,822	1,7	8
10	6,09	1,7	5,228	1,7	10
12	4,924	1,7	4,22	1,7	12
14	4,12	1,7	3,526	1,7	14
16	3,533	1,7	3,019	1,7	16
18	3,085	1,7	2,632	1,7	18
20	2,732	1,7	2,327	1,7	20
22	2,447	1,7	2,08	1,65	22
24	2,211	1,7	1,877	1,484	24
26	2,014	1,7	1,706	1,345	26
28	1,845	1,7	1,561	1,2	28
30	1,701	1,632	1,436		30
32	1,575	1,511	1,327		32
34	1,464	1,404	1,2		34
36	1,366	1,309			36
38	1,278	1,2			38
40	1,2				40