

EPDM COMPRESSION PAD

TECHNICAL DATA SHEET



Reference:
DS-CP-0423

EPDM COMPRESSION PAD

TECHNICAL DATA SHEET



Preventa Metal Adjustable Pedestal with EPDM Compression Pad

- 150x150 thick,
- Material grade: DE80 EPDM
- What is the material? EPDM
- Unaffected by moulds or algae
- Used to reduce the risk of penetration or damage of the water proofing membrane/layer that might usually be caused by the pedestal footplate.
- 100% recyclable? Is any of this recycled? Does this support green building certification?
- Installation information: to be laid underneath each pedestal wherever necessary to reduce the risk of penetration/damage to the water proofing layer.
- Storage and handling: this it is securely packed within boxes to ensure no loss of product within transit. Depending on the size/weight of the consignment, this may be palletised.
- Environmental Issues: Raft Pedestal Mat's are 100% recyclable. As a result the whole life cost of a polypropylene pedestal Rubber Mat is

Find out more or request a sample

Email sales@raftsystems.com or visit raftsystems.com

EPDM COMPRESSION PAD

TECHNICAL DATA SHEET

EPDM compression pad


PRODUCT	SIZE	MATERIAL	THICKNESS	CODE
EPDM compression pad	Ø 150mm	DE80 EPDM	3mm	342012

Product weights/packaging

EPDM Compression Pads are securely packed within boxes to ensure no loss of product within transit. Depending on the size and weight of the consignment, this may be palletised.

Testing

EPDM pad testing results – load extension curve



Find out more or request a sample

Email sales@raaftsystems.com or visit raaftsystems.com