

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 10/1/2025 Revision date: 10/30/2025 Supersedes: 10/1/2025 Version: 1.2

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture

Product name : GREEN'R RINSE SOLID

Product code : 180291

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Rinse Aid Recommended use : Laundry

Restrictions on use : For professional use only

1.4. Supplier's details

Christeyns North America 707 E Arlington Blvd. Greenville, NC 27858 USA

T 252-756-8616 / 800.869.6171

www.christeyns.com - info@christeyns.us

1.5. Emergency phone number

Emergency number : VELOCITY EHS (800) 255-3924 (24 HOURS)

(For use only in the event of emergencies involving a spill, leak, fire, exposure, or accident

involving chemicals)

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Skin corrosion/irritation, Category 2 H315 Causes skin irritation.

Serious eye damage/eye irritation, Category 1 H318 Causes serious eye damage.

Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US)

Precautionary statements (GHS US)



Signal word (GHS US) : Danger

Hazard statements (GHS US) : H315 - Causes skin irritation

H318 - Causes serious eye damage : P234 - Keep only in original packaging.

P264 - Wash hands, forearms and face thoroughly after handling.

P280 - Wear protective gloves.

10/30/2025 (Revision date) US - en 1/9 10/30/2025 (Printing date)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a poison center or doctor.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P332+P313 - If skin irritation occurs: Get medical advice or attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P390 - Absorb spillage to prevent material-damage.

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Isotridecanol, ethoxylated [1 - 2.5 moles ethoxylated]	CAS-No.: 69011-36-5	3 - 7
2-phosphonobutane-1,2,4-tricarboxylic acid	CAS-No.: 37971-36-1	1 – 5
Sodium hydroxide	CAS-No.: 1310-73-2	0.1 - 1

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Treat symptomatically. Get

medical attention if symptoms occur.

First-aid measures after skin contact : Rinse skin with plenty of water or shower.

First-aid measures after eye contact : Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If irritation persists, get medical attention.

First-aid measures after ingestion Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

No additional information available

4.3. Indication of immediate medical attention and special treatment needed, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Do not use a water jet as this can spread the fire and may cause the splattering of corrosive

5.2. Specific hazards arising from the chemical

No additional information available

2/9 US - en

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting

: Wear a self-contained breathing apparatus. Do not attempt to take action without suitable protective equipment.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

No additional information available

For emergency responders

Protective equipment

: Ventilate spillage area. Avoid contact with skin and eyes. Only qualified personnel equipped with suitable protective equipment may intervene. Evacuate unnecessary personnel.

Environmental precautions : Avoid release onto the ground, into storm sewers, or bodies of water.

6.2. Methods and materials for containment and cleaning up

Other information : Dispose of materials or solid residues at an authorized site.

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Avoid contact with skin and eyes. Ensure good ventilation of the work station. Wear personal protective equipment.

7.2. Conditions for safe storage, including incompatibilities

Storage conditions

: Store upright in a tightly closed, suitably labeled container. Store in a dry, cool, well-ventilated area with appropriate designated containment measures. Keep out of reach of children. Have readily available spill kits with appropriate absorbent materials. Protect from sunlight. Store in original labeled containers.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Sodium hydroxide (1310-73-2)		
USA - ACGIH - Occupational Exposure Limits		
Local name	Sodium hydroxide	
ACGIH® TLV® C	2 mg/m³	
Remark (ACGIH®)	TLV® Basis: Eye, Skin & URT irr	
Regulatory reference	ACGIH 2025	
USA - OSHA - Occupational Exposure Limits		
Local name	Sodium hydroxide	
OSHA PEL TWA	2 mg/m³	
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1	

10/30/2025 (Revision date) US - en 3/9 10/30/2025 (Printing date)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium hydroxide (1310-73-2)	
USA - NIOSH - Occupational Exposure Limits	
Local name	Sodium hydroxide
NIOSH REL (Ceiling)	2 mg/m³
Regulatory reference (US-NIOSH)	OSHA Annotated Table Z-1 (NIOSH Pocket Guide to Chemical Hazards (NPG))

8.2. Appropriate engineering controls

Appropriate engineering controls : Use engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use only with

adequate ventilation. Local exhaust ventilation may be necessary for some operations.

Environmental exposure controls Store chemicals in designated areas with appropriate containment measures (e.g. spill trays, secondary containment). Have readily available spill kits with appropriate absorbent materials.

8.3. Individual protection measures, such as personal protective equipment

Hand protection:
Chemical resistant PVC gloves
Eye protection:
Safety glasses with side shields.
Skin and body protection:
Wear suitable protective clothing. Long sleeved protective clothing.

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state Solid Color Blue

Odor threshold : No data available рΗ : 5 - 7 (10%)Melting point : No data available Freezing point : Not applicable Boiling point No data available Flash point Not applicable Flammability (solid, gas) Non flammable. Vapor pressure No data available Relative vapor density at 20°C No data available Relative density 1.09 g/ml No data available Solubility : No data available Not applicable

Log Pow Autoignition temperature Decomposition temperature No data available Viscosity, kinematic Not applicable **Explosion limits** Not applicable Particle characteristics No data available

Isotridecanol, ethoxylated [1 - 2.5 moles ethoxylated]

Particle characteristics No data available

: No data available

10/30/2025 (Revision date) US - en 4/9

Odor

Safety Data Sheet

Particle characteristics

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2-phosphonobutane-1,2,4-tricarboxylic acid	
Particle characteristics	No data available
Sodium hydroxide	

No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Iron or steel. Copper and copper alloys. Galvanized steel. Strong acids. Strong bases. Metals. Organic materials. Never mix with other materials.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

rioute terminity (minutation)	
Isotridecanol, ethoxylated [1 - 2.5	moles ethoxylated] (69011-36-5)
LD50 oral rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EPA OPPTS 870.1100 (Acute Oral Toxicity)
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	≈ 5960 mg/kg body weight Animal: rabbit, Animal sex: male
2-phosphonobutane-1,2,4-tricarbo	exylic acid (37971-36-1)
LD50 oral rat	> 4000 mg/kg Source: OECD Screening Information Data Set

10/30/2025 (Revision date) 10/30/2025 (Printing date)

LD50 dermal rat

> 4000 mg/kg Source: OECD Screening Information Data Set

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LC50 Inhalation - Rat	> 1.979 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LC50 Inhalation - Rat (Vapors)	> 1.979 mg/l Source: OECD Screening Information Data Set
Sodium hydroxide (1310-73-2)	
LD50 dermal rabbit	1350 mg/kg Source: NCIS
ATE US (dermal)	1350 mg/kg body weight
Skin corrosion/irritation	: Causes skin irritation. pH: 5 – 7 (10%)
Serious eye damage/irritation	: Causes serious eye damage. pH: 5 – 7 (10%)
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Isotridecanol, ethoxylated [1 - 2.5 mg	ples ethoxylated] (69011-36-5)
NOAEL (oral,rat,90 days)	500 mg/kg body weight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents), Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
Aspiration hazard	: Not classified
GREEN'R RINSE SOLID	
Viscosity, kinematic	Not applicable
Isotridecanol, ethoxylated [1 - 2.5 m	oles ethoxylated] (69011-36-5)
Viscosity, kinematic	No data available
2-phosphonobutane-1,2,4-tricarboxy	lic acid (37971-36-1)
Viscosity, kinematic	No data available
Sodium hydroxide (1310-73-2)	
Viscosity, kinematic	1.878 mm²/s

SECTION 12 Ecological information

12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

Isotridecanol, ethoxylated [1 - 2.5 moles ethoxylated] (69011-36-5)

LC50 - Fish [1] 12.76 mg/l Source: EPISUITE v4.1

10/30/2025 (Revision date) 10/30/2025 (Printing date) US - en

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Isotridecanol, ethoxylated [1 - 2.	5 moles ethoxylated] (69011-36-5)
EC50 72h - Algae [1]	3.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 96h - Algae [1]	11.5 mg/l Source: EPISUITE v4.1
2-phosphonobutane-1,2,4-tricart	poxylic acid (37971-36-1)
LC50 - Fish [1]	1880000 mg/l Source: Ecological Structure Activity Relationships
EC50 72h - Algae [1]	140 mg/l Source: OECD Screening Information Data Set
EC50 72h - Algae [2]	140 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
LOEC (chronic)	329 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	104 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
Sodium hydroxide (1310-73-2)	
LC50 - Fish [1]	35 mg/l
EC50 - Crustacea [1]	40.4 mg/l Source: ECHA

12.2. Persistence and degradability

GREEN'R RINSE SOLID		
Persistence and degradability	No data available.	
Isotridecanol, ethoxylated [1 - 2.5 moles ethoxylated] (69011-36-5)		
Persistence and degradability Not rapidly degradable		
2-phosphonobutane-1,2,4-tricarboxylic acid (37971-36-1)		
Persistence and degradability	Not rapidly degradable	
Sodium hydroxide (1310-73-2)		
Persistence and degradability	Not rapidly degradable	

12.3. Bioaccumulative potential

GREEN'R RINSE SOLID		
Bioaccumulative potential	No data available.	
2-phosphonobutane-1,2,4-tricarboxylic acid (37971-36-1)		
Log Pow	-1.36 Source: Quantitative Structure Activity Relation	
Sodium hydroxide (1310-73-2)		
Log Pow	-3.88 Source: SRC	

12.4. Mobility in soil

Isotridecanol, ethoxylated [1 - 2.5 moles ethox	xylated] (69011-36-5)
Mobility in soil 111.3 Source: EPISUITE v4.1	
2-phosphonobutane-1,2,4-tricarboxylic acid (37971-36-1)	
Mobility in soil	0.3212 Source: EPI Suite

10/30/2025 (Revision date) 10/30/2025 (Printing date)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.5. Other adverse effects

No additional information available

SECTION 13 Disposal considerations

Regional legislation (waste) : Avoid unauthorized disposal. Do not dump into any body of water. Comply with federal,

state/provincial and local laws/regulations. Do not reuse empty containers.

Waste treatment methods : Do not allow the product to containinate any body of water. Refer to Section 8 for personal

protection equipment.

SECTION 14 Transport information

In accordance with DOT

DOT
14.1. UN number
Not regulated for transport
14.2. Proper Shipping Name
Not regulated
14.3. Transport hazard class(es)
Not regulated
14.4. Packing group
Not regulated
14.5. Environmental hazards
Not regulated
No supplementary information available

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT

Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium hydroxide (1310-73-2)	
CERCLA RQ	1000 lb

15.2. International regulations

No additional information available

15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Sodium hydroxide(1310-73-2)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S New York City - Right to Know Hazardous Substances List; U.S Pennsylvania - RTK (Right to Know) List

SECTION 16 Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 10/30/2025 Issue date : 10/1/2025

Full text of hazard classes and H-statements	
H315	Causes skin irritation
H318	Causes serious eye damage

Safety Data Sheet (SDS), USA ML

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.