

**CHRISTEYNS**

# Spec-Tak

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations  
Issue date: 1/14/2026 Version: 1.0

### SECTION 1 Identification

#### 1.1. Product identifier

Product form : Mixture  
Product name : Spec-Tak  
Product code : 863

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Laundry detergent  
Restrictions on use : For professional use only

#### 1.4. Supplier's details

Christeyns North America, LLC  
311 Staton Road  
Greenville, NC 27834  
USA  
T 252-756-8616 / 800.869.6171  
[info@christeyns.us](mailto:info@christeyns.us) - [www.christeyns.com](http://www.christeyns.com)

#### 1.5. Emergency phone number

Emergency number : VELOCITY EHS (800) 255-3924 (24 HOURS)  
(For use only in the event of emergencies involving a spill, leak, fire, exposure, or accident involving chemicals)

### SECTION 2 Hazard Identification

#### 2.1. Classification of the substance or mixture

##### GHS US classification

Serious eye damage/eye irritation, Category 1 H318 Causes serious eye damage.

Full text of H statements : see section 16

#### 2.2. Label elements

##### GHS US labeling

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger

Hazard statements (GHS US) : H318 - Causes serious eye damage

Precautionary statements (GHS US) : P280 - Wear eye protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a poison center or doctor.

# Spec-Tak

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### SECTION 3 Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%
Sodium carbonate	CAS-No.: 497-19-8	10 - 30
Sodium percarbonate	CAS-No.: 15630-89-4	10 - 30
Alcohols, C13-15-branched and linear, ethoxylated	CAS-No.: 157627-86-6	5 - 10
Sodium bicarbonate	CAS-No.: 144-55-8	3 - 7
Tetraacetylenediamine	CAS-No.: 10543-57-4	1 - 5
Alcohols, C12-13, branched and linear, ethoxylated	CAS-No.: 160901-19-9	1 - 5
Sodium alkylbenzene sulfonate	CAS-No.: 68411-30-3	1 - 5

Full text of hazard classes and H-statements : see section 16

### SECTION 4 First aid measures

#### 4.1. Description of necessary first-aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Treat symptomatically. Get medical attention if symptoms occur.

First-aid measures after skin contact : Rinse skin with plenty of water or shower. If irritation persists, get medical attention.

First-aid measures after eye contact : Rinse immediately with water for 15 minutes, occasionally lifting upper and lower eyelids. Remove contact lenses, if present, and easy to do. Continue rinsing. Get medical attention immediately.

First-aid measures after ingestion : Rinse mouth with water if the person is conscious. Do not induce vomiting unless directed by medical personnel. Get medical attention if you feel unwell.

#### 4.2. Most important symptoms/effects, acute and delayed

No additional information available

#### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

No additional information available

### SECTION 5: Fire-fighting measures

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Do not use a water jet as this can spread the fire and may cause the splattering of corrosive liquid.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : Decomposition products may include carbon oxides.

# Spec-Tak

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. In case of fire, do not breathe fumes. Move containers from the fire area if you can do so without risk. Prevent firefighting water from entering the environment.

Protection during firefighting : Wear a self-contained breathing apparatus. Do not attempt to take action without suitable protective equipment.

## SECTION 6 Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Protective equipment : For spills or leaks, contact a supervisor and/or emergency responder. Avoid contact with spilled material and keep unnecessary personnel away.

#### For emergency responders

Protective equipment : See Section 8 for recommended personal protective equipment. Ventilate the area and restrict access to the spill or leak zone. Have emergency procedures in place for treating exposures or incidents. Only trained and authorized personnel equipped with proper protective equipment should perform cleanup.

Environmental precautions : Avoid release onto the ground, into storm sewers, or bodies of water.

### 6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Stop leak if safe to do so. Contain spillage, soak up with non-combustible absorbent material (e.g. sand, earth, diatomaceous earth, vermiculite) and collect all waste in suitable, labeled, and closed containers. Dispose according to local legislation (See Section 13).

## SECTION 7 Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Handle in accordance with good industrial hygiene and safety practices. Use only with adequate ventilation. Avoid contact with skin, eyes, and clothing. Use appropriate personal protection equipment (PPE). Wash thoroughly after handling.

### 7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Store upright in a tightly closed, suitably labeled container. Store in a dry, cool, well-ventilated area with appropriate designated containment measures. Keep out of reach of children. Have readily available spill kits with appropriate absorbent materials. Protect from sunlight. Store in original labeled containers.

Incompatible products : Keep away from strong acids, strong bases, flammables/combustibles, oxidizers, and reactive metals (aluminum, zinc, magnesium, iron filings).

## SECTION 8 Exposure controls/personal protection

### 8.1. Control parameters

#### Sodium carbonate (497-19-8)

#### USA - OSHA - Occupational Exposure Limits

OSHA PEL TWA	10 mg/m <sup>3</sup> Total dust; 5 mg/m <sup>3</sup> Respirable fraction
--------------	--

# Spec-Tak

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable guidelines, use only with adequate ventilation. Eye wash facilities and emergency showers must be available when handling this product.

### 8.3. Individual protection measures, such as personal protective equipment

#### Materials for protective clothing:

Wear suitable protective clothing. Long sleeved protective clothing.

#### Hand protection:

Chemical resistant PVC gloves

#### Eye protection:

Safety glasses with side shields.

## SECTION 9 Physical and chemical properties

### 9.1. Basic physical and chemical properties

Physical state	: Solid
Color	: White with blue specks
Odor	: Perfume
Odor threshold	: No data available
pH	: 10.6
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Density	: 0.963 kg/l
Solubility	: No data available
Log Pow	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available
Particle characteristics	: No data available

#### Sodium carbonate

Particle characteristics	No data available
--------------------------	-------------------

#### Sodium percarbonate

Particle characteristics	No data available
--------------------------	-------------------

#### Alcohols, C13-15-branched and linear, ethoxylated

Particle characteristics	No data available
--------------------------	-------------------

# Spec-Tak

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Sodium bicarbonate</b>	
Particle characteristics	No data available

<b>Tetraacetylenedithylenediamine</b>	
Particle characteristics	No data available

<b>Alcohols, C12-13, branched and linear, ethoxylated</b>	
Particle characteristics	No data available

<b>Sodium alkylbenzene sulfonate</b>	
Particle characteristics	No data available

### **9.2. Data relevant with regard to physical hazard classes (supplemental)**

No additional information available

## **SECTION 10 Stability and reactivity**

### **10.1. Reactivity**

Not reactive under normal conditions of use, storage, and transport.

### **10.2. Chemical stability**

Stable under recommended storage conditions. Decomposes slowly when exposed to heat, sunlight, or contamination with incompatible materials.

### **10.3. Possibility of hazardous reactions**

May cause exothermic decomposition and release of oxygen if contaminated or heated. Contact with incompatible materials may cause reactions.

### **10.4. Conditions to avoid**

Avoid heat, sparks, open flames, direct sunlight, and contamination with organic materials or metals (iron, copper, nickel, manganese). Avoid mixing with other cleaning products.

### **10.5. Incompatible materials**

Incompatible with reducing agents, organic materials, acids, bases, transition metals, metal salts, or combustible materials. Avoid contact with chlorinated products, ammonia, or strong alkalis.

### **10.6. Hazardous decomposition products**

Decomposition may produce oxygen or other toxic and irritating gases.

## **SECTION 11 Toxicological information**

### **11.1. Information on toxicological effects**

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

### **Sodium carbonate (497-19-8)**

LD50 oral rat	2800 mg/kg Source: OECD Screening Information Data Set
---------------	--

# Spec-Tak

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Sodium carbonate (497-19-8)</b>	
LD50 dermal rabbit	> 2000 mg/kg Source: OECD Screening Information Data Set
LC50 Inhalation - Rat (Dust/Mist)	1.2 mg/l Source: SIDS
<b>Sodium percarbonate (15630-89-4)</b>	
LD50 oral rat	1034 mg/kg Source: OECD SIDS, IUCLID
LD50 dermal rabbit	> 2000 mg/kg body weight Animal: rabbit, Guideline: other:
<b>Sodium bicarbonate (144-55-8)</b>	
LD50 oral rat	4220 mg/kg Source: IUCLID, HSDB
<b>Tetraacetylenedithiamine (10543-57-4)</b>	
LD50 oral rat	> 2000 mg/kg Source: IUCLID
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 2.08 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)
<b>Sodium alkylbenzene sulfonate (68411-30-3)</b>	
LD50 oral rat	1080 – 1980 mg/kg
LD50 dermal rat	> 2000 mg/kg
Skin corrosion/irritation	: Not classified pH: 10.6
Serious eye damage/irritation	: Causes serious eye damage. pH: 10.6
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
<b>Tetraacetylenedithiamine (10543-57-4)</b>	
NOAEL (oral, rat, 90 days)	90 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEC (inhalation, rat, dust/mist/fume, 90 days)	≥ 0.283 mg/l air Animal: rat
Aspiration hazard	: Not classified
<b>Spec-Tak</b>	
Viscosity, kinematic	No data available
<b>Sodium carbonate (497-19-8)</b>	
Viscosity, kinematic	No data available
<b>Sodium percarbonate (15630-89-4)</b>	
Viscosity, kinematic	No data available

# Spec-Tak

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Sodium carbonate (497-19-8)</b>	
<b>Alcohols, C13-15-branched and linear, ethoxylated (157627-86-6)</b>	
Viscosity, kinematic	No data available
<b>Sodium bicarbonate (144-55-8)</b>	
Viscosity, kinematic	No data available
<b>Tetraacetylenediamine (10543-57-4)</b>	
Viscosity, kinematic	No data available
<b>Alcohols, C12-13, branched and linear, ethoxylated (160901-19-9)</b>	
Viscosity, kinematic	No data available
<b>Sodium alkylbenzene sulfonate (68411-30-3)</b>	
Viscosity, kinematic	No data available

## SECTION 12 Ecological information

### 12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term : Not classified  
(acute)  
Hazardous to the aquatic environment, long-term : Not classified  
(chronic)

#### Sodium carbonate (497-19-8)

LC50 - Fish [1]	300 mg/l Source: International Uniform Chemical Information Database
EC50 - Crustacea [1]	200 – 227 mg/l Source: OECD Screening Information Data Set
EC50 - Crustacea [2]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.
EC50 96h - Algae [1]	242 mg/l Source: ECOTOX

#### Sodium percarbonate (15630-89-4)

LC50 - Fish [1]	70.7 mg/l Source: EPA guideline, SIDS
EC50 - Crustacea [1]	4.9 mg/l Source: SIDS
ErC50 algae	> 7.7 mg/l Source: SIDS

#### Sodium bicarbonate (144-55-8)

LC50 - Fish [1]	7100 mg/l Source: EPA OPP 72-1
EC50 - Crustacea [1]	4100 mg/l Source: EPA OPP 72-2

#### Tetraacetylenediamine (10543-57-4)

LC50 - Fish [1]	> 500 mg/l Source: OECD TG 203, IUCLID
EC50 - Crustacea [1]	> 800 mg/l Source: IUCLID
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

#### Sodium alkylbenzene sulfonate (68411-30-3)

LC50 - Fish [1]	4.1 mg/l Source: SIDS
EC50 - Crustacea [1]	6.8 mg/l Source: International Uniform Chemical Information Database

# Spec-Tak

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Sodium alkylbenzene sulfonate (68411-30-3)

EC50 72h - Algae [1]	20 mg/l Source: International Uniform Chemical Information Database
----------------------	---

### 12.2. Persistence and degradability

Spec-Tak	
Persistence and degradability	Not rapidly degradable
Sodium carbonate (497-19-8)	
Persistence and degradability	Not rapidly degradable
Sodium percarbonate (15630-89-4)	
Persistence and degradability	Not rapidly degradable
Alcohols, C13-15-branched and linear, ethoxylated (157627-86-6)	
Persistence and degradability	Not rapidly degradable
Sodium bicarbonate (144-55-8)	
Persistence and degradability	Not rapidly degradable
Tetraacetylenediamine (10543-57-4)	
Persistence and degradability	Not rapidly degradable
Alcohols, C12-13, branched and linear, ethoxylated (160901-19-9)	
Persistence and degradability	Not rapidly degradable
Sodium alkylbenzene sulfonate (68411-30-3)	
Persistence and degradability	Not rapidly degradable

### 12.3. Bioaccumulative potential

Sodium carbonate (497-19-8)	
Log Pow	-6.19 Source: Quantitative Structure Activity Relation
Sodium bicarbonate (144-55-8)	
Log Pow	-4.01
Sodium alkylbenzene sulfonate (68411-30-3)	
Log Pow	3.32 Source: ICSC

### 12.4. Mobility in soil

Tetraacetylenediamine (10543-57-4)	
Mobility in soil	2.5

### 12.5. Other adverse effects

No additional information available

## SECTION 13 Disposal considerations

Regional legislation (waste) : Avoid unauthorized disposal. Do not dump into any body of water. Comply with federal, state/provincial and local laws/regulations. Do not reuse empty containers.

# Spec-Tak

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Waste treatment methods : Do not allow the product to contaminate any body of water. Refer to Section 8 for personal protection equipment.

## SECTION 14 Transport information

In accordance with DOT

### DOT

#### 14.1. UN number

Not regulated for transport

#### 14.2. Proper Shipping Name

Not regulated

#### 14.3. Transport hazard class(es)

Not regulated

#### 14.4. Packing group

Not regulated

#### 14.5. Environmental hazards

Not regulated

No supplementary information available

#### 14.6. Transport in bulk

Not applicable

#### 14.7. Special precautions for user

### DOT

Not regulated

## SECTION 15 Regulatory information

#### 15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Alcohols, C13-15-branched and linear, ethoxylated	CAS-No. 157627-86-6	5 - 10%
Alcohols, C12-13, branched and linear, ethoxylated	CAS-No. 160901-19-9	1 - 5%
Sodium alkylbenzene sulfonate	CAS-No. 68411-30-3	1 - 5%

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

#### 15.2. International regulations

No additional information available

# Spec-Tak

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Sodium percarbonate(15630-89-4)	U.S. - New York City - Right to Know Hazardous Substances List

## SECTION 16 Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date : 1/14/2026

Full text of hazard classes and H-statements	
H318	Causes serious eye damage

Safety Data Sheet (SDS), USA ML

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.