

SECTION 1 Identification**1.1. Product identifier**

Product form : Mixture
Product name : QDL 200
Product code : 758

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Laundry detergent
Restrictions on use : For professional use only

1.4. Supplier's details

Christeyns North America, LLC
311 Staton Road
Greenville, NC 27834
USA
T 252-756-8616 / 800.869.6171
info@christeyns.us - www.christeyns.com

1.5. Emergency phone number

Emergency number : VELOCITY EHS (800) 255-3924 (24 HOURS)
(For use only in the event of emergencies involving a spill, leak, fire, exposure, or accident involving chemicals)

SECTION 2 Hazard Identification**2.1. Classification of the substance or mixture****GHS US classification**

| | | |
|---|------|--|
| Corrosive to metals, Category 1 | H290 | May be corrosive to metals. |
| Skin corrosion/irritation, Category 1B | H314 | Causes severe skin burns and eye damage. |
| Serious eye damage/eye irritation, Category 1 | H318 | Causes serious eye damage. |

Full text of H statements : see section 16

2.2. Label elements**GHS US labeling**

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger
Hazard statements (GHS US) : H290 - May be corrosive to metals
H314 - Causes severe skin burns and eye damage
Precautionary statements (GHS US) : P234 - Keep only in original packaging.
P260 - Do not breathe dust or fumes.
P264 - Wash hands, forearms and face thoroughly after handling.

QDL 200

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P280 - Wear protective gloves, protective clothing, eye protection, and face protection.
P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a poison center or doctor.
P363 - Take off immediately all contaminated clothing and wash it before reuse.
P390 - Absorb spillage to prevent material-damage.
P405 - Store locked up.
P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name | Product identifier | % |
|----------------------------------|---------------------|--------|
| Disodium metasilicate | CAS-No.: 6834-92-0 | 5 - 10 |
| Alcohols, C12-16, ethoxylated | CAS-No.: 68551-12-2 | 1 - 5 |
| Dodecyl benzene sodium sulfonate | CAS-No.: 25155-30-0 | 1 - 5 |

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Treat symptomatically. Get medical attention immediately.

First-aid measures after skin contact : Remove contaminated clothing and wash before reuse. Rinse skin with plenty of water for at least 15 minutes. If exposed to small amounts, get medical attention if symptoms occur or irritation persists. If exposed to large amounts, get medical attention immediately.

First-aid measures after eye contact : Rinse immediately with water for 15 minutes, occasionally lifting upper and lower eyelids. Remove contact lenses, if present, and easy to do. Continue rinsing. Get medical attention immediately.

First-aid measures after ingestion : Rinse mouth with water if the person is conscious. Do not induce vomiting unless directed by medical personnel. Get medical attention immediately.

4.2. Most important symptoms/effects, acute and delayed

No additional information available

4.3. Indication of immediate medical attention and special treatment needed, if necessary

No additional information available

QDL 200

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Do not use a water jet as this can spread the fire and may cause the splattering of corrosive liquid.

5.2. Specific hazards arising from the chemical

Fire hazard : Decomposition products may include carbon oxides.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. In case of fire, do not breathe fumes. Move containers from the fire area if you can do so without risk. Prevent firefighting water from entering the environment.

Protection during firefighting : Wear a self-contained breathing apparatus. Do not attempt to take action without suitable protective equipment.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Protective equipment : For spills or leaks, contact a supervisor and/or emergency responder. Avoid contact with spilled material and keep unnecessary personnel away.

For emergency responders

Protective equipment : See Section 8 for recommended personal protective equipment. Ventilate the area and restrict access to the spill or leak zone. Have emergency procedures in place for treating exposures or incidents. Only trained and authorized personnel equipped with proper protective equipment should perform cleanup.

Environmental precautions : Avoid release onto the ground, into storm sewers, or bodies of water.

6.2. Methods and materials for containment and cleaning up

Methods for cleaning up : Collect all waste in suitable, labeled, and closed containers. Dispose according to local registration (See Section 13).

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Handle in accordance with good industrial hygiene and safety practices. Use only with adequate ventilation. Avoid contact with skin, eyes, and clothing. Use appropriate personal protection equipment (PPE). Wash thoroughly after handling.

7.2. Conditions for safe storage, including incompatibilities

Storage conditions : Store upright in a tightly closed, suitably labeled container. Store in a dry, cool, well-ventilated area with appropriate designated containment measures. Keep out of reach of children. Have readily available spill kits with appropriate absorbent materials. Protect from sunlight. Store in original labeled containers.

Incompatible products : Keep away from strong acids, strong bases, flammables/combustibles, oxidizers, and reactive metals (aluminum, zinc, magnesium, iron filings).

QDL 200

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

| Disodium metasilicate (6834-92-0) | |
|---|---------------------|
| USA - ACGIH® - Threshold Limit Values | |
| ACGIH® TLV® TWA | 2 mg/m ³ |
| USA - OSHA - Occupational Exposure Limits | |
| OSHA PEL TWA | 2 mg/m ³ |

8.2. Appropriate engineering controls

Appropriate engineering controls : Maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable guidelines, use only with adequate ventilation. Eye wash facilities and emergency showers must be available when handling this product.

8.3. Individual protection measures, such as personal protective equipment

| |
|--|
| Materials for protective clothing: |
| Wear suitable protective clothing. Long sleeved protective clothing. |
| Hand protection: |
| Chemical resistant PVC gloves |
| Eye protection: |
| Safety glasses with face shield |

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

| | |
|--------------------------------|---------------------|
| Physical state | : Solid |
| Color | : White |
| Odor | : Citrus |
| Odor threshold | : No data available |
| pH | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapor pressure | : No data available |
| Relative vapor density at 20°C | : No data available |
| Relative density | : No data available |
| Solubility | : No data available |
| Log Pow | : No data available |
| Autoignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : No data available |
| Explosion limits | : No data available |
| Particle characteristics | : No data available |

QDL 200

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Disodium metasilicate | |
|--------------------------|-------------------|
| Particle characteristics | No data available |

| Alcohols, C12-16, ethoxylated | |
|-------------------------------|-------------------|
| Particle characteristics | No data available |

| Dodecyl benzene sodium sulfonate | |
|----------------------------------|-------------------|
| Particle characteristics | No data available |

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

Corrosive product. Reacts with materials of opposite pH; may release heat or hydrogen gas. Contact with metals (e.g. aluminum, zinc, tin) may release hydrogen gas.

10.2. Chemical stability

Stable under recommended storage and handling conditions. Avoid contamination or exposure to extreme temperatures.

10.3. Possibility of hazardous reactions

Mixing with incompatible materials (acids/bases or oxidizers) may cause exothermic reactions or gas release.

10.4. Conditions to avoid

Avoid heat, sparks, open flames, direct sunlight, and contamination with organic materials or metals (iron, copper, nickel, manganese). Avoid mixing with other cleaning products.

10.5. Incompatible materials

Incompatible with strong acids/bases, oxidizing agents, metals (aluminum, zinc, tin), organic materials, hypochlorites, and ammonia.

10.6. Hazardous decomposition products

Thermal decomposition may release corrosive and/or toxic fumes. Contact with metals can release hydrogen gas.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

| | |
|-----------------------------|------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

| Disodium metasilicate (6834-92-0) | |
|-----------------------------------|---|
| LD50 oral rat | 1153 mg/kg |
| LD50 dermal rat | > 5000 mg/kg body weight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity) |
| LC50 Inhalation - Rat | > 2.06 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity) |

QDL 200

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Dodecyl benzene sodium sulfonate (25155-30-0) | |
|--|--|
| LD50 oral rat | 438 mg/kg |
| Skin corrosion/irritation | : Causes severe skin burns. |
| Serious eye damage/irritation | : Causes serious eye damage. |
| Respiratory or skin sensitization | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| Disodium metasilicate (6834-92-0) | |
| NOAEL (animal/female, F0/P) | > 159 mg/kg body weight Animal: rat, Animal sex: female |
| STOT-single exposure | : Not classified |
| Disodium metasilicate (6834-92-0) | |
| STOT-single exposure | May cause respiratory irritation. |
| STOT-repeated exposure | : Not classified |
| Disodium metasilicate (6834-92-0) | |
| NOAEL (oral,rat,90 days) | 227 – 237 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents) |
| Aspiration hazard | : Not classified |
| QDL 200 | |
| Viscosity, kinematic | No data available |
| Disodium metasilicate (6834-92-0) | |
| Viscosity, kinematic | No data available |
| Alcohols, C12-16, ethoxylated (68551-12-2) | |
| Viscosity, kinematic | No data available |
| Dodecyl benzene sodium sulfonate (25155-30-0) | |
| Viscosity, kinematic | No data available |

SECTION 12 Ecological information

12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

| Disodium metasilicate (6834-92-0) | |
|--|---|
| EC50 - Crustacea [1] | 1700 mg/l Test organisms (species): Daphnia magna |
| EC50 72h - Algae [1] | 207 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |

QDL 200

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Dodecyl benzene sodium sulfonate (25155-30-0) | |
|---|-----------|
| LC50 - Fish [1] | 1.18 mg/l |

12.2. Persistence and degradability

| QDL 200 | |
|-------------------------------|------------------------|
| Persistence and degradability | Not rapidly degradable |

| Disodium metasilicate (6834-92-0) | |
|-----------------------------------|------------------------|
| Persistence and degradability | Not rapidly degradable |

| Alcohols, C12-16, ethoxylated (68551-12-2) | |
|--|------------------------|
| Persistence and degradability | Not rapidly degradable |

| Dodecyl benzene sodium sulfonate (25155-30-0) | |
|---|------------------------|
| Persistence and degradability | Not rapidly degradable |

12.3. Bioaccumulative potential

| Disodium metasilicate (6834-92-0) | |
|-----------------------------------|-------|
| Log Pow | -5.65 |

| Alcohols, C12-16, ethoxylated (68551-12-2) | |
|--|--|
| Log Pow | 5.96 Source: Ecological Structure Activity Relationships |

| Dodecyl benzene sodium sulfonate (25155-30-0) | |
|---|-------------------|
| Log Pow | 0.45 Source: ICSC |

12.4. Mobility in soil

| Alcohols, C12-16, ethoxylated (68551-12-2) | |
|--|-------------------------|
| Mobility in soil | 13530 Source: EPI Suite |

12.5. Other adverse effects

No additional information available

SECTION 13 Disposal considerations

| | |
|------------------------------|---|
| Regional legislation (waste) | : Avoid unauthorized disposal. Do not dump into any body of water. Comply with federal, state/provincial and local laws/regulations. Do not reuse empty containers. |
| Waste treatment methods | : Do not allow the product to contaminate any body of water. Refer to Section 8 for personal protection equipment. |

SECTION 14 Transport information

In accordance with DOT

| DOT | |
|-----------------------------|--|
| 14.1. UN number | |
| Not regulated for transport | |

QDL 200

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| DOT | |
|---|---------------|
| 14.2. Proper Shipping Name | Not regulated |
| 14.3. Transport hazard class(es) | Not regulated |
| 14.4. Packing group | Not regulated |
| 14.5. Environmental hazards | Not regulated |
| No supplementary information available | |

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT

Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

| | | |
|----------------------------------|--------------------|--------|
| Dodecyl benzene sodium sulfonate | CAS-No. 25155-30-0 | 1 - 5% |
|----------------------------------|--------------------|--------|

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

No additional information available

15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16 Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date : 2/27/2026

| Full text of hazard classes and H-statements | |
|--|---|
| H290 | May be corrosive to metals |
| H314 | Causes severe skin burns and eye damage |

QDL 200

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Full text of hazard classes and H-statements | |
|--|---------------------------|
| H318 | Causes serious eye damage |

Safety Data Sheet (SDS), USA ML

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.