

SECTION 1 Identification**1.1. Product identifier**

Product form : Mixture
Product name : SpecTak
Product code : 863

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Laundry detergent
Restrictions on use : For professional use only

1.4. Supplier's details

Christeyns North America, LLC
311 Staton Road
Greenville, NC 27834
USA
T 252-756-8616 / 800.869.6171
info@christeyns.us - www.christeyns.com

1.5. Emergency phone number

Emergency number : VELOCITY EHS (800) 255-3924 (24 HOURS)
(For use only in the event of emergencies involving a spill, leak, fire, exposure, or accident involving chemicals)

SECTION 2 Hazard Identification**2.1. Classification of the substance or mixture****GHS US classification**

Serious eye damage/eye irritation, Category 1 H318 Causes serious eye damage.
Full text of H statements : see section 16

2.2. Label elements**GHS US labeling**

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger
Hazard statements (GHS US) : H318 - Causes serious eye damage
Precautionary statements (GHS US) : P280 - Wear eye protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a poison center or doctor.

SpecTak

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Sodium carbonate	CAS-No.: 497-19-8	10 - 30
Sodium percarbonate	CAS-No.: 15630-89-4	10 - 30
Alcohols, C13-15-branched and linear, ethoxylated	CAS-No.: 157627-86-6	5 - 10
Sodium bicarbonate	CAS-No.: 144-55-8	3 - 7
Tetraacetythylenediamine	CAS-No.: 10543-57-4	1 - 5
Alcohols, C12-13, branched and linear, ethoxylated	CAS-No.: 160901-19-9	1 - 5
Sodium alkylbenzene sulfonate	CAS-No.: 68411-30-3	1 - 5

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Treat symptomatically. Get medical attention if symptoms occur.
- First-aid measures after skin contact : Rinse skin with plenty of water or shower. If irritation persists, get medical attention.
- First-aid measures after eye contact : Rinse immediately with water for 15 minutes, occasionally lifting upper and lower eyelids. Remove contact lenses, if present, and easy to do. Continue rinsing. Get medical attention immediately.
- First-aid measures after ingestion : Rinse mouth with water if the person is conscious. Do not induce vomiting unless directed by medical personnel. Get medical attention if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

No additional information available

4.3. Indication of immediate medical attention and special treatment needed, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Do not use a water jet as this can spread the fire and may cause the splattering of corrosive liquid.

5.2. Specific hazards arising from the chemical

- Fire hazard : Decomposition products may include carbon oxides.

SpecTak

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. In case of fire, do not breathe fumes. Move containers from the fire area if you can do so without risk. Prevent firefighting water from entering the environment.
- Protection during firefighting : Wear a self-contained breathing apparatus. Do not attempt to take action without suitable protective equipment.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

- Protective equipment : For spills or leaks, contact a supervisor and/or emergency responder. Avoid contact with spilled material and keep unnecessary personnel away.

For emergency responders

- Protective equipment : See Section 8 for recommended personal protective equipment. Ventilate the area and restrict access to the spill or leak zone. Have emergency procedures in place for treating exposures or incidents. Only trained and authorized personnel equipped with proper protective equipment should perform cleanup.

- Environmental precautions : Avoid release onto the ground, into storm sewers, or bodies of water.

6.2. Methods and materials for containment and cleaning up

- Methods for cleaning up : Stop leak if safe to do so. Contain spillage, soak up with non-combustible absorbent material (e.g. sand, earth, diatomaceous earth, vermiculite) and collect all waste in suitable, labeled, and closed containers. Dispose according to local legislation (See Section 13).

SECTION 7 Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Handle in accordance with good industrial hygiene and safety practices. Use only with adequate ventilation. Avoid contact with skin, eyes, and clothing. Use appropriate personal protection equipment (PPE). Wash thoroughly after handling.

7.2. Conditions for safe storage, including incompatibilities

- Storage conditions : Store upright in a tightly closed, suitably labeled container. Store in a dry, cool, well-ventilated area with appropriate designated containment measures. Keep out of reach of children. Have readily available spill kits with appropriate absorbent materials. Protect from sunlight. Store in original labeled containers.
- Incompatible products : Keep away from strong acids, strong bases, flammables/combustibles, oxidizers, and reactive metals (aluminum, zinc, magnesium, iron filings).

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Sodium carbonate (497-19-8)

USA - OSHA - Occupational Exposure Limits

OSHA PEL TWA	10 mg/m ³ Total dust; 5 mg/m ³ Respirable fraction
--------------	--

SpecTak

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

8.2. Appropriate engineering controls

Appropriate engineering controls : Maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable guidelines, use only with adequate ventilation. Eye wash facilities and emergency showers must be available when handling this product.

8.3. Individual protection measures, such as personal protective equipment

Materials for protective clothing:
Wear suitable protective clothing. Long sleeved protective clothing.
Hand protection:
Chemical resistant PVC gloves
Eye protection:
Safety glasses with side shields.

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Solid
Color	: White with blue specks
Odor	: Perfume
Odor threshold	: No data available
pH	: 10.6
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Density	: 0.963 kg/l
Solubility	: No data available
Log Pow	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available
Particle characteristics	: No data available

Sodium carbonate	
Particle characteristics	No data available

Sodium percarbonate	
Particle characteristics	No data available

Alcohols, C13-15-branched and linear, ethoxylated	
Particle characteristics	No data available

SpecTak

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium bicarbonate	
Particle characteristics	No data available

Tetraacetythylenediamine	
Particle characteristics	No data available

Alcohols, C12-13, branched and linear, ethoxylated	
Particle characteristics	No data available

Sodium alkylbenzene sulfonate	
Particle characteristics	No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

Not reactive under normal conditions of use, storage, and transport.

10.2. Chemical stability

Stable under recommended storage conditions. Decomposes slowly when exposed to heat, sunlight, or contamination with incompatible materials.

10.3. Possibility of hazardous reactions

May cause exothermic decomposition and release of oxygen if contaminated or heated. Contact with incompatible materials may cause reactions.

10.4. Conditions to avoid

Avoid heat, sparks, open flames, direct sunlight, and contamination with organic materials or metals (iron, copper, nickel, manganese). Avoid mixing with other cleaning products.

10.5. Incompatible materials

Incompatible with reducing agents, organic materials, acids, bases, transition metals, metal salts, or combustible materials. Avoid contact with chlorinated products, ammonia, or strong alkalis.

10.6. Hazardous decomposition products

Decomposition may produce oxygen or other toxic and irritating gases.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Sodium carbonate (497-19-8)	
LD50 oral rat	2800 mg/kg Source: OECD Screening Information Data Set

SpecTak

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium carbonate (497-19-8)	
LD50 dermal rabbit	> 2000 mg/kg Source: OECD Screening Information Data Set
LC50 Inhalation - Rat (Dust/Mist)	1.2 mg/l Source: SIDS
Sodium percarbonate (15630-89-4)	
LD50 oral rat	1034 mg/kg
LD50 dermal rabbit	> 2000 mg/kg body weight Animal: rabbit, Guideline: other:
Sodium bicarbonate (144-55-8)	
LD50 oral rat	4220 mg/kg Source: IUCLID, HSDB
Tetraacetylenediamine (10543-57-4)	
LD50 oral rat	> 2000 mg/kg Source: IUCLID
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 2.08 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)
Sodium alkylbenzene sulfonate (68411-30-3)	
LD50 oral rat	1080 – 1980 mg/kg
LD50 dermal rat	> 2000 mg/kg
Skin corrosion/irritation	: Not classified pH: 10.6
Serious eye damage/irritation	: Causes serious eye damage. pH: 10.6
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Tetraacetylenediamine (10543-57-4)	
NOAEL (oral,rat,90 days)	90 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
NOAEC (inhalation,rat,dust/mist/fume,90 days)	≥ 0.283 mg/l air Animal: rat
Aspiration hazard	: Not classified
SpecTak	
Viscosity, kinematic	No data available
Sodium carbonate (497-19-8)	
Viscosity, kinematic	No data available
Sodium percarbonate (15630-89-4)	
Viscosity, kinematic	No data available

SpecTak

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium carbonate (497-19-8)	
Alcohols, C13-15-branched and linear, ethoxylated (157627-86-6)	
Viscosity, kinematic	No data available
Sodium bicarbonate (144-55-8)	
Viscosity, kinematic	No data available
Tetraacetythylenediamine (10543-57-4)	
Viscosity, kinematic	No data available
Alcohols, C12-13, branched and linear, ethoxylated (160901-19-9)	
Viscosity, kinematic	No data available
Sodium alkylbenzene sulfonate (68411-30-3)	
Viscosity, kinematic	No data available

SECTION 12 Ecological information

12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Sodium carbonate (497-19-8)	
LC50 - Fish [1]	300 mg/l Source: International Uniform Chemical Information Database
EC50 - Crustacea [1]	200 – 227 mg/l Source: OECD Screening Information Data Set
EC50 - Crustacea [2]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.
EC50 96h - Algae [1]	242 mg/l Source: ECOTOX
Sodium percarbonate (15630-89-4)	
LC50 - Fish [1]	70.7 mg/l Source: EPA guideline, SIDS
EC50 - Crustacea [1]	4.9 mg/l Source: SIDS
ErC50 algae	> 7.7 mg/l Source: SIDS
Sodium bicarbonate (144-55-8)	
LC50 - Fish [1]	7100 mg/l Source: EPA OPP 72-1
EC50 - Crustacea [1]	4100 mg/l Source: EPA OPP 72-2
Tetraacetythylenediamine (10543-57-4)	
LC50 - Fish [1]	> 500 mg/l Source: OECD TG 203, IUCLID
EC50 - Crustacea [1]	> 800 mg/l Source: IUCLID
EC50 72h - Algae [1]	> 1000 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Sodium alkylbenzene sulfonate (68411-30-3)	
LC50 - Fish [1]	4.1 mg/l Source: SIDS
EC50 - Crustacea [1]	6.8 mg/l Source: International Uniform Chemical Information Database

SpecTak

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium alkylbenzene sulfonate (68411-30-3)	
EC50 72h - Algae [1]	20 mg/l Source: International Uniform Chemical Information Database

12.2. Persistence and degradability

SpecTak	
Persistence and degradability	Not rapidly degradable

Sodium carbonate (497-19-8)	
Persistence and degradability	Not rapidly degradable

Sodium percarbonate (15630-89-4)	
Persistence and degradability	Not rapidly degradable

Alcohols, C13-15-branched and linear, ethoxylated (157627-86-6)	
Persistence and degradability	Not rapidly degradable

Sodium bicarbonate (144-55-8)	
Persistence and degradability	Not rapidly degradable

Tetraacetythylenediamine (10543-57-4)	
Persistence and degradability	Not rapidly degradable

Alcohols, C12-13, branched and linear, ethoxylated (160901-19-9)	
Persistence and degradability	Not rapidly degradable

Sodium alkylbenzene sulfonate (68411-30-3)	
Persistence and degradability	Not rapidly degradable

12.3. Bioaccumulative potential

Sodium carbonate (497-19-8)	
Log Pow	-6.19 Source: Quantitative Structure Activity Relation

Sodium bicarbonate (144-55-8)	
Log Pow	-4.01

Sodium alkylbenzene sulfonate (68411-30-3)	
Log Pow	3.32 Source: ICSC

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13 Disposal considerations

- | | |
|------------------------------|---|
| Regional legislation (waste) | : Avoid unauthorized disposal. Do not dump into any body of water. Comply with federal, state/provincial and local laws/regulations. Do not reuse empty containers. |
| Waste treatment methods | : Do not allow the product to contaminate any body of water. Refer to Section 8 for personal protection equipment. |

SpecTak

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14 Transport information

In accordance with DOT

DOT	
14.1. UN number	
Not regulated for transport	
14.2. Proper Shipping Name	
Not regulated	
14.3. Transport hazard class(es)	
Not regulated	
14.4. Packing group	
Not regulated	
14.5. Environmental hazards	
Not regulated	
No supplementary information available	

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT

Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

Alcohols, C13-15-branched and linear, ethoxylated	CAS-No. 157627-86-6	5 - 10%
Alcohols, C12-13, branched and linear, ethoxylated	CAS-No. 160901-19-9	1 - 5%
Sodium alkylbenzene sulfonate	CAS-No. 68411-30-3	1 - 5%

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

No additional information available

15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SpecTak

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Component	State or local regulations
Sodium percarbonate(15630-89-4)	U.S. - New York City - Right to Know Hazardous Substances List

SECTION 16 Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date : 1/14/2026

Full text of hazard classes and H-statements	
H318	Causes serious eye damage

Safety Data Sheet (SDS), USA ML

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.