

## SECTION 1 Identification

### 1.1. Product identifier

Product form : Mixture  
Product name : PERACID BRITE  
Product code : 40042

### 1.2. Other means of identification

No additional information available

### 1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Peracetic acid bleach  
Restrictions on use : For professional use only

### 1.4. Supplier's details

Christeyns North America, LLC  
311 Staton Road  
Greenville, NC 27834  
USA  
T 252-756-8616 / 800.869.6171  
[info@christeyns.us](mailto:info@christeyns.us) - [www.christeyns.com](http://www.christeyns.com)

### 1.5. Emergency phone number

Emergency number : VELOCITY EHS (800) 255-3924 (24 HOURS)  
(For use only in the event of emergencies involving a spill, leak, fire, exposure, or accident involving chemicals)

## SECTION 2 Hazard Identification

### 2.1. Classification of the substance or mixture

#### GHS US classification

Flammable liquid, Category 4	H227	Combustible liquid.
Oxidising liquid, Category 2	H272	May intensify fire; oxidizer.
Acute toxicity (oral), Category 3	H301	Toxic if swallowed.
Acute toxicity (inhalation), Category 4	H332	Harmful if inhaled.
Skin corrosion/irritation, Category 1	H314	Causes severe skin burns and eye damage.
Serious eye damage/eye irritation, Category 1	H318	Causes serious eye damage.
Hazardous to the aquatic environment — Acute Hazard, Category 1	H400	Very toxic to aquatic life.

Full text of H statements : see section 16

### 2.2. Label elements

#### GHS US labeling

Hazard pictograms (GHS US) :



# PERACID BRITE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Signal word (GHS US)	: Danger
Hazard statements (GHS US)	: H227 - Combustible liquid H272 - May intensify fire; oxidizer H301 - Toxic if swallowed H314 - Causes severe skin burns and eye damage H332 - Harmful if inhaled H400 - Very toxic to aquatic life
Precautionary statements (GHS US)	: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P260 - Do not breathe fumes, mists, vapors, or spray. P264 - Wash hands, forearms and face thoroughly after handling. P273 - Avoid release to the environment. P280 - Wear protective gloves, protective clothing made of butyl or "Viton", eye protection, and face protection. P301+P310 - If swallowed: Immediately call a poison center or doctor. Rinse mouth, DO NOT induce vomiting. P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a poison center or doctor. P321 - Specific treatment (see supplemental first aid instruction on this label). P363 - Take off immediately all contaminated clothing and wash it before reuse. P370+P378 - In case of fire: Use appropriate media to extinguish. P391 - Collect spillage. P501 - Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

## SECTION 3 Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%
Hydrogen peroxide	CAS-No.: 7722-84-1	10 - 30
Acetic acid	CAS-No.: 64-19-7	10 - 30
Peracetic acid	CAS-No.: 79-21-0	10 - 30
Sulfuric acid	CAS-No.: 7664-93-9	1 - 5

Full text of hazard classes and H-statements : see section 16

## SECTION 4 First aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Treat symptomatically. Get medical attention immediately.
First-aid measures after skin contact	: Remove contaminated clothing and wash before reuse. Rinse skin with plenty of water for at least 15 minutes. If exposed to small amounts, get medical attention if symptoms occur or irritation persists. If exposed to large amounts, get medical attention immediately.

# PERACID BRITE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

First-aid measures after eye contact	: Rinse immediately with water for 15 minutes, occasionally lifting upper and lower eyelids. Remove contact lenses, if present, and easy to do. Continue rinsing. Get medical attention immediately.
First-aid measures after ingestion	: Rinse mouth with water if the person is conscious. Do not induce vomiting unless directed by medical personnel. Get medical attention immediately.

### 4.2. Most important symptoms/effects, acute and delayed

Symptoms/injuries after inhalation	: Severely irritating; may cause pulmonary oedema which may become life-threatening.
Symptoms/injuries after skin contact	: Highly corrosive to skin.
Symptoms/injuries after eye contact	: Liquid and vapor corrosive to eyes; will cause permanent damage if not rinsed promptly.
Symptoms/injuries after ingestion	: Corrosive to mouth, throat & stomach; damage to digestive tract may be severe & life-threatening.
Chronic symptoms	: Prolonged or repeated exposure may cause skin cracking and dermatitis; repeated absorption may damage liver and kidneys.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

No additional information available

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Do not use a water jet as this can spread the fire and may cause the splattering of corrosive liquid.
------------------------------	---

### 5.2. Specific hazards arising from the chemical

Fire hazard	: Combustible liquid. May intensify fire; oxidizer.
Hazardous decomposition products in case of fire	: Carbon monoxide, nitrogen oxides, sulphur oxides, and phosphorous oxides.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Use water spray or fog for cooling exposed containers. In case of fire, do not breathe fumes. Move containers from the fire area if you can do so without risk. Prevent firefighting water from entering the environment.
Protection during firefighting	: Wear a self-contained breathing apparatus. Do not attempt to take action without suitable protective equipment.

## SECTION 6 Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Protective equipment	: For spills or leaks, contact a supervisor and/or emergency responder. Avoid contact with spilled material and keep unnecessary personnel away.
----------------------	--

#### For emergency responders

Protective equipment	: See Section 8 for recommended personal protective equipment. Ventilate the area and restrict access to the spill or leak zone. Have emergency procedures in place for treating exposures or incidents. Only trained and authorized personnel equipped with proper protective equipment should perform cleanup.
----------------------	--

Environmental precautions	: Avoid release onto the ground, into storm sewers, or bodies of water.
---------------------------	---

# PERACID BRITE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 6.2. Methods and materials for containment and cleaning up

- For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
- Methods for cleaning up : Stop leak if safe to do so. Contain spillage, soak up with non-combustible absorbent material (e.g. sand, earth, diatomaceous earth, vermiculite) and collect all waste in suitable, labeled, and closed containers. Dispose according to local legislation (See Section 13).

## SECTION 7 Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Handle in accordance with good industrial hygiene and safety practices. Use only with adequate ventilation. Avoid contact with skin, eyes, and clothing. Use appropriate personal protection equipment (PPE). Wash thoroughly after handling.

### 7.2. Conditions for safe storage, including incompatibilities

- Storage conditions : Keep away from sources of heat or ignition.
- Incompatible products : Keep away from strong acids, strong bases, flammables/combustibles, oxidizers, and reactive metals (aluminum, zinc, magnesium, iron filings).

## SECTION 8 Exposure controls/personal protection

### 8.1. Control parameters

Hydrogen peroxide (7722-84-1)	
USA - ACGIH® - Threshold Limit Values	
Local name	Hydrogen peroxide
ACGIH® TLV® TWA	1.4 mg/m <sup>3</sup>
	1 ppm
Remark (ACGIH®)	TLV® Basis: Eye, URT & Skin irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2025
USA - OSHA - Occupational Exposure Limits	
Local name	Hydrogen peroxide
OSHA PEL TWA	1.4 mg/m <sup>3</sup>
	1 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - NIOSH - Occupational Exposure Limits	
Local name	Hydrogen peroxide
NIOSH REL 10h TWA	1 ppm
Regulatory reference (US-NIOSH)	OSHA Annotated Table Z-1 (NIOSH Pocket Guide to Chemical Hazards (NPG))

# PERACID BRITE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Acetic acid (64-19-7)</b>	
<b>USA - NIOSH - Occupational Exposure Limits</b>	
Local name	Acetic acid
NIOSH REL 10h TWA	10 ppm
NIOSH REL (STEL)	15 ppm
Regulatory reference (US-NIOSH)	OSHA Annotated Table Z-1 (NIOSH Pocket Guide to Chemical Hazards (NPG))
<b>Peracetic acid (79-21-0)</b>	
<b>USA - ACGIH® - Threshold Limit Values</b>	
Local name	Peracetic acid
ACGIH® TLV® STEL	1.24 mg/m <sup>3</sup> (IFV - Inhalable fraction and vapor) 0.4 ppm (IFV - Inhalable fraction and vapor)
Remark (ACGIH®)	TLV® Basis: Eye, Skin & URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2025
<b>Sulfuric acid (7664-93-9)</b>	
<b>USA - ACGIH® - Threshold Limit Values</b>	
Local name	Sulfuric acid
ACGIH® TLV® TWA	0.2 mg/m <sup>3</sup> (T - Thoracic particulate matter)
Remark (ACGIH®)	TLV® Basis: Mucostasis; Pulm func. Notations: A2 (Suspected Human Carcinogen)
Regulatory reference	ACGIH 2025
<b>USA - OSHA - Occupational Exposure Limits</b>	
Local name	Sulfuric acid
OSHA PEL TWA	1 mg/m <sup>3</sup>
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
<b>USA - NIOSH - Occupational Exposure Limits</b>	
Local name	Sulfuric acid
NIOSH REL 10h TWA	1 mg/m <sup>3</sup>
Regulatory reference (US-NIOSH)	OSHA Annotated Table Z-1 (NIOSH Pocket Guide to Chemical Hazards (NPG))

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable guidelines, use only with adequate ventilation. Eye wash facilities and emergency showers must be available when handling this product.

### 8.3. Individual protection measures, such as personal protective equipment

<b>Materials for protective clothing:</b>
Wear suitable protective clothing. Long sleeved protective clothing.
<b>Hand protection:</b>
Chemical resistant PVC gloves

# PERACID BRITE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Eye protection:

Safety glasses with face shield

## SECTION 9 Physical and chemical properties

### 9.1. Basic physical and chemical properties

Physical state	: Liquid
Color	: Colorless
Odor	: Strong acetic acid (vinegar) odor
Odor threshold	: 0.07 ppm
pH	: < 1
Melting point	: No data available
Freezing point	: < -40 °F
Boiling point	: > 212 °F
Flash point	: > 180 °F
Relative evaporation rate (butyl acetate=1)	: Not known – slightly slower than water
Flammability (solid, gas)	: Normally, acetic acid solutions below 75% cannot burn; the presence of hydrogen peroxide, 10 - 30%, makes this product combustible.
Vapor pressure	: ≈ 20 mm Hg (68 °F)
Relative vapor density at 20°C	: Mixture - all components, except water, are heavier than air
Relative density	: 1.1 – 1.15 (68 °F)
Solubility	: No data available
Log Pow	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available
Particle characteristics	: No data available

#### Hydrogen peroxide

Particle characteristics	No data available
--------------------------	-------------------

#### Acetic acid

Particle characteristics	No data available
--------------------------	-------------------

#### Peracetic acid

Particle characteristics	No data available
--------------------------	-------------------

#### Sulfuric acid

Particle characteristics	No data available
--------------------------	-------------------

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## SECTION 10 Stability and reactivity

### 10.1. Reactivity

Oxidizer product. Reacts with reducing agents, organic materials, or combustible substances; may release oxygen gas.

# PERACID BRITE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 10.2. Chemical stability

Stable under recommended storage conditions. Decomposes with heat, sunlight, or contamination with incompatible materials.

### 10.3. Possibility of hazardous reactions

May cause exothermic decomposition and release of oxygen if contaminated or heated. Contact with incompatible materials may cause reactions.

### 10.4. Conditions to avoid

Avoid heat, sparks, open flames, direct sunlight, and contamination with organic materials or metals (iron, copper, nickel, manganese). Avoid mixing with other cleaning products.

### 10.5. Incompatible materials

Incompatible with reducing agents, organic materials, acids, bases, transition metals, metal salts, or combustible materials. Avoid contact with chlorinated products, ammonia, or strong alkalis.

### 10.6. Hazardous decomposition products

Decomposition may produce oxygen or other toxic and irritating gases.

## SECTION 11 Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Toxic if swallowed.  
Acute toxicity (dermal) : Slight skin absorption; no toxic effects likely by this route.  
Acute toxicity (inhalation) : Severely irritating; may cause pulmonary oedema which may become life-threatening.

#### PERACID BRITE

LD50 oral rat	790 mg/kg
LD50 dermal rabbit	1020 mg/kg
LC50 Inhalation - Rat [ppm]	2100 ppm

#### Hydrogen peroxide (7722-84-1)

LD50 oral rat	431 mg/kg
LD50 dermal rabbit	3000 mg/kg Source: ChemIDPlus
LC50 Inhalation - Rat	2000 mg/m <sup>3</sup> Source: ChemIDPlus

#### Acetic acid (64-19-7)

LD50 oral rat	3310 mg/kg Source: ECHA Registered substances
LD50 dermal rabbit	1060 mg/kg Source: HSDB, NITE
LC50 Inhalation - Rat [ppm]	16000 ppm Source: ChemIDPlus

#### Sulfuric acid (7664-93-9)

LD50 oral rat	2140 mg/kg Source: ECHA
LC50 Inhalation - Rat	0.375 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)

Skin corrosion/irritation : Causes severe skin burns.  
pH: < 1

Serious eye damage/irritation : Causes serious eye damage.  
pH: < 1

# PERACID BRITE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Hydrogen peroxide (7722-84-1)	
IARC group	3 - Not classifiable
Sulfuric acid (7664-93-9)	
IARC group	1 - Carcinogenic to humans
National Toxicology Program (NTP) Status	Known Human Carcinogens

Reproductive toxicity : Not classified

STOT-single exposure : Not classified.

Hydrogen peroxide (7722-84-1)	
STOT-single exposure	May cause respiratory irritation.
Peracetic acid (79-21-0)	
STOT-single exposure	May cause respiratory irritation.

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

PERACID BRITE	
Viscosity, kinematic	No data available
Hydrogen peroxide (7722-84-1)	
Viscosity, kinematic	No data available
Acetic acid (64-19-7)	
Viscosity, kinematic	No data available
Peracetic acid (79-21-0)	
Viscosity, kinematic	No data available
Sulfuric acid (7664-93-9)	
Viscosity, kinematic	11.413 mm <sup>2</sup> /s

Symptoms/injuries after inhalation : Severely irritating; may cause pulmonary oedema which may become life-threatening.

Symptoms/injuries after skin contact : Highly corrosive to skin.

Symptoms/injuries after eye contact : Liquid and vapor corrosive to eyes; will cause permanent damage if not rinsed promptly.

Symptoms/injuries after ingestion : Corrosive to mouth, throat & stomach; damage to digestive tract may be severe & life-threatening.

Chronic symptoms : Prolonged or repeated exposure may cause skin cracking and dermatitis; repeated absorption may damage liver and kidneys.

## SECTION 12 Ecological information

### 12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term (acute) : Very toxic to aquatic life.

Hazardous to the aquatic environment, long-term (chronic) : Not classified

# PERACID BRITE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

<b>Hydrogen peroxide (7722-84-1)</b>	
LC50 - Fish [1]	16.4 mg/l Source: ECHA
EC50 72h - Algae [1]	1.38 mg/l Source: ECHA
LOEC (chronic)	1.25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	0.63 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
<b>Acetic acid (64-19-7)</b>	
LC50 - Fish [1]	31.3 – 67.6 mg/l Source: ECHA
EC50 - Crustacea [1]	18.9 mg/l Source: ECHA
EC50 72h - Algae [1]	4.51 mg/l Source: ECHA
<b>Peracetic acid (79-21-0)</b>	
LC50 - Fish [1]	0.53 mg/l Source: ECHA Harmonised C&amp;L
EC50 - Crustacea [1]	0.73 mg/l Source: ECHA Harmonised C&amp;L
<b>Sulfuric acid (7664-93-9)</b>	
LC50 - Fish [1]	16 – 28 mg/l Source: ECHA, NCIS
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodemus subspicatus (previous name: Scenedesmus subspicatus)
NOEC (chronic)	0.15 mg/l Test organisms (species): other:
NOEC chronic fish	0.31 mg/l Test organisms (species): Salvelinus fontinalis Duration: '213 d'

### 12.2. Persistence and degradability

<b>PERACID BRITE</b>	
Persistence and degradability	Not rapidly degradable
<b>Hydrogen peroxide (7722-84-1)</b>	
Persistence and degradability	Not rapidly degradable
<b>Acetic acid (64-19-7)</b>	
Persistence and degradability	Not rapidly degradable
<b>Peracetic acid (79-21-0)</b>	
Persistence and degradability	Not rapidly degradable
<b>Sulfuric acid (7664-93-9)</b>	
Persistence and degradability	Not rapidly degradable

### 12.3. Bioaccumulative potential

<b>Hydrogen peroxide (7722-84-1)</b>	
Log Pow	-1.36 Source: IPCS
<b>Acetic acid (64-19-7)</b>	
Log Pow	-0.17 Source: ECHA

# PERACID BRITE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Peracetic acid (79-21-0)

Log Pow -1.25

### Sulfuric acid (7664-93-9)

Log Pow -2.2 Source: HSDB

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

No additional information available

## SECTION 13 Disposal considerations

- Regional legislation (waste) : Avoid unauthorized disposal. Do not dump into any body of water. Comply with federal, state/provincial and local laws/regulations. Do not reuse empty containers.
- Waste treatment methods : Do not allow the product to contaminate any body of water. Refer to Section 8 for personal protection equipment.

## SECTION 14 Transport information

In accordance with DOT

### DOT

#### 14.1. UN number

UN3109

#### 14.2. Proper Shipping Name

Organic peroxide type F, liquid (Peroxyacetic acid, with not more than 26% hydrogen peroxide (<17%))

#### Transport document description

UN3109 Organic peroxide type F, liquid (Peroxyacetic acid, with not more than 26% hydrogen peroxide (<17%)), 5.2 (8)

#### 14.3. Transport hazard class(es)

5.2 (8)



#### 14.4. Packing group

Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment: No

No supplementary information available

### 14.6. Transport in bulk

Not applicable

# PERACID BRITE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 14.7. Special precautions for user

#### DOT

UN-No. (DOT)	:	UN3109
DOT Packaging Exceptions (49 CFR 173.xxx)	:	152
DOT Packaging Non Bulk (49 CFR 173.xxx)	:	225
DOT Packaging Bulk (49 CFR 173.xxx)	:	225

## SECTION 15 Regulatory information

### 15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Peracetic acid	CAS-No. 79-21-0	10 - 30%
Sulfuric acid	CAS-No. 7664-93-9	1 - 5%

#### Hydrogen peroxide (7722-84-1)

RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb

#### Acetic acid (64-19-7)

CERCLA RQ	5000 lb
-----------	---------

#### Peracetic acid (79-21-0)

RQ (Reportable quantity, section 304 of EPA's List of Lists)	500 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb

#### Sulfuric acid (7664-93-9)

CERCLA RQ	1000 lb
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb
SARA Section 302 Threshold Planning Quantity (TPQ)	1000 lb

### 15.2. International regulations

No additional information available

# PERACID BRITE

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Hydrogen peroxide(7722-84-1)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - New York City - Right to Know Hazardous Substances List; U.S. - Pennsylvania - RTK (Right to Know) List
Acetic acid(64-19-7)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - New York City - Right to Know Hazardous Substances List; U.S. - Pennsylvania - RTK (Right to Know) List
Peracetic acid(79-21-0)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - New York City - Right to Know Hazardous Substances List; U.S. - Pennsylvania - RTK (Right to Know) List
Sulfuric acid(7664-93-9)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - New York City - Right to Know Hazardous Substances List; U.S. - Pennsylvania - RTK (Right to Know) List

### SECTION 16 Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date : 5/11/2026

Full text of hazard classes and H-statements	
H227	Combustible liquid
H272	May intensify fire; oxidizer
H301	Toxic if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H332	Harmful if inhaled
H400	Very toxic to aquatic life

Safety Data Sheet (SDS), USA ML

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.