

SECTION 1 Identification**1.1. Product identifier**

Product form : Mixture
Product name : GREEN'R STAIN WASH POWER
Product code : SA0083440

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Stain-remover
Restrictions on use : For professional use only

1.4. Supplier's details

Christeyns North America, LLC
311 Staton Road
Greenville, NC 27834
USA
T 252-756-8616 / 800.869.6171
info@christeyns.us - www.christeyns.com

1.5. Emergency phone number

Emergency number : VELOCITY EHS (800) 255-3924 (24 HOURS)
(For use only in the event of emergencies involving a spill, leak, fire, exposure, or accident involving chemicals)

SECTION 2 Hazard Identification**2.1. Classification of the substance or mixture****GHS US classification**

Serious eye damage/eye irritation, Category 1 H318 Causes serious eye damage.
Full text of H statements : see section 16

2.2. Label elements**GHS US labeling**

Hazard pictograms (GHS US) :



Signal word (GHS US) : Danger
Hazard statements (GHS US) : H318 - Causes serious eye damage
Precautionary statements (GHS US) : P280 - Wear eye protection.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a poison center or doctor.

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Alcohols, C12-18, ethoxylated	CAS-No.: 68213-23-0	5 - 10
Dipropylene glycol methyl ether	CAS-No.: 34590-94-8	5 - 10
Propylene glycol	CAS-No.: 57-55-6	5 - 10
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS-No.: 68891-38-3	3 - 7
Sodium p-cumenesulphonate	CAS-No.: 15763-76-5	1 - 5
Alcohols, C13-15-branched and linear, ethoxylated	CAS-No.: 157627-86-6	1 - 5
Subtilisin	CAS-No.: 9014-01-1	0.1 - 1

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Treat symptomatically. Get medical attention if symptoms occur.
First-aid measures after skin contact	: Rinse skin with plenty of water or shower. If irritation persists, get medical attention.
First-aid measures after eye contact	: Rinse immediately with water for 15 minutes, occasionally lifting upper and lower eyelids. Remove contact lenses, if present, and easy to do. Continue rinsing. Get medical attention immediately.
First-aid measures after ingestion	: Rinse mouth with water if the person is conscious. Do not induce vomiting unless directed by medical personnel. Get medical attention if you feel unwell.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/injuries after eye contact	: Risk of serious permanent damages to eyes if the product is not rapidly removed.
-------------------------------------	--

4.3. Indication of immediate medical attention and special treatment needed, if necessary

No additional information available

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Do not use a water jet as this can spread the fire and may cause the splattering of corrosive liquid.
------------------------------	---

5.2. Specific hazards arising from the chemical

Fire hazard	: Decomposition products may include carbon oxides.
-------------	---

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Special protective equipment and precautions for fire-fighters

- | | |
|--------------------------------|---|
| Firefighting instructions | : Use water spray or fog for cooling exposed containers. In case of fire, do not breathe fumes. Move containers from the fire area if you can do so without risk. Prevent firefighting water from entering the environment. |
| Protection during firefighting | : Wear a self-contained breathing apparatus. Do not attempt to take action without suitable protective equipment. |

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

- | | |
|----------------------|--|
| Protective equipment | : For spills or leaks, contact a supervisor and/or emergency responder. Avoid contact with spilled material and keep unnecessary personnel away. |
|----------------------|--|

For emergency responders

- | | |
|----------------------|--|
| Protective equipment | : See Section 8 for recommended personal protective equipment. Ventilate the area and restrict access to the spill or leak zone. Have emergency procedures in place for treating exposures or incidents. Only trained and authorized personnel equipped with proper protective equipment should perform cleanup. |
|----------------------|--|

- | | |
|---------------------------|---|
| Environmental precautions | : Avoid release onto the ground, into storm sewers, or bodies of water. |
|---------------------------|---|

6.2. Methods and materials for containment and cleaning up

- | | |
|-------------------------|---|
| Methods for cleaning up | : Stop leak if safe to do so. Contain spillage, soak up with non-combustible absorbent material (e.g. sand, earth, diatomaceous earth, vermiculite) and collect all waste in suitable, labeled, and closed containers. Dispose according to local legislation (See Section 13). |
|-------------------------|---|

SECTION 7 Handling and storage

7.1. Precautions for safe handling

- | | |
|-------------------------------|---|
| Precautions for safe handling | : Handle in accordance with good industrial hygiene and safety practices. Use only with adequate ventilation. Avoid contact with skin, eyes, and clothing. Use appropriate personal protection equipment (PPE). Wash thoroughly after handling. |
|-------------------------------|---|

7.2. Conditions for safe storage, including incompatibilities

- | | |
|-----------------------|---|
| Storage conditions | : Store upright in a tightly closed, suitably labeled container. Store in a dry, cool, well-ventilated area with appropriate designated containment measures. Keep out of reach of children. Have readily available spill kits with appropriate absorbent materials. Protect from sunlight. Store in original labeled containers. |
| Incompatible products | : Keep away from strong acids, strong bases, flammables/combustibles, oxidizers, and reactive metals (aluminum, zinc, magnesium, iron filings). |

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Dipropylene glycol methyl ether (34590-94-8)

USA - ACGIH® - Threshold Limit Values

Local name	(2-Methoxymethylethoxy)propanol
------------	---------------------------------

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Dipropylene glycol methyl ether (34590-94-8)	
ACGIH® TLV® TWA	50 ppm
Remark (ACGIH®)	TLV® Basis: Liver & CNS eff
Regulatory reference	ACGIH 2025
USA - OSHA - Occupational Exposure Limits	
Local name	Dipropylene glycol methyl ether
OSHA PEL TWA	600 mg/m³
	100 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - NIOSH - Occupational Exposure Limits	
Local name	Dipropylene glycol methyl ether
NIOSH REL 10h TWA	100 ppm
NIOSH REL (STEL)	150 ppm
Regulatory reference (US-NIOSH)	OSHA Annotated Table Z-1 (NIOSH Pocket Guide to Chemical Hazards (NPG))
Subtilisin (9014-01-1)	
USA - ACGIH® - Threshold Limit Values	
Local name	Bacillus subtilis, as 100% crystalline active pure enzyme
ACGIH® TLV® C	0.00006 mg/m³
Remark (ACGIH®)	TLV® Basis: Asthma; Skin, LRT & URT irr
Regulatory reference	ACGIH 2025

8.2. Appropriate engineering controls

Appropriate engineering controls : Maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable guidelines, use only with adequate ventilation. Eye wash facilities and emergency showers must be available when handling this product.

8.3. Individual protection measures, such as personal protective equipment

Hand protection:	
Chemical resistant PVC gloves	
Eye protection:	
Safety glasses with side shields.	

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Color	: Colorless
Odor	: Odorless
Odor threshold	: No data available
pH	: 7 – 9.5
pH solution concentration	: 100 %
Melting point	: No data available

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: Without VOC (volatile organic compounds)
Relative vapor density at 20°C	: Without VOC (volatile organic compounds)
Relative density	: 1.02 – 1.05
Density	: 1.035 g/cm ³
Solubility	: Water: 100 %
Log Pow	: No data available
Autoignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Explosion limits	: No data available
Particle characteristics	: No data available

Alcohols, C12-18, ethoxylated

Particle characteristics	No data available
--------------------------	-------------------

Dipropylene glycol methyl ether

Particle characteristics	No data available
--------------------------	-------------------

Propylene glycol

Particle characteristics	No data available
--------------------------	-------------------

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Particle characteristics	No data available
--------------------------	-------------------

Sodium p-cumenesulphonate

Particle characteristics	No data available
--------------------------	-------------------

Alcohols, C13-15-branched and linear, ethoxylated

Particle characteristics	No data available
--------------------------	-------------------

Subtilisin

Particle characteristics	No data available
--------------------------	-------------------

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

Not reactive under normal conditions of use, storage, and transport.

10.2. Chemical stability

Stable under recommended handling and storage conditions. Decomposes when overheated or exposed to strong oxidizers or acids/bases.

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.3. Possibility of hazardous reactions

No hazardous polymerization expected. Contact with incompatible materials (strong acids, alkalis, oxidizers) may cause degradation with release of vapors or mild exothermic reactions.

10.4. Conditions to avoid

Avoid excessive heat, open flames, and prolonged exposure to direct sunlight.

10.5. Incompatible materials

Incompatible with strong oxidizing agents, strong acids, and strong bases.

10.6. Hazardous decomposition products

Thermal decomposition may produce carbon oxides (CO, CO₂) and minor irritating vapors.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Dipropylene glycol methyl ether (34590-94-8)

LD50 oral rat	5660 mg/kg Source: ECHA
LD50 dermal rat	> 19020 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	9510 mg/kg body weight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Propylene glycol (57-55-6)

LD50 oral rat	22000 mg/kg Source: ECHA
LD50 dermal rabbit	> 2000 mg/kg Source: ECHA
LC50 Inhalation - Rat	> 44.9 mg/l air Animal: rat, Guideline: other:

Skin corrosion/irritation : Not classified
pH: 7 – 9.5

Serious eye damage/irritation : Causes serious eye damage.
pH: 7 – 9.5

Respiratory or skin sensitization : Respiratory sensitization: Not classified.
Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified
STOT-single exposure : Not classified

Subtilisin (9014-01-1)

STOT-single exposure	May cause respiratory irritation.
----------------------	-----------------------------------

STOT-repeated exposure : Not classified.

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Dipropylene glycol methyl ether (34590-94-8)	
NOAEL (oral,rat,90 days)	1000 mg/kg body weight Animal: rat, Guideline: other:
Propylene glycol (57-55-6)	
NOAEL (subchronic,oral,animal/male,90 days)	443 mg/kg body weight Animal: cat, Animal sex: male
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

GREEN'R STAIN WASH POWER	
Viscosity, kinematic	No data available
Alcohols, C12-18, ethoxylated (68213-23-0)	
Viscosity, kinematic	No data available
Dipropylene glycol methyl ether (34590-94-8)	
Viscosity, kinematic	No data available
Propylene glycol (57-55-6)	
Viscosity, kinematic	No data available
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)	
Viscosity, kinematic	No data available
Sodium p-cumenesulphonate (15763-76-5)	
Viscosity, kinematic	No data available
Alcohols, C13-15-branched and linear, ethoxylated (157627-86-6)	
Viscosity, kinematic	No data available
Subtilisin (9014-01-1)	
Viscosity, kinematic	No data available

Symptoms/injuries after eye contact : Risk of serious permanent damages to eyes if the product is not rapidly removed.

SECTION 12 Ecological information

12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Alcohols, C12-18, ethoxylated (68213-23-0)	
LC50 - Fish [1]	2.602 mg/l Source: ECOSAR
EC50 96h - Algae [1]	3.401 mg/l Source: ECOSAR
Dipropylene glycol methyl ether (34590-94-8)	
LC50 - Fish [1]	> 1000 mg/l Source: ECHA
EC50 - Other aquatic organisms [1]	1930 mg/l Test organisms (species): other aquatic crustacea:

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Dipropylene glycol methyl ether (34590-94-8)	
EC50 72h - Algae [1]	> 969 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [1]	> 969 mg/l Source: ECHA
LOEC (chronic)	0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'
NOEC (chronic)	≥ 0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'

Propylene glycol (57-55-6)	
LC50 - Fish [1]	40613 mg/l Source: ECHA
LC50 - Fish [2]	51400 mg/l Test organisms (species): Pimephales promelas
EC50 72h - Algae [1]	24200 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	19300 mg/l Test organisms (species): Skeletonema costatum
EC50 96h - Algae [1]	19000 mg/l Test organisms (species): Raphidocelis subcapitata (previous names: Pseudokirchneriella subcapitata, Selenastrum capricornutum)
EC50 96h - Algae [2]	19100 mg/l Test organisms (species): Skeletonema costatum

12.2. Persistence and degradability

GREEN'R STAIN WASH POWER	
Persistence and degradability	Not rapidly degradable
Alcohols, C12-18, ethoxylated (68213-23-0)	
Persistence and degradability	Not rapidly degradable
Dipropylene glycol methyl ether (34590-94-8)	
Persistence and degradability	Not rapidly degradable
Propylene glycol (57-55-6)	
Persistence and degradability	Not rapidly degradable
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (68891-38-3)	
Persistence and degradability	Not rapidly degradable
Sodium p-cumenesulphonate (15763-76-5)	
Persistence and degradability	Not rapidly degradable
Alcohols, C13-15-branched and linear, ethoxylated (157627-86-6)	
Persistence and degradability	Not rapidly degradable
Subtilisin (9014-01-1)	
Persistence and degradability	Not rapidly degradable

12.3. Bioaccumulative potential

Dipropylene glycol methyl ether (34590-94-8)	
Log Pow	0.0043 Source: ECHA

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Propylene glycol (57-55-6)

Log Pow

0.085 Source: ECHA

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

No additional information available

SECTION 13 Disposal considerations

Regional legislation (waste)

: Avoid unauthorized disposal. Do not dump into any body of water. Comply with federal, state/provincial and local laws/regulations. Do not reuse empty containers.

Waste treatment methods

: Do not allow the product to contaminate any body of water. Refer to Section 8 for personal protection equipment.

SECTION 14 Transport information

In accordance with DOT

DOT

14.1. UN number

Not regulated for transport

14.2. Proper Shipping Name

Not regulated

14.3. Transport hazard class(es)

Not regulated

14.4. Packing group

Not regulated

14.5. Environmental hazards

Not regulated

No supplementary information available

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT

Not regulated

SECTION 15 Regulatory information

15.1. Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:

GREEN'R STAIN WASH POWER

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium p-cumenesulphonate	CAS-No. 15763-76-5	1 - 5%
Alcohols, C13-15-branched and linear, ethoxylated	CAS-No. 157627-86-6	1 - 5%

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

No additional information available

15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Dipropylene glycol methyl ether(34590-94-8)	U.S. - Massachusetts - Right To Know List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - New York City - Right to Know Hazardous Substances List; U.S. - Pennsylvania - RTK (Right to Know) List
Propylene glycol(57-55-6)	U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16 Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Issue date : 8/18/2026

Full text of hazard classes and H-statements

H318	Causes serious eye damage
------	---------------------------

Safety Data Sheet (SDS), USA ML

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.