

EU Declaration of Conformity / UKCA
SEPB 6447 .. / ..(colour)

 **EU Declaration of Conformity**

Safety press-in socket



Order No. SEPB 6447 .. / ..(colour)

Manufacturer Schützinger GmbH | Eichwiesenring 6 | 70567 Stuttgart | Germany

The sole responsibility for issuing this declaration carries the manufacturer.

Rated voltage 1000 V CAT III

Rated current 32 A

Description of the product for pressing into panels up to 6 mm thick; location hole: Ø 12.2+0.1 mm, countersunk one-sided (approx. 0.5 x 45°)

European directives and European regulations

The object of the declaration described above is in conformity with the relevant harmonization legislation of the Union:

- *Low Voltage Directive 2014/35/EU*
published on 29 March 2014 at the EU Official Journal L 96/357-374 Number
- *RoHS II-Directive 2011/65/EC*
published on 01 July 2011 at the EU Official Journal L 174/88 Number
Applied exemption, Annex III, 6c: copper alloy containing up to 4 % lead by weight
- *Commission delegated Directive 2015/863/EC*
published on 06 June 2015 at the EU Official Journal L 137/10 Number
- *REACH-Regulation No. 1907/2006*
published on 30 December 2006 at the EU Official Journal L 396/1 Number
CAS-Number: 7439-92-1
Description: lead, up to 3 %, contained in metal parts

Applied harmonized standards and technical specifications

- *IEC/EN 61010-1:2011-07*
Safety requirements for electrical equipment for measurement, control and laboratory use - Part 1: General requirements (IEC 61010-1:2010 + Cor.: 2011)

EU Declaration of Conformity / UKCA
SEPB 6447 .. / ..(colour)

Stuttgart, 21.10.2024


.....
Bernhard Schützing, CEO

EU Declaration of Conformity / UKCA
SEPB 6447 .. / ..(colour)



Safety press-in socket

Order No.	SEPB 6447 .. / ..(colour)
Manufacturer	Schützinger GmbH Eichwiesenring 6 70567 Stuttgart Germany
The sole responsibility for issuing this declaration carries the manufacturer.	
Rated voltage	1000 V CAT III
Rated current	32 A
Description of the product	for pressing into panels up to 6 mm thick; location hole: Ø 12.2+0.1 mm, countersunk one-sided (approx. 0.5 x 45°)
UK Statutory requirements	The product is in conformity with the relevant UK Statutory Instruments (and their amendments): <ul style="list-style-type: none">• <i>The Electrical Equipment (Safety) Regulations 2016</i>• <i>The Restriction of the Use of certain hazardous substances in Electrical and Electronic Equipment Regulations 2012</i>

Stuttgart, 21.10.2024


.....

Bernhard Schützinger, CEO