

**EU Declaration of Conformity / UKCA
SEPB 7089 Ni / ..(colour)**

CE EU Declaration of Conformity

Safety press-in socket



Order No.	SEPB 7089 Ni / ..(colour)
Manufacturer	Schützinger GmbH Eichwiesenring 6 70567 Stuttgart Germany
The sole responsibility for issuing this declaration carries the manufacturer.	
Rated voltage	1000 V CAT III
Rated current	24 A
Description of the product	for pressing into panels up to 6 mm thick; location hole: Ø 12.2+0.1 mm, countersunk one-sided (approx. 0.5 x 45°); flat tab can be bent up to 90° once; punched part
European directives and European regulations	<p>The object of the declaration described above is in conformity with the relevant harmonization legislation of the Union:</p> <ul style="list-style-type: none"> • <i>Low Voltage Directive 2014/35/EU</i> <i>published on 29 March 2014 at the EU Official Journal L 96/357-374 Number</i> • <i>RoHS II-Directive 2011/65/EC</i> <i>published on 01 July 2011 at the EU Official Journal L 174/88 Number</i> Applied exemption, Annex III, 6c: copper alloy containing up to 4 % lead by weight • <i>Commission delegated Directive 2015/863/EC</i> <i>published on 06 June 2015 at the EU Official Journal L 137/10 Number</i> • <i>REACH-Regulation No. 1907/2006</i> <i>published on 30 December 2006 at the EU Official Journal L 396/1 Number</i> <i>CAS-Number: 7439-92-1</i> <i>Description: lead, up to 3 %, contained in metal parts</i>
Applied harmonized standards and technical specifications	<ul style="list-style-type: none"> • <i>IEC/EN 61010-1:2011-07</i> Safety requirements for electrical equipment for measurement, control and laboratory use - Part 1: General requirements (IEC 61010-1:2010 + Cor.: 2011)

**EU Declaration of Conformity / UKCA
SEP8 7089 Ni / ..(colour)**

Stuttgart, 21.10.2024


.....
Bernhard Schützinger, CEO

EU Declaration of Conformity / UKCA
SEPB 7089 Ni / ..(colour)



Safety press-in socket

Order No.	SEPB 7089 Ni / ..(colour)
Manufacturer	Schützinger GmbH Eichwiesenring 6 70567 Stuttgart Germany
The sole responsibility for issuing this declaration carries the manufacturer.	
Rated voltage	1000 V CAT III
Rated current	24 A
Description of the product	for pressing into panels up to 6 mm thick; location hole: Ø 12.2+0.1 mm, countersunk one-sided (approx. 0.5 x 45°); flat tab can be bent up to 90° once; punched part
UK Statutory requirements	The product is in conformity with the relevant UK Statutory Instruments (and their amendments): <ul style="list-style-type: none">• <i>The Electrical Equipment (Safety) Regulations 2016</i>• <i>The Restriction of the Use of certain hazardous substances in Electrical and Electronic Equipment Regulations 2012</i>

Stuttgart, 21.10.2024


.....
Bernhard Schützinger, CEO