

EU Declaration of Conformity / UKCA
MSWSAK 7418 / 2.5 / ..(length) / ..(colour)

CE EU Declaration of Conformity

Safety measuring lead



Order No.	MSWSAK 7418 / 2.5 / ..(length) / ..(colour)
Manufacturer	Schützinger GmbH Eichwiesenring 6 70567 Stuttgart Germany
The sole responsibility for issuing this declaration carries the manufacturer.	
Rated voltage	1000 V CAT III
Rated current	36 A
Description of the product	1 safety lamella-basket angle plug and 1 safety crocodile clip, assembled on highly flexible, double-insulated PVC cable 2.5 mm ²
European directives and European regulations	<p>The object of the declaration described above is in conformity with the relevant harmonization legislation of the Union:</p> <ul style="list-style-type: none"> • <i>Low Voltage Directive 2014/35/EU</i> published on 29 March 2014 at the EU Official Journal L 96/357-374 Number • <i>RoHS II-Directive 2011/65/EC</i> published on 01 July 2011 at the EU Official Journal L 174/88 Number Applied exemption, Annex III, 6c: copper alloy containing up to 4 % lead by weight • <i>Commission delegated Directive 2015/863/EC</i> published on 06 June 2015 at the EU Official Journal L 137/10 Number • <i>REACH-Regulation No. 1907/2006</i> published on 30 December 2006 at the EU Official Journal L 396/1 Number CAS-Number: 7439-92-1 Description: lead, up to 3 %, contained in metal parts
Applied harmonized standards and technical specifications	<ul style="list-style-type: none"> • <i>IEC/EN 61010-031:2016-07</i> Safety requirements for electrical equipment for measurement, control and laboratory use - Part 031: Safety requirements for hand-held probe assemblies for electrical measurement and test (IEC 61010-031:2015)

EU Declaration of Conformity / UKCA
MSWSAK 7418 / 2.5 / ..(length) / ..(colour)

Stuttgart, 26.10.2022


.....
Bernhard Schützinger, CEO

EU Declaration of Conformity / UKCA
MSWSAK 7418 / 2.5 / ..(length) / ..(colour)



Safety measuring lead

Order No.	MSWSAK 7418 / 2.5 / ..(length) / ..(colour)
Manufacturer	Schützinger GmbH Eichwiesenring 6 70567 Stuttgart Germany
The sole responsibility for issuing this declaration carries the manufacturer.	
Rated voltage	1000 V CAT III
Rated current	36 A
Description of the product	1 safety lamella-basket angle plug and 1 safety crocodile clip, assembled on highly flexible, double-insulated PVC cable 2.5 mm ²
UK Statutory requirements	The product is in conformity with the relevant UK Statutory Instruments (and their amendments): <ul style="list-style-type: none">• <i>The Electrical Equipment (Safety) Regulations 2016</i>• <i>The Restriction of the Use of certain hazardous substances in Electrical and Electronic Equipment Regulations 2012</i>

Stuttgart, 26.10.2022


.....
Bernhard Schützinger, CEO