

**EU Declaration of Conformity / UKCA
KML 7488 / PZ / 0.75 / 100**



Kelvin measuring lead with tweezer



Order No.	KML 7488 / PZ / 0.75 / 100
Manufacturer	Schützinger GmbH Eichwiesenring 6 70567 Stuttgart Germany
The sole responsibility for issuing this declaration carries the manufacturer.	
Rated voltage	30 V _{AC} / 60 V _{DC}
Rated current	1 A per lead
Description of the product	2 lamella-basket plugs assembled on highly flexible, double-insulated PVC cable 0.75 mm ² and tweezers assembled on coaxial cable RG 174/U, this kelvin measuring lead has been especially developed for four-wire measurement, tweezers opening 17 mm max.
European directives and European regulations	<p>The object of the declaration described above is in conformity with the relevant harmonization legislation of the Union:</p> <ul style="list-style-type: none"> • <i>RoHS II-Directive 2011/65/EC</i> published on 01 July 2011 at the EU Official Journal L 174/88 Number Applied exemption, Annex III, 6c: copper alloy containing up to 4 % lead by weight • <i>Commission delegated Directive 2015/863/EC</i> published on 06 June 2015 at the EU Official Journal L 137/10 Number • <i>REACH-Regulation No. 1907/2006</i> published on 30 December 2006 at the EU Official Journal L 396/1 Number, note: CAS-Number: 7439-92-1 Description: lead, up to 3 %, contained in metal parts
Applied harmonized standards and technical specifications	<ul style="list-style-type: none"> • <i>IEC/EN 61010-031:2016-07</i> Safety requirements for electrical equipment for measurement, control and laboratory use - Part 031: Safety requirements for hand-held probe assemblies for electrical measurement and test (IEC 61010-031:2015)

**EU Declaration of Conformity / UKCA
KML 7488 / PZ / 0.75 / 100**

Stuttgart, 19.11.2024


.....

Bernhard Schützinger, CEO

EU Declaration of Conformity / UKCA
KML 7488 / PZ / 0.75 / 100



Kelvin measuring lead with tweezer

Order No. KML 7488 / PZ / 0.75 / 100

Manufacturer Schützing GmbH | Eichwiesenring 6 | 70567 Stuttgart |
Germany

The sole responsibility for issuing this declaration carries the manufacturer.

Rated voltage 30 V_{AC} / 60 V_{DC}

Rated current 1 A per lead

Description of the product 2 lamella-basket plugs assembled on highly flexible, double-insulated PVC cable 0.75 mm² and tweezer assembled on coaxial cable RG 174/U, this kelvin measuring lead has been especially developed for four-wire measurement, tweezer opening 17 mm max.

UK Statutory requirements The product is in conformity with the relevant UK Statutory Instruments (and their amendments):

- *The Restriction of the Use of certain hazardous substances in Electrical and Electronic Equipment Regulations 2012*
-

Stuttgart, 19.11.2024


.....

Bernhard Schützing, CEO